



# Week 6

review; file processing

Special thanks to Scott Shawcroft, Ryan Tucker, and Paul Beck for their work on these slides.

Except where otherwise noted, this work is licensed under:

<http://creativecommons.org/licenses/by-nc-sa/3.0>


# Python!

- Created in 1991 by Guido van Rossum (now at Google)
  - Named for Monty Python
- Useful as a **scripting language**
  - **script**: A small program meant for one-time use
  - Targeted towards small to medium sized projects
- Used by:
  - Google, Yahoo!, Youtube
  - Many Linux distributions
  - Games and apps (e.g. Eve Online)



# Interpreted Languages

- **interpreted**
  - Not compiled like Java
  - Code is written and then directly executed by an **interpreter**
  - Type commands into interpreter and see immediate results



```
Python Shell
Python 2.4.3 (#69, Mar 29 2006, 17:35:34) [MSC v.1310 32 bit (Intel)]
on win32
Type "copyright", "credits" or "license()" for more information.

*****
Personal firewall software may warn about the connection IDLE
makes to its subprocess using this computer's internal loopback
interface. This connection is not visible on any external
interface and no data is sent to or received from the Internet.
*****

IDLE 1.1.3
>>> print "Hello there"
Hello there
>>> print "How are you"
How are you
>>> |
```

# The `print` Statement

```
print "text"  
print                (a blank line)
```

- Escape sequences such as `\` are the same as in Java
- Strings can also start/end with `'`

## `swallows.py`

```
1 print "Hello, world!"  
2 print  
3 print "Suppose two swallows \"carry\" it together."  
4 print 'African or "European" swallows?'
```

# Comments

**# comment text (one line)**

## swallows2.py

```
1 # Suzy Student, CSE 142, Fall 2097
2 # This program prints important messages.
3 print "Hello, world!"
4 print                # blank line
5 print "Suppose two swallows \"carry\" it together."
6 print 'African or "European" swallows?'
```

# Expressions

- Arithmetic is very similar to Java
  - Operators: + - \* / % (plus \*\* for exponentiation)
  - Precedence: () before \*\* before \* / % before + -
  - Integers vs. real numbers

```
>>> 1 + 1
2
>>> 1 + 3 * 4 - 2
11
>>> 7 / 2
3
>>> 7.0 / 2
3.5
```

# Variables and Types

- Declaring: same syntax as assignment; no type is written
- Types: Looser than Java
  - Variables can change types as a program is running
- Operators: no ++ or --

Java	Python
<pre>int x = 2; x++; System.out.println(x);  x = x * 8; System.out.println(x);  double d = 3.2; d = d / 2; System.out.println(d);</pre>	<pre>x = 2 x = x + 1 print x  x = x * 8 print x  d = 3.2 d = d / 2 print d</pre>

Value	Java type	Python
42	int	int
3.14	double	float
"ni!"	String	str

# String Multiplication

- Python strings can be multiplied by an integer.
  - Result: many copies of the string concatenated together

```
>>> "hello" * 3
hellohellohello

>>> print 10 * "yo "
yo yo yo yo yo yo yo yo yo yo

>>> print 2 * 3 * "4"
444444
```



# String Concatenation

- Integers and strings cannot be concatenated in Python.

Workarounds:

- `str(value)` - converts a value into a string
- `print value, value` - prints value twice, separated by space

```
>>> x = 4
>>> print "Thou shalt not count to " + x + "."
TypeError: cannot concatenate 'str' and 'int' objects

>>> print "Thou shalt not count to " + str(x) + "."
Thou shalt not count to 4.

>>> print x + 1, "is out of the question."
5 is out of the question.
```

# The for Loop

```
for name in range([min, ] max [, step]):  
    statements
```

- Repeats for values **min** (inclusive) to max (exclusive)
  - **min** and **step** are optional (default **min** 0, **step** 1)

```
>>> for i in range(4):  
...     print i  
0  
1  
2  
3  
>>> for i in range(2, 5):  
...     print i  
2  
3  
4  
>>> for i in range(15, 0, -5):  
...     print i,  
15 10 5
```



# Functions

- **Function:** Equivalent to a static method in Java.

```
def name () :  
    statement  
    statement  
    ...  
    statement
```

## hello2.py

```
1  # Prints a helpful message.  
2  def hello():  
3      print "Hello, world!"  
4      print "How are you?"  
5  
6  # main (calls hello twice)  
7  hello()  
8  hello()
```

- 'main' code (not an actual method) appears below functions
- Statements inside a function *must* be indented

# Parameters

```
def name (parameter, parameter, ..., parameter) :  
    statements
```

- Parameters are declared by writing their names (no types)

```
>>> def print_many(word, n) :  
...     for i in range(n):  
...         print word  
  
>>> print_many("hello", 4)  
hello  
hello  
hello  
hello
```

# Default Parameter Values

```
def name (parameter=value, ..., parameter=value) :  
    statements
```

- Can make parameter(s) optional by specifying a default value

```
>>> def print_many(word, n=1) :  
...     for i in range(n):  
...         print word  
  
>>> print_many("shrubbery")  
shrubbery  
>>> print_many("shrubbery", 4)  
shrubbery  
shrubbery  
shrubbery  
shrubbery
```




# Returning Values

```
def name (parameters) :  
    statements  
    ...  
    return value
```

```
>>> def ftoc(temp):  
...     tempc = 5.0 / 9.0 * (temp - 32)  
...     return tempc  
  
>>> ftoc(98.6)  
37.0
```

# DrawingPanel


- Use instructor-provided `drawingpanel.py` file
- At the top of your program, write:
  - `from drawingpanel import *`
- Panel's `canvas` field behaves like `Graphics g` in Java



# DrawingPanel Example

## draw1.py

```
1 from drawingpanel import *
2
3 panel = DrawingPanel(400, 300)
4 panel.set_background("yellow")
5 panel.canvas.create_rectangle(100, 50, 200, 300)
6 Panel.mainloop()
```





# Drawing Methods

Java	Python
drawLine	<b>panel.canvas.create_line(x1, y1, x2, y2)</b>
drawRect, fillRect	<b>panel.canvas.create_rectangle(x1, y1, x2, y2)</b>
drawOval, fillOval	<b>panel.canvas.create_oval(x1, y1, x2, y2)</b>
drawString	<b>panel.canvas.create_text(x, y, text="text")</b>
setColor	<i>(see next slide)</i>
setBackground d	<b>panel.set_background(color)</b>

– Notice, methods take x2/y2 parameters, not width/height

# Math commands

```
from math import *
```

Function name	Description
<code>ceil(value)</code>	rounds up
<code>cos(value)</code>	cosine, in radians
<code>degrees(value)</code>	convert radians to degrees
<code>floor(value)</code>	rounds down
<code>log(value, base)</code>	logarithm in any base
<code>log10(value)</code>	logarithm, base 10
<code>max(value1, value2, ...)</code>	largest of two (or more) values
<code>min(value1, value2, ...)</code>	smallest of two (or more) values
<code>radians(value)</code>	convert degrees to radians
<code>round(value)</code>	nearest whole number
<code>sin(value)</code>	sine, in radians
<code>sqrt(value)</code>	square root
<code>tan(value)</code>	tangent

Constant	Description
<code>e</code>	2.7182818...
<code>pi</code>	3.1415926...

# Strings

index	0	1	2	3	4	5	6	7
<i>or</i>	-8	-7	-6	-5	-4	-3	-2	-1
character	P	.		D	i	d	d	y

- Accessing character(s):
  - variable** [ **index** ]
  - variable** [ **index1**:**index2** ]
  - **index2** is exclusive
  - **index1** or **index2** can be omitted (end of string)

```
>>> name = "P. Diddy"  
>>> name[0]  
'P'  
>>> name[7]  
'y'  
>>> name[-1]  
'y'  
>>> name[3:6]  
'Did'  
>>> name[3:]  
'Diddy'  
>>> name[:-2]  
'P. Did'
```

# String Methods

Java	Python
length	len( <b>str</b> )
startsWith, endsWith	startswith, endswith
toLowerCase, toUpperCase	upper, lower, isupper, islower, capitalize, swapcase
indexOf	find
trim	strip

```
>>> name = "Martin Douglas Stepp"
>>> name.upper()
'MARTIN DOUGLAS STEPP'
>>> name.lower().startswith("martin")
True
>>> len(name)
20
```

# Formatting Text

**"format string" % (parameter, parameter, ...)**

- *Placeholders* insert [formatted values](#) into a string:
  - %d an integer
  - %f a real number
  - %s a string
  
  - %8d an integer, 8 characters wide, right-aligned
  - %08d an integer, 8 characters wide, padding with 0s
  - %-8d an integer, 8 characters wide, left-aligned
  - %12f a real number, 12 characters wide
  - %.4f a real number, 4 characters after decimal
  - %6.2f a real number, 6 total characters wide, 2 after decimal

```
>>> x = 3; y = 3.14159; z = "hello"
>>> print "%-8s %04d is close to %.3f" % (z, x, y)
hello      0003 is close to 3.142
```

# raw\_input

`raw_input` : Reads a string from the user's keyboard.  
– reads and returns an entire line of input

```
>>> name = raw_input("Howdy. What's yer name? ")
Howdy. What's yer name? Paris Hilton

>>> name
'Paris Hilton'
```

- to read a number, cast the result of `raw_input` to an `int`

```
>>> age = int(raw_input("How old are you? "))
How old are you? 53
>>> print "Your age is", age
Your age is 53
```

# if/else

```
if condition:  
    statements  
elif condition:  
    statements  
else:  
    statements
```

– Example:

```
gpa = input("What is your GPA? ")  
if gpa > 3.5:  
    print "You have qualified for the honor roll."  
elif gpa > 2.0:  
    print "Welcome to Mars University!"  
else:  
    print "Your application is denied."
```



# if ... in

**if value in sequence:**  
**statements**

- The sequence can be a range, string, tuple, or list
- Examples:

```
x = 3
if x in range(0, 10):
    print "x is between 0 and 9"

name = raw_input("What is your name? ")
name = name.lower()
if name[0] in "aeiou":
    print "Your name starts with a vowel!"
```



# Logical Operators

Operator	Meaning	Example	Result
<code>==</code>	equals	<code>1 + 1 == 2</code>	True
<code>!=</code>	does not equal	<code>3.2 != 2.5</code>	True
<code>&lt;</code>	less than	<code>10 &lt; 5</code>	False
<code>&gt;</code>	greater than	<code>10 &gt; 5</code>	True
<code>&lt;=</code>	less than or equal to	<code>126 &lt;= 100</code>	False
<code>&gt;=</code>	greater than or equal to	<code>5.0 &gt;= 5.0</code>	True

Operator	Example	Result
<code>and</code>	<code>(2 == 3) and (-1 &lt; 5)</code>	False
<code>or</code>	<code>(2 == 3) or (-1 &lt; 5)</code>	True
<code>not</code>	<code>not (2 == 3)</code>	True

# while Loops

```
while test:  
    statements
```

```
>>> n = 91  
>>> factor = 2      # find first factor of n  
  
>>> while n % factor != 0:  
...     factor += 1  
...  
  
>>> factor  
7
```

# bool

- Python's logic type, equivalent to `boolean` in Java
  - `True` and `False` start with capital letters

```
>>> 5 < 10
True

>>> b = 5 < 10
>>> b
True

>>> if b:
...     print "The bool value is true"
...
The bool value is true

>>> b = not b
>>> b
False
```

# Random Numbers

```
from random import *
```

```
randint(min, max)
```

- returns a random integer in range [**min**, **max**] inclusive

```
choice(sequence)
```

- returns a randomly chosen value from the given sequence
  - the sequence can be a range, a string, ...

```
>>> from random import *
>>> randint(1, 5)
2
>>> randint(1, 5)
5
>>> choice(range(4, 20, 2))
16
>>> choice("hello")
'e'
```

# Tuple

**tuple\_name = (value, value, ..., value)**

- A way of "packing" multiple values into one variable

```
>>> x = 3
>>> y = -5
>>> p = (x, y, 42)
>>> p
(3, -5, 42)
```

**name, name, ..., name = tuple\_name**

- "unpacking" a tuple's contents into multiple variables

```
>>> a, b, c = p
>>> a
3
>>> b
-5
>>> c
42
```



# Tuple as Parameter/Return

```
def name ( (name, name, ..., name) , ... ) :  
    statements
```

- Declares tuple as a parameter by naming each of its pieces

```
>>> def slope((x1, y1), (x2, y2)) :  
...     return (y2 - y1) / (x2 - x1)  
  
>>> p1 = (2, 5)  
>>> p2 = (4, 11)  
>>> slope(p1, p2)  
3
```

```
return (name name ... name)
```

```
>>> def roll2() :  
...     die1 = randint(1, 6)  
...     die2 = randint(1, 6)  
...     return (die1, die2)  
  
>>> d1, d2 = roll2()
```





# **File Processing**

# Reading Files

**name** = `file("filename")`

– opens the given file for reading, and returns a file object

**name**.`read()`

– file's entire contents as a string

```
>>> f = file("hours.txt")
>>> f.read()
'123 Susan 12.5 8.1 7.6 3.2\n
456 Brad 4.0 11.6 6.5 2.7 12\n
789 Jenn 8.0 8.0 8.0 8.0 7.5\n'
```



# Line-based File Processing

**name.readline()** – next line from file as a string  
– Returns an empty string if there are no more lines in the file

**name.readlines()** – file's contents as a list of lines  
– (we will discuss lists in detail next week)

```
>>> f = file("hours.txt")
>>> f.readline()
'123 Susan 12.5 8.1 7.6 3.2\n'

>>> f = open("hours.txt")
>>> f.readlines()
['123 Susan 12.5 8.1 7.6 3.2\n',
'456 Brad 4.0 11.6 6.5 2.7 12\n',
'789 Jenn 8.0 8.0 8.0 8.0 7.5\n']
```

# Line-based Input Template

- A file object can be the target of a `for ... in` loop
- A template for reading files in Python:

```
for line in file("filename"):  
    statements
```

```
>>> for line in file("hours.txt"):  
...     print line.strip()      # strip() removes \n  
  
123 Susan 12.5 8.1 7.6 3.2  
456 Brad 4.0 11.6 6.5 2.7 12  
789 Jenn 8.0 8.0 8.0 8.0 7.5
```

# Exercise

- Write a function `stats` that accepts a file name as a parameter and that reports the longest line in the file.
  - example input file, `carroll.txt`:

```
Beware the Jabberwock, my son,  
the jaws that bite, the claws that catch,  
Beware the JubJub bird and shun  
the frumious bandersnatch.
```

- expected output:

```
>>> input_stats("carroll.txt")  
longest line = 42 characters  
the jaws that bite, the claws that catch,
```

# Exercise Solution

```
def stats(filename):  
    longest = ""  
    for line in open(filename):  
        if len(line) > len(longest):  
            longest = line  
  
    print "Longest line =", len(longest)  
    print longest
```

# Writing Files

```
name = open ("filename", "w")      # write  
name = open ("filename", "a")      # append
```

- opens file for write (deletes any previous contents) , or
- opens file for append (new data is placed after previous data)

```
name.write (str)      – writes the given string to the file  
name.close ()         – closes file once writing is done
```

```
>>> out = open("output.txt", "w")  
>>> out.write("Hello, world!\n")  
>>> out.write("How are you?")  
>>> out.close()  
  
>>> open("output.txt").read()  
'Hello, world!\nHow are you?'
```

# Exercise

- Write a function `remove_lowercase` that accepts two file names and copies the first file's contents into the second file, with any lines that start with lowercase letters removed.
  - example input file, `carroll.txt`:

```
Beware the Jabberwock, my son,  
the jaws that bite, the claws that catch,  
Beware the JubJub bird and shun  
the frumious bandersnatch.
```

- expected behavior:

```
>>> remove_longest("carroll.txt", "out.txt")  
>>> print open("out.txt").read()  
Beware the Jabberwock, my son,  
Beware the JubJub bird and shun
```

# Exercise Solution

```
def remove_longest(infile, outfile):  
    output = open(outfile, "w")  
    for line in open(in):  
        if not line[0] in "abcdefghijklmnopqrstuvwxyz":  
            output.write(line)  
    output.close()
```