

## CSE 143 Java

### Footnote To Trees: Inner Classes

12/16/2002

(c) 1997-2002 University of Washington

15-1

## A Programming Dilemma

- The nodes we've defined so far for linked lists and trees have been public classes with public instance variables:

```
public class BTNode {
    public Object item;           // data item in this node
    public BTNode left;          // left subtree, or null if none
    public BTNode right;         // right subtree, or null if none
    public BTNode(Object item, BTNode left, BTNode right) { ... }
}
```

- This simplifies examples, and increases performance... but it's very bad practice.
- When one class (like a node) is used only as a helper to another class..
- It would be ideal to keep it inaccessible to the outside, without giving up programming convenience or speed.

12/16/2002

(c) 1997-2002 University of Washington

15-2

## Solution: Inner Classes

- One class may be defined fully within another class
- Called an "inner class"

```
class OuterClass {
    //constructors, variables, methods... and:
    class InnerClass {
        //constructors, variables, methods of InnerClass
        ...
    } //end class Inner
} //end class Outer
```

- Inner class can be marked public, protected, or private
- Just like instance variables and methods
- Containing class can always reference its own private instance variables, methods – and inner classes!

12/16/2002

(c) 1997-2002 University of Washington

15-3

## Solving the Tree/Node Problem

- Make Node a private inner class of BinTree:

```
public class BinTree {
    //constructors, variables, methods... and:
    private class BTNode {
        item;           // data item in this node
        BTNode left;    // left subtree, or null if none
        BTNode right;   // right subtree, or null if none
        BTNode(Object item, BTNode left, BTNode right) { ... }
    } //end class BTNode
} //end class BinTree
```

- BinTree has full access to the members of BTNode
- Regardless of member public/protected/private marking

12/16/2002

(c) 1997-2002 University of Washington

15-4

## More About Inner Classes

---

- We've been using inner classes occasionally without calling attention to it.
  - Point2D.Double means: the (public) inner class named Double of the class named Point2D.
  - Sample code has had examples: TextListener, CountyInformationUnit, etc.
- The inner/outer relationship is not the same as inheritance or composition
  - I.e., neither is-a or has-a
- Inner classes have many handy uses
  - Inner classes can even be anonymous (unnamed), like objects
  - Topics for another course!