


**CSE 190 M, Spring 2007**  
**Practice Midterm Exam Key**

## 1. HTML/CSS Interpreting

# heading

A paragraph



A second heading

Another  
paragraph

---

## 2. HTML/CSS Programming

```
<div>

</div>

<div class="dialogue">
<h2 class="vader">VADER</h2>
<p class="vader">If you only knew the power of the dark side.  Obi-Wan never told

<h2 class="luke">LUKE</h2>
<p class="luke">He told me enough!  It was you who killed him.</p>

<h2 class="vader">VADER</h2>
<p class="vader">No.  I am your father.</p>

<h2 class="luke">LUKE</h2>
<p class="luke">No.  No.  That's not true!  <span class="impossible">That's impos

<h2 class="vader">VADER</h2>
<p class="vader">Search your feelings.  <strong>You know it to be true.</strong><
</div>
```

```
div.dialogue {
    width: 50%;
    margin-left: auto;
    margin-right: auto;
}

.luke, .vader {
    margin: 0px;
}

.vader {
    text-align: right;
}

.luke {
    text-align: left;
}

span.impossible {
    color: red;
}

.character {
    width: 20%;
    float: right;
}
```

---

### 3. Javascript Programming

```
window.onload = load;

function load() {
    var select = document.getElementById("characters");
    select.onchange = changeChar;

    var chars = ["Garfield", "Odie", "Nermal", "Pooky", "Jon"];
    for (var i = 0; i < chars.length; i++) {
        var option = document.createElement("option");
        option.innerHTML = chars[i];
        option.value = chars[i];
        select.appendChild(option);
    }

    setChar("garfield");
}

function changeChar() {
    setChar(this.value.toLowerCase());
}

function setChar(character) {
    var img = document.getElementById("comic");
    img.src = "images/" + character + ".jpg";
}
```