



# CSE341: Programming Languages

## Lecture 5

### More Datatypes and Pattern-Matching

Dan Grossman  
Winter 2013

# *Useful examples*

Let's fix the fact that our only example datatype so far was silly...

- Enumerations, including carrying other data

```
datatype suit = Club | Diamond | Heart | Spade
datatype card_value = Jack | Queen | King
                  | Ace | Num of int
```

- Alternate ways of identifying real-world things/people

```
datatype id = StudentNum of int
           | Name of string
           * (string option)
           * string
```

# Don't do this

Unfortunately, bad training and languages that make one-of types inconvenient lead to common *bad style* where each-of types are used where one-of types are the right tool

```
(* use the studen_num and ignore other
   fields unless the student_num is ~1 *)
{ student_num : int,
  first       : string,
  middle      : string option,
  last        : string }
```

- Approach gives up all the benefits of the language enforcing every value is one variant, you don't forget branches, etc.
- And it makes it less clear what you are doing

## *That said...*

But if instead, the point is that every “person” in your program has a name and maybe a student number, then each-of is the way to go:

```
{ student_num : int option,  
  first       : string,  
  middle      : string option,  
  last        : string }
```

# Expression Trees


A more exciting (?) example of a datatype, using self-reference

```
datatype exp = Constant of int  
              | Negate   of exp  
              | Add     of exp * exp  
              | Multiply of exp * exp
```

An expression in ML of type **exp**:

```
Add (Constant (10+9), Negate (Constant 4))
```

How to picture the resulting value in your head:



# Recursion

Not surprising:

Functions over recursive datatypes are usually recursive

```
fun eval e =  
  case e of  
    Constant i          => i  
  | Negate e2           => ~ (eval e2)  
  | Add(e1, e2)         => (eval e1) + (eval e2)  
  | Multiply(e1, e2)    => (eval e1) * (eval e2)
```

# Putting it together

```
datatype exp = Constant of int
             | Negate    of exp
             | Add       of exp * exp
             | Multiply  of exp * exp
```

Let's define `max_constant : exp -> int`

Good example of combining several topics as we program:

- Case expressions
- Local helper functions
- Avoiding repeated recursion
- Simpler solution by using library functions

See the `.sm1` file...

# *Careful definitions*

When a language construct is “new and strange,” there is *more* reason to define the evaluation rules precisely...

... so let's review datatype bindings and case expressions “so far”  
– *Extensions* to come but won't invalidate the “so far”



# *Datatype bindings*

```
datatype t = C1 of t1 | C2 of t2 | ... | Cn of tn
```

Adds type  $t$  and constructors  $C_i$  of type  $t_i \rightarrow t$

- $C_i \ v$  is a value, i.e., the result “includes the tag”

Omit “of  $t$ ” for constructors that are just tags, no underlying data

- Such a  $C_i$  is a value of type  $t$

Given an expression of type  $t$ , use *case expressions* to:

- See which variant (tag) it has
- Extract underlying data once you know which variant

# *Datatype bindings*

```
case e of p1 => e1 | p2 => e2 | ... | pn => en
```

- As usual, can use a case expressions anywhere an expression goes
  - Does not need to be whole function body, but often is
- Evaluate  $e$  to a value, call it  $v$
- If  $p_i$  is the first *pattern* to *match*  $v$ , then result is evaluation of  $e_i$  in environment “extended by the match”
- Pattern  $C_i(x_1, \dots, x_n)$  matches value  $C_i(v_1, \dots, v_n)$  and extends the environment with  $x_1$  to  $v_1$  ...  $x_n$  to  $v_n$ 
  - For “no data” constructors, pattern  $C_i$  matches value  $C_i$

# Recursive datatypes

Datatype bindings can describe recursive structures

- Have seen arithmetic expressions
- Now, linked lists:

```
datatype my_int_list = Empty
                    | Cons of int * my_int_list

val x = Cons (4, Cons (23, Cons (2008, Empty)))

fun append_my_list (xs, ys) =
  case xs of
    Empty => ys
  | Cons (x, xs') => Cons (x, append_my_list (xs', ys))
```

# Options are datatypes

Options are just a predefined datatype binding

- **NONE** and **SOME** are *constructors*, not just functions
- So use pattern-matching not **isSome** and **valOf**

```
fun inc_or_zero intoption =  
  case intoption of  
    NONE => 0  
  | SOME i => i+1
```

# *Lists are datatypes*

Do not use `hd`, `tl`, or `null` either

- `[]` and `::` are constructors too
- (strange syntax, particularly *infix*)

```
fun sum_list xs =
  case xs of
    [] => 0
  | x::xs' => x + sum_list xs'

fun append (xs,ys) =
  case xs of
    [] => ys
  | x::xs' => x :: append(xs',ys)
```

# *Why pattern-matching*

- Pattern-matching is better for options and lists for the same reasons as for all datatypes
  - No missing cases, no exceptions for wrong variant, etc.
- We just learned the other way first for pedagogy
  - Do not use `isSome`, `valOf`, `null`, `hd`, `tl` on Homework 2
- So why are `null`, `tl`, etc. predefined?
  - For passing as arguments to other functions (next week)
  - Because sometimes they are convenient
  - But not a big deal: could define them yourself

# *Excitement ahead...*

Learn some deep truths about “what is really going on”

– Using much more syntactic sugar than we realized

- Every val-binding and function-binding uses pattern-matching
- Every function in ML takes exactly one argument

First need to extend our definition of pattern-matching...

# *Each-of types*

So far have used pattern-matching for one of types because we *needed* a way to access the values

Pattern matching also works for records and tuples:

- The pattern  $(\mathbf{x1}, \dots, \mathbf{xn})$   
matches the tuple value  $(\mathbf{v1}, \dots, \mathbf{vn})$
- The pattern  $\{\mathbf{f1}=\mathbf{x1}, \dots, \mathbf{fn}=\mathbf{xn}\}$   
matches the record value  $\{\mathbf{f1}=\mathbf{v1}, \dots, \mathbf{fn}=\mathbf{vn}\}$   
(and fields can be reordered)



# Example

This is poor style, but based on what I told you so far, the only way to use patterns

- Works but poor style to have one-branch cases

```
fun sum_triple triple =  
  case triple of  
    (x, y, z) => x + y + z  
  
fun full_name r =  
  case r of  
    {first=x, middle=y, last=z} =>  
      x ^ " " ^ y ^ " " ^ z
```

# *Val-binding patterns*

- New feature: A val-binding can use a pattern, not just a variable
  - (Turns out variables are just one kind of pattern, so we just told you a half-truth in lecture 1)

```
val p = e
```

- Great for getting (all) pieces out of an each-of type
  - Can also get only parts out (not shown here)
- Usually poor style to put a constructor pattern in a val-binding
  - Tests for the one variant and raises an exception if a different one is there (like `hd`, `tl`, and `valOf`)

# Better example

This is okay style

- Though we will improve it again next
- Semantically identical to one-branch case expressions

```
fun sum_triple triple =  
  let val (x, y, z) = triple  
  in  
    x + y + z  
  end  
  
fun full_name r =  
  let val {first=x, middle=y, last=z} = r  
  in  
    x ^ " " ^ y ^ " " ^ z  
  end
```

# *Function-argument patterns*

A function argument can also be a pattern

- Match against the argument in a function call

```
fun f p = e
```

Examples (great style!):

```
fun sum_triple (x, y, z) =  
  x + y + z
```

```
fun full_name {first=x, middle=y, last=z} =  
  x ^ " " ^ y ^ " " ^ z
```

# *A new way to go*

- For Homework 2:
  - Do not use the # character
  - Do not need to write down any explicit types

# *Hmm*

A function that takes one triple of type `int*int*int` and returns an `int` that is their sum:

```
fun sum_triple (x, y, z) =  
  x + y + z
```

A function that takes three `int` arguments and returns an `int` that is their sum

```
fun sum_triple (x, y, z) =  
  x + y + z
```

See the difference? (Me neither.) 😊

# *The truth about functions*

- In ML, every function takes exactly one argument (\*)
- What we call multi-argument functions are just functions taking one tuple argument, implemented with a tuple pattern in the function binding
  - Elegant and flexible language design
- Enables cute and useful things you cannot do in Java, e.g.,

```
fun rotate_left (x, y, z) = (y, z, x)
fun rotate_right t = rotate_left(rotate_left t)
```

\* “Zero arguments” is the unit pattern () matching the unit value ()