



CSE341: Programming Languages

Introduction To Ruby; Dynamic OOP; "Duck Typing"

Alan Borning
Winter 2015
(slides borrowed from Dan Grossman)

The plan

- Lecture materials may not recount every little language feature we use
 - Thomas book (2nd edition, Chapters 1-9) quite readable
 - Can skip/skim regexps and ranges
 - Also see online library documentation [large, searchable]
- Focus in class will be on OOP, dynamic typing, blocks, mixins

Winter 2015

CSE341: Programming Languages

2

Logistics

- We will use [Ruby 2.0.0](#)
 - Installed on the linux Lab machines
 - Windows lab machines have 2.1.5 – hopefully any differences will not be relevant to us
 - In any case, use a version 2 of some kind (unit tests are different in 1.8.7)
- Installation instructions, etc. on course web page
 - Can run programs with a REPL called irb
- Assignment 7 is a Ruby warmup exercise; Assignment 8 is the Ruby project

Winter 2015

CSE341: Programming Languages

3

A Bit of History

- Some notable examples of early object-oriented languages and systems:
 - First object-oriented programming language: Simula I, then Simula 67, created by Ole-Johan Dahl and Kristen Nygaard at the Norwegian Computing Center in Oslo.
 - Smalltalk: developed at Xerox Palo Alto Research Center by the Learning Research Group in the 1970's (Smalltalk-72, Smalltalk-76, Smalltalk-80)
 - Today: mature language paradigm. Some significant examples: C++, Java, C#, Python, Ruby

Winter 2015

CSE341: Programming Languages

4

Ruby

- Pure object-oriented*: all values are objects (even numbers)
- Class-based*: Every object has a class that determines behavior
 - Like Java, unlike Javascript
 - Mixins (neither Java interfaces nor C++ multiple inheritance)
- Dynamically typed*
- Convenient *reflection*: Run-time inspection of objects
- Blocks* and libraries encourage lots of closure idioms
- Syntax and scoping rules of a "scripting language"
 - Often many ways to say the same thing
 - Variables "spring to life" on use
 - Lots of support for string manipulation [we won't do this]
- Popular for building server-side web applications (Ruby on Rails)

Winter 2015

CSE341: Programming Languages

5

Where Ruby fits

	dynamically typed	statically typed
functional	Racket	Haskell
object-oriented	Ruby	Java

Historical note: *Smalltalk* also a dynamically typed, class-based, pure OOP language with blocks and convenient reflection

- Smaller just-as-powerful language
- Contrast Ruby's "why not add that" attitude
 - Ruby less elegant, more widely used

Dynamically typed OO helps identify OO's essence by not having to discuss types

Winter 2015

CSE341: Programming Languages

6

Defining a class

[For full code details and various expression constructs, see PosRational.rb]

```
Class PosRational
  # no instance variable (field) decls
  # just assign to @squid to create field
  squid
  def initialize (num,den=1)
    ...
    @num = num
    @den = den
  end
  def to_s... end
  def add r ... end
  ...
end
```

Winter 2015

CSE341: Programming Languages

7

Using a class

- `ClassName.new(args)` creates a new instance of `ClassName` and calls its `initialize` method with `args`
- Every variable holds an object (possibly the `nil` object)
 - Local variables (in a method) `squid`
 - Instance variables (fields) `@squid`
 - Class variables (static fields) `@@squid`
- You use an object with a `method call`
 - Also known as a `message send`
 - Every object has a class, which determines its behavior
- Examples: `x.m 4` `x.m1.m2(y.m3)` `-42.abs`
 - `m` and `m(...)` are sugar for `self.m` and `self.m(...)`
 - `e1 + e2` is sugar for `e1.(+e2)` (really!)

Winter 2015

CSE341: Programming Languages

8

Method / variable visibility

- **private:** only available to object itself
- **protected:** available only to code in the class or subclasses
- **public:** available to all code

This is different than what the words mean in Java

- All instance variables and class variables are **private**
- Methods are **public** by default
 - There are multiple ways to change a method's visibility

Winter 2015

CSE341: Programming Languages

9

Some syntax / scoping gotchas

- You create variables (including instance variables) implicitly by assigning to them
 - So a misspelling just creates a new variable
 - Different instances of a class could have different fields
- Newlines matter
 - Often need more syntax to put something on one line
 - Indentation is only style (not true in some languages)
- Class names must be capitalized
- Message sends with 0 or 1 argument don't need parentheses
- `self` is a special keyword (Java's this)

Winter 2015

CSE341: Programming Languages

10

Getters and setters

- If you want outside access to get/set instance variables, must define methods

```
def
  squid
  @squid
end
```

```
def squid= a
  @squid = a
end
```

- The `squid=` convention allows sugar via extra spaces when using the method

```
x.squid
```

```
x.squid = 42
```

- Shorter syntax for *defining* getters and setters is:

```
attr_reader :squid
```

```
attr_writer :squid
```

- Overall, requiring getters and setters is more uniform and more OO
 - Can change the methods later without changing clients
 - Particular form of change is subclass overriding [next lecture]

Winter 2015

CSE341: Programming Languages

11

Top-level

- Expressions at top-level are evaluated in the context of an implicit "main" object with class `Object`
- That is how a standalone program would "get started" rather than requiring an object creation and method call from within `irb`
- Top-level methods are added to `Object`, which makes them available everywhere

Winter 2015

CSE341: Programming Languages

12

Class definitions are dynamic

- All definitions in Ruby are dynamic
- Example: Any code can add or remove methods on existing classes
 - Very occasionally useful (or cute) to add your own method to the `Array` class for example, but it is visible to all arrays
- Changing a class affects even already-created instances
- Disastrous example: Changing `Fixnum`'s `+` method
- Overall: A simple language definition where everything can be changed and method lookup uses instance's classes

Winter 2015

CSE341: Programming Languages

13

Duck Typing

"If it walks like a duck and quacks like a duck, it's a duck"
– Or don't worry that it may not be a duck

When writing a method you might think, "I need a `Toad` argument" but really you need an object with enough methods similar to `Toad`'s methods that your method works

- Embracing duck typing is always making method calls rather than assuming/testing the class of arguments

Plus: More code reuse; very OO approach

- What messages an object receive is all that matters

Minus: Almost nothing is equivalent

- `x+x` versus `x*2` versus `2*x`
- Callers may assume a lot about how callees are implemented

Winter 2015

CSE341: Programming Languages

14

Duck Typing Example

```
def mirror_update pt
  pt.x = pt.x * (-1)
end
```

- Natural thought: "Takes a `Point` object (definition not shown here), negates the `x` value"
 - Makes sense, though a `Point` instance method more OO
- Closer: "Takes anything with getter and setter methods for `@x` instance variable and multiplies the `x` field by `-1`"
- Closer: "Takes anything with methods `x=` and `x` and calls `x=` with the result of multiplying result of `x` and `-1`"
- Duck typing: "Takes anything with method `x=` and `x` where result of `x` has a `*` method that can take `-1`. Sends result of calling `x` the `*` message with `-1` and sends that result to `x=`"

Winter 2015

CSE341: Programming Languages

15