

CSE 341

Section 7

Fall 2019


Adapted from slides by Daniel Snitkovskiy, Nicholas Shahan, Dan Grossman, and Tam Dang

Outline

- Interpreting LBI (Language Being Implemented)
 - Assume Correct Syntax
 - Check for Correct Semantics
 - Evaluating the AST
- LBI “Macros”
- Eval, Quote, and Quasiquote
- Variable Number of Arguments
- Apply

Building an LBI Interpreter

- We are skipping the parsing phase ← **Do Not Implement**
 - Can be skipped because AST (“Abstract Syntax Tree”) nodes represented as Racket structs.
- LBI vs. Metalanguage:
 - MUPL is the LBI.
 - Racket is the “metalanguage”.



A larger language example...

```
(struct const (int) #:transparent)
(struct negate (e1) #:transparent)
(struct add (e1 e2) #:transparent)
(struct bool (b) #:transparent)
(struct multiply (e1 e2) #:transparent)
(struct eq-num (e1 e2) #:transparent)
(struct if-then-else (e1 e2 e3) #:transparent)
```

LBI → *(add (const 1) (const 1))*

Metalanguage → *Racket structs/operations on structs/the above code.*

Correct Syntax Examples

Using these Racket structs...

```
(struct const (int) #:transparent)
(struct add (e1 e2) #:transparent)
(struct if-then-else (e1 e2 e3) #:transparent)
```

...we can interpret these LBI programs:

```
(const 34)
(add (const 34) (const 30))
(if-then-else (bool #t) (const 10) (const 20))
```

Incorrect Syntax Examples

While using these Racket structs...

```
(struct const (int) #:transparent)
(struct add (e1 e2) #:transparent)
(struct if-then-else (e1 e2 e3) #:transparent)
```

...we can assume we won't see LBI programs like:

```
(const "dan then dog")
(add 5 4)
(if-then-else (bool `(1 2)) (const 5) (bool #f))
```

Illegal input ASTs may crash the interpreter - [this is OK](#)

Racket vs. LBI

Structs in Racket, when defined to take an argument, can take any Racket value:

```
(struct const (int) #:transparent)
(struct add (e1 e2) #:transparent)
(struct if-then-else (e1 e2 e3) #:transparent)
```

But in LBI, we restrict **const** to take only an integer value, **add** to take two LBI expressions, and so on...

```
(const "dan then dog")
(add 5 4)
(if-then-else (bool `(1 2)) (const 5) (bool #f))
```

Illegal input ASTs may crash the interpreter - [this is OK](#)

LBI Syntax

- If `n` is a Racket integer, then `(const n)` is an LBI expression.
- If `e1` and `e2` are LBI expressions, then `(add e1 e2)` is an LBI expression.
- If `e1`, `e2`, and `e3` are LBI expressions, then `(if-then-else e1 e2 e3)` is an LBI expression.
-

LBI Semantics

- All values evaluate to themselves. This includes **bool** and **const**.
- An **add** evaluates its subexpressions and, assuming they both produce integers, produces the integer that is their sum.
- An **if-then-else** evaluates its first expression to a value **v1**. If it is a boolean, then if it is **#t**, then evaluates its second subexpression, else it evaluates its third subexpression.
-

Check for Correct Semantics

What if the program is a legal AST, but evaluation of it tries to use the *wrong* kind of value?

```
(struct const (int) #:transparent)
(struct add (e1 e2) #:transparent)
(struct if-then-else (e1 e2 e3) #:transparent)
```

This is invalid LBI syntax that we need to check for...

```
(add (const 1) (bool #t))
(if-then-else (const 5) (const 5) (bool #f))
```

- You should detect this and give an error message that is not in terms of the interpreter implementation

Evaluating the AST

- **eval-exp** should return a LBI value
- LBI values all evaluate to themselves
- Otherwise, we haven't interpreted far enough

```
(const 7) ; evaluates to (const 7)  
(add (const 3) (const 4)) ; evaluates to (const 7)
```

Evaluating the AST

- What's wrong with this implementation of eval? (other than it being called “eval-exp-wrong”...)

Evaluating the AST

- It doesn't recursively check for semantic correctness!
 - Let's see a better version of this...

Macros Review

- Extend language syntax (allow new constructs)
- Written in terms of existing syntax
- Expanded before language is actually interpreted or compiled

LBI “Macros”

- Interpreting LBI using Racket as the metalanguage
- LBI is made up of Racket structs
- In Racket, these are just data types
- Why not write a Racket function that returns LBI ASTs?

LBI “Macros”

If our LBI Macro is a Racket function

```
(define (++ exp) (add (const 1) exp))
```

Then the LBI code

```
(++ (++ (const 7)))
```

Expands to

```
(add (const 1) (add (const 1) (const 7)))
```


LBI “Macros”

If our LBI Macro is a Racket function

```
(define (andalso e1 e2) (if-then-else e1 e2 (bool #f)))
```

Then the LBI code

```
(andalso (bool #t) (bool #t))
```

Expands to

```
(if-then-else (bool #t) (bool #t) (bool #f))
```

quote

- Syntactically, Racket statements can be thought of as lists of tokens
- `(+ 3 4)` is a “plus sign”, a “3”, and a “4”
- **quote**-ing a parenthesized expression produces a list of tokens

quote Examples

```
(+ 3 4) ; 7
```

```
; '(+ 3 4)
```

```
(quote (+ 3 4))
```

```
`(+ 3 4)
```

```
; '(+ 3 #t)
```

```
(quote (+ 3 #t))
```

```
`(+ 3 #t)
```

quasiquote

- Inserts evaluated tokens into a quote
- Convenient for generating dynamic token lists
- Use **unquote** to escape a **quasiquote** back to evaluated Racket code
- A **quasiquote** and **quote** are equivalent unless we use an **unquote** operation

Self Interpretation

- Many languages provide an **eval** function or something similar
- Performs interpretation or compilation at runtime
 - Needs full language implementation during runtime
- It's useful, but there's usually a better way
- Makes analysis, debugging difficult

eval

- Racket's **eval** operates on lists of tokens
- Like those generated from **quote** and **quasiquote**
- Treat the input data as a program and evaluate it

Variable Number of Arguments

- Some functions (like `+`) can take a variable number of arguments

```
(define fn-any
  (lambda xs          ; any number of args
    (print xs)))
(define fn-1-or-more
  (lambda (a . xs)   ; at least 1 arg
    (begin (print a) (print xs))))
(define fn-2-or-more
  (lambda (a b . xs) ; at least 2 args
    (begin (print a) (print a) (print xs))))
```

apply

- Applies a list of values as the arguments to a function in order by position

```
(define fn-any
  (lambda xs ; any number of args
    (print xs)))
(apply fn-any (list 1 2 3 4)) ; '(1 2 3 4)

(apply + (list 1 2 3 4)) ; 10
(apply max (list 1 2 3 4)) ; 4
```