



PAUL G. ALLEN SCHOOL
OF COMPUTER SCIENCE & ENGINEERING

CSE341: Programming Languages

Lecture 5

More Datatypes and Pattern-Matching

Dan Grossman

Spring 2019

Useful examples

Let's fix the fact that our only example datatype so far was silly...

- Enumerations, including carrying other data

```
datatype suit = Club | Diamond | Heart | Spade
datatype card_value = Jack | Queen | King
                  | Ace | Num of int
```

- Alternate ways of identifying real-world things/people

```
datatype id = StudentNum of int
           | Name of string
           * (string option)
           * string
```

Don't do this

Unfortunately, bad training and languages that make one-of types inconvenient lead to common *bad style* where each-of types are used where one-of types are the right tool

```
(* use the studen_num and ignore other
   fields unless the student_num is ~1 *)
{ student_num : int,
  first       : string,
  middle      : string option,
  last        : string }
```

- Approach gives up all the benefits of the language enforcing every value is one variant, you don't forget branches, etc.
- And makes it less clear what you are doing

That said...

But if instead the point is that every “person” in your program has a name and maybe a student number, then each-of is the way to go:

```
{ student_num : int option,  
  first       : string,  
  middle      : string option,  
  last        : string }
```

Expression Trees


A more exciting (?) example of a datatype, using self-reference

```
datatype exp = Constant of int
             | Negate   of exp
             | Add     of exp * exp
             | Multiply of exp * exp
```

An expression in ML of type `exp`:

```
Add (Constant (10+9), Negate (Constant 4))
```

How to picture the resulting value in your head:



Recursion

Not surprising:

Functions over recursive datatypes are usually recursive

```
fun eval e =  
  case e of  
    Constant i          => i  
  | Negate e2           => ~ (eval e2)  
  | Add(e1,e2)          => (eval e1) + (eval e2)  
  | Multiply(e1,e2)    => (eval e1) * (eval e2)
```

Putting it together

```
datatype exp = Constant of int
             | Negate    of exp
             | Add      of exp * exp
             | Multiply of exp * exp
```

Let's define `max_constant : exp -> int`

Good example of combining several topics as we program:

- Case expressions
- Local helper functions
- Avoiding repeated recursion
- Simpler solution by using library functions

See the `.sm1` file...

Careful definitions

When a language construct is “new and strange,” there is *more* reason to define the evaluation rules precisely...

... so let's review datatype bindings and case expressions “so far”
– *Extensions* to come but won't invalidate the “so far”

Datatype bindings

```
datatype t = C1 of t1 | C2 of t2 | ... | Cn of tn
```

Adds type t and constructors C_i of type $t_i \rightarrow t$

- $C_i \ v$ is a value, i.e., the result “includes the tag”

Omit “of t ” for constructors that are just tags, no underlying data

- Such a C_i is a value of type t

Given an expression of type t , use *case expressions* to:

- See which variant (tag) it has
- Extract underlying data once you know which variant

Datatype bindings

```
case e of p1 => e1 | p2 => e2 | ... | pn => en
```

- As usual, can use a case expressions anywhere an expression goes
 - Does not need to be whole function body, but often is
- Evaluate e to a value, call it v
- If p_i is the first *pattern* to *match* v , then result is evaluation of e_i in environment “extended by the match”
- Pattern $C_i(x_1, \dots, x_n)$ matches value $C_i(v_1, \dots, v_n)$ and extends the environment with x_1 to v_1 ... x_n to v_n
 - For “no data” constructors, pattern C_i matches value C_i

Recursive datatypes

Datatype bindings can describe recursive structures

- Have seen arithmetic expressions
- Now, linked lists:

```
datatype my_int_list = Empty
                    | Cons of int * my_int_list

val x = Cons(4, Cons(23, Cons(2008, Empty)))

fun append_my_list (xs, ys) =
  case xs of
    Empty => ys
  | Cons(x, xs') => Cons(x, append_my_list(xs', ys))
```

Options are datatypes

Options are just a predefined datatype binding

- **NONE** and **SOME** are *constructors*, not just functions
- So use pattern-matching not **isSome** and **valOf**

```
fun inc_or_zero intoption =  
  case intoption of  
    NONE => 0  
  | SOME i => i+1
```

Lists are datatypes

Do not use `hd`, `tl`, or `null` either

- `[]` and `::` are constructors too
- (strange syntax, particularly *infix*)

```
fun sum_list xs =  
  case xs of  
    [] => 0  
  | x::xs' => x + sum_list xs'  
  
fun append (xs,ys) =  
  case xs of  
    [] => ys  
  | x::xs' => x :: append (xs',ys)
```

Why pattern-matching

- Pattern-matching is better for options and lists for the same reasons as for all datatypes
 - No missing cases, no exceptions for wrong variant, etc.
- We just learned the other way first for pedagogy
 - Do not use `isSome`, `valOf`, `null`, `hd`, `tl` on Homework 2
- So why are `null`, `tl`, etc. predefined?
 - For passing as arguments to other functions (next week)
 - Because sometimes they are convenient
 - But not a big deal: could define them yourself

Excitement ahead...

Learn some deep truths about “what is really going on”

– Using much more syntactic sugar than we realized

- Every val-binding and function-binding uses pattern-matching
- Every function in ML takes exactly one argument

First need to extend our definition of pattern-matching...

Each-of types

So far have used pattern-matching for one of types because we *needed* a way to access the values

Pattern matching also works for records and tuples:

- The pattern $(\mathbf{x1}, \dots, \mathbf{xn})$
matches the tuple value $(\mathbf{v1}, \dots, \mathbf{vn})$
- The pattern $\{\mathbf{f1}=\mathbf{x1}, \dots, \mathbf{fn}=\mathbf{xn}\}$
matches the record value $\{\mathbf{f1}=\mathbf{v1}, \dots, \mathbf{fn}=\mathbf{vn}\}$
(and fields can be reordered)

Example

This is poor style, but based on what I told you so far, the only way to use patterns

- Works but poor style to have one-branch cases

```
fun sum_triple triple =  
  case triple of  
    (x, y, z) => x + y + z  
  
fun full_name r =  
  case r of  
    {first=x, middle=y, last=z} =>  
      x ^ " " ^ y ^ " " ^ z
```

Val-binding patterns

- New feature: A val-binding can use a pattern, not just a variable
 - (Turns out variables are just one kind of pattern, so we just told you a half-truth in Lecture 1)

```
val p = e
```

- Great for getting (all) pieces out of an each-of type
 - Can also get only parts out (not shown here)
- Usually poor style to put a constructor pattern in a val-binding
 - Tests for the one variant and raises an exception if a different one is there (like `hd`, `tl`, and `valOf`)

Better example

This is okay style

- Though we will improve it again next
- Semantically identical to one-branch case expressions

```
fun sum_triple triple =  
  let val (x, y, z) = triple  
  in  
    x + y + z  
  end  
  
fun full_name r =  
  let val {first=x, middle=y, last=z} = r  
  in  
    x ^ " " ^ y ^ " " ^ z  
  end
```

Function-argument patterns

A function argument can also be a pattern

- Match against the argument in a function call

```
fun f p = e
```

Examples (great style!):

```
fun sum_triple (x, y, z) =  
  x + y + z
```

```
fun full_name {first=x, middle=y, last=z} =  
  x ^ " " ^ y ^ " " ^ z
```

A new way to go

- For Homework 2:
 - Do not use the # character
 - Do not need to write down any explicit types

Hmm

A function that takes one triple of type `int*int*int` and returns an `int` that is their sum:

```
fun sum_triple (x, y, z) =  
  x + y + z
```

A function that takes three `int` arguments and returns an `int` that is their sum

```
fun sum_triple (x, y, z) =  
  x + y + z
```

See the difference? (Me neither.) 😊

The truth about functions

- In ML, every function takes exactly one argument (*)
- What we call multi-argument functions are just functions taking one tuple argument, implemented with a tuple pattern in the function binding
 - Elegant and flexible language design
- Enables cute and useful things you cannot do in Java, e.g.,

```
fun rotate_left (x, y, z) = (y, z, x)
fun rotate_right t = rotate_left (rotate_left t)
```

* “Zero arguments” is the unit pattern `()` matching the unit value `()`