

CSE341: Programming Languages

Lecture 13 Racket Introduction

Brett Wortzman
Summer 2019

Slides originally created by Dan Grossman

Racket

Next two units will use the Racket language (not ML) and the DrRacket programming environment (not Emacs)

- Installation / basic usage instructions on course website
- Like ML, functional focus with imperative features
 - Anonymous functions, closures, no return statement, etc.
 - But we will not use pattern-matching
- Unlike ML, no static type system: accepts more programs, but most errors do not occur until run-time
- Really minimalist syntax
- Advanced features like macros, modules, quoting/eval, continuations, contracts, ...
 - Will do only a couple of these

Summer 2019

CSE341: Programming Languages

2

Racket vs. Scheme

- Scheme and Racket are very similar languages
 - Racket “changed its name” in 2010
- Racket made some non-backward-compatible changes...
 - How the empty list is written
 - Cons cells not mutable
 - How modules work
 - Etc.
 - ... and many additions
- Result: A modern language used to build some real systems
 - More of a moving target: notes may become outdated
 - Online documentation, particularly “The Racket Guide”

Summer 2019

CSE341: Programming Languages

3

Getting started

DrRacket “definitions window” and “interactions window” very similar to how we used Emacs and a REPL, but more user-friendly

- DrRacket has always focused on good-for-teaching
- See usage notes for how to use REPL, testing files, etc.
- Easy to learn to use on your own, but lecture demos will help

Free, well-written documentation:

- <http://racket-lang.org/>
- The Racket Guide especially, <http://docs.racket-lang.org/guide/index.html>

Summer 2019

CSE341: Programming Languages

4

File structure

Start every file with a line containing only

```
#lang racket
```

(Can have comments before this, but not code)

A file is a module containing a *collection of definitions* (bindings)...

Summer 2019

CSE341: Programming Languages

5

Example

```
#lang racket

(define x 3)
(define y (+ x 2))

(define cube ; function
  (lambda (x)
    (* x (* x x))))

(define pow ; recursive function
  (lambda (x y)
    (if (= y 0)
        1
        (* x (pow x (- y 1))))))
```

Summer 2019

CSE341: Programming Languages

6

Some niceties

Many built-in functions (a.k.a. procedures) take any number of args

- Yes `*` is just a function
- Yes you can define your own *variable-arity* functions (not shown here)

```
(define cube
  (lambda (x)
    (* x x x)))
```

Better style for non-anonymous function definitions (just sugar):

```
(define (cube x)
  (* x x x))

(define (pow x y)
  (if (= y 0)
      1
      (* x (pow x (- y 1))))))
```

Summer 2019

CSE341: Programming Languages

7

An old friend: currying

Currying is an idiom that works in any language with closures

- Less common in Racket because it has real multiple args

```
(define pow
  (lambda (x)
    (lambda (y)
      (if (= y 0)
          1
          (* x ((pow x) (- y 1)))))))

(define three-to-the (pow 3))
(define eightyone (three-to-the 4))
(define sixteen ((pow 2) 4))
```

Sugar for defining curried functions: `(define ((pow x) y) (if ...`

(No sugar for calling curried functions)

Summer 2019

CSE341: Programming Languages

8

Another old-friend: List processing

Empty list: `null`
 Cons constructor: `cons`
 Access head of list: `car`
 Access tail of list: `cdr`
 Check for empty: `null?`

Notes:

- Unlike Scheme, `()` doesn't work for `null`, but `'()` does
- `(list e1 ... en)` for building lists
- Names `car` and `cdr` are a historical accident

Summer 2019

CSE341: Programming Languages

9

Examples

```
(define (sum xs)
  (if (null? xs)
      0
      (+ (car xs) (sum (cdr xs)))))

(define (my-append xs ys)
  (if (null? xs)
      ys
      (cons (car xs) (my-append (cdr xs) ys))))

(define (my-map f xs)
  (if (null? xs)
      null
      (cons (f (car xs)) (my-map f (cdr xs)))))
```

Summer 2019

CSE341: Programming Languages

10

Racket syntax

Ignoring a few "bells and whistles,"

Racket has an amazingly simple *syntax*

A *term* (anything in the language) is either:

- An *atom*, e.g., `#t`, `#f`, `34`, `"hi"`, `null`, `4.0`, `x`, ...
- A *special form*, e.g., `define`, `lambda`, `if`
 - Macros will let us define our own
- A *sequence* of terms in parens: `(t1 t2 ... tn)`
 - If `t1` a special form, semantics of sequence is special
 - Else a function call

• Example: `(+ 3 (car xs))`

• Example: `(lambda (x) (if x "hi" #t))`

Summer 2019

CSE341: Programming Languages

11

Brackets

Minor note:

- Can use `[` anywhere you use `(`, but must match with `]`
 - Will see shortly places where `[...]` is common style
 - DrRacket lets you type `)` and replaces it with `]` to match

Summer 2019

CSE341: Programming Languages

12

Why is this good?


By parenthesizing everything, converting the program text into a tree representing the program (*parsing*) is trivial and unambiguous

- Atoms are leaves
- Sequences are nodes with elements as children
- (No other rules)

Also makes indentation easy

Example:

```
(define cube
  (lambda (x)
    (* x x x)))
```



No need to discuss "operator precedence" (e.g., $x + y * z$)

Summer 2019

CSE341: Programming Languages

13


Parenthesis bias

- If you look at the HTML for a web page, it takes the same approach:
 - (`foo` written `<foo>`)
 -) written `</foo>`)
- But for some reason, LISP/Scheme/Racket is the target of subjective parenthesis-bashing
 - Bizarrely, often by people who have no problem with HTML
 - You are entitled to your opinion about syntax, but a good historian wouldn't refuse to study a country where he/she didn't like people's accents

Summer 2019

CSE341: Programming Languages

14



<http://xkcd.com/297/>

Summer 2019

CSE341: Programming Languages

15

Parentheses matter

You must break yourself of one habit for Racket:

- Do not add/remove parens because you feel like it
 - Parens are never optional or meaningless!!!
- In most places (`e`) means call `e` with zero arguments
- So `((e))` means call `e` with zero arguments and call the result with zero arguments

Without static typing, often get hard-to-diagnose run-time errors

Summer 2019

CSE341: Programming Languages

16

Examples (more in code)

Correct:

```
(define (fact n) (if (= n 0) 1 (* n (fact (- n 1)))))
```

Treats 1 as a zero-argument function (run-time error):

```
(define (fact n) (if (= n 0) (1) (* n (fact (- n 1)))))
```

Gives `if` 5 arguments (syntax error)

```
(define (fact n) (if = n 0 1 (* n (fact (- n 1)))))
```

3 arguments to define (including `(n)`) (syntax error)

```
(define fact (n) (if (= n 0) 1 (* n (fact (- n 1)))))
```

Treats `n` as a function, passing it `*` (run-time error)

```
(define (fact n) (if (= n 0) 1 (n * (fact (- n 1)))))
```

Summer 2019

CSE341: Programming Languages

17

Dynamic typing

Major topic coming later: contrasting static typing (e.g., ML) with dynamic typing (e.g., Racket)

For now:

- Frustrating not to catch "little errors" like `(n * x)` until you test your function
- But can use very flexible data structures and code without convincing a type checker that it makes sense

Example:

- A list that can contain numbers or other lists
- Assuming *lists or numbers* "all the way down," sum all the numbers...

Summer 2019

CSE341: Programming Languages

18

Example

```
(define (sum xs)
  (if (null? xs)
      0
      (if (number? (car xs))
          (+ (car xs) (sum (cdr xs)))
          (+ (sum (car xs)) (sum (cdr xs)))))))
```

- No need for a fancy datatype binding, constructors, etc.
- Works no matter how deep the lists go
- But assumes each element is a list or a number
 - Will get a run-time error if anything else is encountered

Summer 2019

CSE341: Programming Languages

19

Better style

Avoid nested if-expressions when you can use cond-expressions instead

- Can think of one as sugar for the other

General syntax: (cond [e1a e1b]
[e2a e2b]
...
[eNa eNb])

- Good style: eNa should be #t

Summer 2019

CSE341: Programming Languages

20

Example

```
(define (sum xs)
  (cond [(null? xs) 0]
        [(number? (car xs))
         (+ (car xs) (sum (cdr xs)))]
        [#t (+ (sum (car xs)) (sum (cdr xs)))]))
```

Summer 2019

CSE341: Programming Languages

21

A variation

As before, we could change our spec to say instead of errors on non-numbers, we should just ignore them

So this version can work for any list (or just a number)

- Compare carefully, we did *not* just add a branch

```
(define (sum xs)
  (cond [(null? xs) 0]
        [(number? xs) xs]
        [(list? xs)
         (+ (sum (car xs)) (sum (cdr xs)))]
        [#t 0]))
```

Summer 2019

CSE341: Programming Languages

22

What is true?

For both `if` and `cond`, test expression can evaluate to anything

- It is not an error if the result is not `#t` or `#f`
- (Apologies for the double-negative ☺)

Semantics of `if` and `cond`:

- “Treat anything other than `#f` as true”
- (In some languages, other things are false, not in Racket)

This feature makes no sense in a statically typed language

Some consider using this feature poor style, but it can be convenient

Summer 2019

CSE341: Programming Languages

23

Local bindings

- Racket has 4 ways to define local variables
 - `let`
 - `let*`
 - `letrec`
 - `define`
- Variety is good: They have different semantics
 - Use the one most convenient for your needs, which helps communicate your intent to people reading your code
 - If any will work, use `let`
 - Will help us better learn scope and environments
- Like in ML, the 3 kinds of let-expressions can appear anywhere

Summer 2019

CSE341: Programming Languages

24

Let

A let expression can bind any number of local variables

- Notice where all the parentheses are

The expressions are all evaluated in the environment from **before the let-expression**

- Except the body can use all the local variables of course
- This is **not** how ML let-expressions work
- Convenient for things like `(let ([x y] [y x]) ...)`

```
(define (silly-double x)
  (let ([x (+ x 3)]
        [y (+ x 2)])
    (+ x y -5)))
```

Summer 2019

CSE341: Programming Languages

25

Let*

Syntactically, a let* expression is a let-expression with 1 more character

The expressions are evaluated in the environment produced from the **previous bindings**

- Can repeat bindings (later ones shadow)
- This is how ML let-expressions work

```
(define (silly-double x)
  (let* ([x (+ x 3)]
        [y (+ x 2)])
    (+ x y -8)))
```

Summer 2019

CSE341: Programming Languages

26

Letrec

Syntactically, a letrec expression is also the same

The expressions are evaluated in the environment that includes **all the bindings**

```
(define (silly-triple x)
  (letrec ([y (+ x 2)]
          [f (lambda(z) (+ z y w x))]
          [w (+ x 7)])
    (f -9)))
```

- Needed for mutual recursion
- But expressions are still *evaluated in order*: accessing an uninitialized binding raises an error
 - Remember function bodies not evaluated until called

Summer 2019

CSE341: Programming Languages

27

More letrec

- Letrec is ideal for recursion (including mutual recursion)

```
(define (silly-mod2 x)
  (letrec ([even? (lambda(x) (if (zero? x) #t (odd? (- x 1))))]
          [odd? (lambda(x) (if (zero? x) #f (even? (- x 1))))]
          [if (even? x) 0 1]))
```

- Do not use later bindings except inside functions
 - This example will raise an error when called

```
(define (bad-letrec x)
  (letrec ([y z]
          [z 13])
    (if x y z)))
```

Summer 2019

CSE341: Programming Languages

28

Local defines

- In certain positions, like the beginning of function bodies, you can put defines
 - For defining local variables, same semantics as `letrec`

```
(define (silly-mod2 x)
  (define (even? x) (if (zero? x) #t (odd? (- x 1))))
  (define (odd? x) (if (zero? x) #f (even? (- x 1))))
  (if (even? x) 0 1))
```

- Local defines is preferred Racket style, but course materials will avoid them to emphasize `let`, `let*`, `letrec` distinction
 - You can choose to use them on homework or not

Summer 2019

CSE341: Programming Languages

29

Top-level

The bindings in a file work like local defines, i.e., `letrec`

- Like ML, you can *refer* to earlier bindings
- Unlike ML, you can also *refer* to later bindings
 - But refer to later bindings only in function bodies
 - Because bindings are *evaluated* in order
 - Get an error if try to use a not-yet-defined binding
- Unlike ML, cannot define the same variable twice in module
 - Would make no sense: cannot have both in environment

Summer 2019

CSE341: Programming Languages

30

REPL

Unfortunate detail:

- REPL works slightly differently
 - Not quite `let*` or `letrec`
 - ☹
- Best to avoid recursive function definitions or forward references in REPL
 - Actually okay unless shadowing something (you may not know about) – then weirdness ensues
 - And calling recursive functions is fine of course

Summer 2019

CSE341: Programming Languages

31

Optional: Actually...

- Racket has a module system
 - Each file is implicitly a module
 - Not really “top-level”
 - A module can shadow bindings from other modules it uses
 - Including Racket standard library
 - So we could redefine `+` or any other function
 - But poor style
 - Only shadows in our module (else messes up rest of standard library)
- (Optional note: Scheme is different)

Summer 2019

CSE341: Programming Languages

32

Set!

- Unlike ML, Racket really has assignment statements
 - But used *only-when-really-appropriate!*

```
(set! x e)
```

- For the `x` in the current environment, subsequent lookups of `x` get the result of evaluating expression `e`
 - Any code using this `x` will be affected
 - Like `x = e` in Java, C, Python, etc.
- Once you have side-effects, sequences are useful:

```
(begin e1 e2 ... en)
```

Summer 2019

CSE341: Programming Languages

33

Example

Example uses `set!` at top-level; mutating local variables is similar

```
(define b 3)
(define f (lambda (x) (* 1 (+ x b))))
(define c (+ b 4)) ; 7
(set! b 5)
(define z (f 4)) ; 9
(define w c) ; 7
```

Not much new here:

- Environment for closure determined when function is defined, but body is evaluated when function is called
- Once an expression produces a value, it is irrelevant how the value was produced

Summer 2019

CSE341: Programming Languages

34

Top-level

- Mutating top-level definitions is particularly problematic
 - What if any code could do `set!` on anything?
 - How could we defend against this?
- A general principle: If something you need not to change might change, make a local copy of it. Example:

```
(define b 3)
(define f
  (let ([b b])
    (lambda (x) (* 1 (+ x b)))))
```

Could use a different name for local copy but do not need to

Summer 2019

CSE341: Programming Languages

35

But wait...

- Simple elegant language design:
 - Primitives like `+` and `*` are just predefined variables bound to functions
 - But maybe that means they are mutable
 - Example continued:

```
(define f
  (let ([b b]
        [+ +]
        [* *])
    (lambda (x) (* 1 (+ x b)))))
```

- Even that won't work if `f` uses other functions that use things that might get mutated – all functions would need to copy everything mutable they used

Summer 2019

CSE341: Programming Languages

36

No such madness

In Racket, you do not have to program like this

- Each file is a module
- If a module does not use `set!` on a top-level variable, then Racket makes it constant and forbids `set!` outside the module
- Primitives like `+`, `*`, and `cons` are in a module that does not mutate them

Showed you this for the *concept* of copying to defend against mutation

- Easier defense: Do not allow mutation
- Mutable top-level bindings a highly dubious idea

Summer 2019

CSE341: Programming Languages

37

The truth about cons

`cons` just makes a pair

- Often called a *cons cell*
- By convention and standard library, lists are nested pairs that eventually end with `null`

```
(define pr (cons 1 (cons #t "hi"))) ; '(1 #t . "hi")
(define lst (cons 1 (cons #t (cons "hi" null))))
(define hi (cdr (cdr pr)))
(define hi-again (car (cdr (cdr lst))))
(define hi-another (caddr lst))
(define no (list? pr))
(define yes (pair? pr))
(define of-course (and (list? lst) (pair? lst)))
```

Passing an *improper list* to functions like `length` is a run-time error

Summer 2019

CSE341: Programming Languages

38

The truth about cons

So why allow improper lists?

- Pairs are useful
- Without static types, why distinguish `(e1, e2)` and `e1 : e2`

Style:

- Use proper lists for collections of unknown size
- But feel free to use `cons` to build a pair
 - Though structs (like records) may be better

Built-in primitives:

- `list?` returns true for proper lists, including the empty list
- `pair?` returns true for things made by `cons`
 - All improper and proper lists except the empty list

Summer 2019

CSE341: Programming Languages

39

cons cells are immutable

What if you wanted to mutate the *contents* of a cons cell?

- In Racket you cannot (major change from Scheme)
- This is good
 - List-aliasing irrelevant
 - Implementation can make `list?` fast since listness is determined when cons cell is created

Summer 2019

CSE341: Programming Languages

40

Set! does not change list contents

This does *not* mutate the contents of a cons cell:

```
(define x (cons 14 null))
(define y x)
(set! x (cons 42 null))
(define fourteen (car y))
```

- Like Java's `x = new Cons(42, null)`, *not* `x.car = 42`

Summer 2019

CSE341: Programming Languages

41

mcons cells are mutable

Since mutable pairs are sometimes useful (will use them soon), Racket provides them too:

- `mcons`
- `mcar`
- `mcdr`
- `mpair?`
- `set-mcar!`
- `set-mcdr!`

Run-time error to use `mcar` on a cons cell or `car` on an mcons cell

Summer 2019

CSE341: Programming Languages

42