# The Hardware/Software Interface

CSE 351 Autumn 2023

#### **Instructor:**

Justin Hsia

#### **Teaching Assistants:**

Afifah Kashif Malak Zaki

Bhavik Soni Naama Amiel

Cassandra Lam Nayha Auradkar

Connie Chen Nikolas McNamee

David Dai Pedro Amarante

Dawit Hailu Renee Ruan

Ellis Haker Simran Bagaria

Eyoel Gebre Will Robertson


Joshua Tan

AN x64 PROCESSOR IS SCREAMING ALONG AT BILLIONS OF CYCLES PER SECOND TO RUN THE XNU KERNEL, WHICH IS FRANTICALLY WORKING THROUGH ALL THE POSIX-SPECIFIED ABSTRACTION TO CREATE THE DARWIN SYSTEM UNDERLYING OS X, WHICH IN TURN IS STRAINING ITSELF TO RUN FIREFOX AND ITS GECKO RENDERER, WHICH CREATES A PLASH OBJECT WHICH RENDERS DOZENS OF VIDEO FRAMES EVERY SECOND

BECAUSE I WANTED TO SEE A CAT JUMP INTO A BOX AND FALL OVER.



I AM A GOD.



- Instructor: just call me Justin
  - CSE Associate Teaching Professor
  - Raising a toddler takes up energy and dictates my schedule
- \* TAs:

f W university of Washington



































- More than anything, we want you to feel...
  - ✓ Comfortable and welcome in this space
  - ✓ Able to learn and succeed in this course
  - ✓ Comfortable reaching out if you need help or want change

#### **Bookmarks**

Website: <a href="https://courses.cs.washington.edu/courses/cse351/23au/">https://courses.cs.washington.edu/courses/cse351/23au/</a>

L01: Introduction, Binary

- Schedule, policies, materials, tutorials, assignment specs, etc.
- Ed Course: https://edstem.org/us/courses/41511
  - Discussion: announcements, ask and answer questions
  - Lessons: lessons, practice problems, homework
- Linked from website and Ed
  - Canvas: surveys, grade book, Zoom links
  - Gradescope: lab submissions, take-home exams
  - Panopto: lecture recordings

# Grading

Lesson Problems: 6%



- Can reveal solution after one attempt (completion)
- Homework: 20% total



- Unlimited submission attempts (autograded correctness)
- Labs: 40% total




- Last submission graded (correctness)
- ❖ Exams: Midterm (16%) and Final (16%)




- Take-home; individual, but some discussion permitted
- EPA: Effort, Participation, and Altruism (2%)

### **Support Hours**

- Check Weekly Calendar on website for scheduled support hours:
  - In-person or virtual, but NOT hybrid
  - Zoom meeting links found in Zoom tab within Canvas



- All support hours will use a Google Sheets queue:
  - Fill out first 3 columns to enter queue:




• We encourage you to chat with other students if the TAs are busy!

Allen 3<sup>rd</sup> floor breakout

W UNIVERSITY of WASHINGTON

 Up the stairs in the CSE Atrium (Allen Center, not Gates)

• At the top of two flights, the open area with the whiteboard wall is the 3<sup>rd</sup> floor breakout!





CSE351, Autumn 2023

#### **To-Do List**

#### Admin

- Explore/read the course website thoroughly, especially the syllabus
- Check that you can access Ed Discussion & Lessons
- Get your machine set up to access the CSE Linux environment (attu or seaside) as soon as possible
- Optionally, sign up for CSE 391: System and Software Tools

#### Assignments

- Pre-Course Survey and hw0 due Friday (9/29)
- HW1 and Lab 0 due Monday (10/2)
- Lessons quiz questions due 11:59 pm after the associated lecture

W UNIVERSITY of WASHINGTON



# Lesson Summary (1/2)

- Humans think about numbers in decimal; computers think about numbers in binary
  - Base conversion to go between them
  - Hexadecimal is more human-readable than binary
- All information on a computer is binary
- Binary encoding can represent anything!
  - Computer/program needs to know how to interpret the bits
  - Encodings aren't "neutral"; priorities are baked in


# Lesson Summary (2/2)

#### Terminology:

- numeral, digit, base, symbol, digit position, leading zeros
- binary, bit, nibble, byte, hexadecimal
- numerical representation, encoding scheme


#### Learning Objectives:

- Convert between binary, decimal, and hexadecimal number representations.
- Given an encoding scheme, decode and encode binary to/from its intended representation.
- Identify limitations of given encoding schemes.
- What lingering questions do you have from the lesson?



# Why Base 2?


- Electronic implementation
  - Easy to store with bi-stable elements
  - Reliably transmitted on noisy and inaccurate wires




- Other bases possible, but not yet viable:
  - DNA data storage (base 4: A, C, G, T) is hot @UW
  - Quantum computing

### **Binary Encoding – Colors**

- RGB Red, Green, Blue
  - Additive color model (light): byte (8 bits) for each color
  - Commonly seen in hex (in HTML, photo editing, etc.)
  - Examples: Blue→0x0000FF, Gold→0xFFD700, White→0xFFFFFF, Deep Pink→0xFF1493





### **Binary Encoding – Characters/Text**

- ASCII Encoding (<u>www.asciitable.com</u>)
  - American Standard Code for Information Interchange

```
Dec Hx Oct Html Chr Dec Hx Oct Html Chr
                                    Dec Hx Oct Html Chr
Dec Hx Oct Char
 0 0 000 NUL (null)
                                     32 20 040   Space
                                                          64 40 100 @ 0
                                                                            96 60 140 @#96;
 1 1 001 SOH (start of heading)
                                     33 21 041 ! !
                                                          65 41 101 A A
                                                                            97 61 141 @#97; 8
                                     34 22 042 4#34; "
                                                          66 42 102 B B
                                                                            98 62 142 @#98; l
   2 002 STX (start of text)
                                                          67 43 103 C C
                                                                            99 63 143 @#99;
 3 3 003 ETX (end of text)
                                     35 23 043 # #
    4 004 EOT (end of transmission)
                                     36 24 044 $ 🗧
                                                          68 44 104 D D
                                                                            100 64 1⁄2
   5 005 ENQ (enquiry)
                                     37 25 045 % %
                                                          70 46 106 @#70; F
   6 006 ACK (acknowledge)
                                     38 26 046 & 🍇
 7 7 007 BEL (bell)
                                     39 27 047 4#39; '
 8 8 010 BS (backspace)
                                     40 28 050 ( (
   9 011 TAB (horizontal tab)
                                     41 29 051 ) )
   A 012 LF (NL line feed, new line)
                                        2A 052 * *
   B 013 VT
             (vertical tab)
                                          053 &#43
   C 014 FF
             (NP form feed, new page)
                                     44 2C 0
             (carriage return)
14 E 016 SO
             (shift out)
15 F 017 SI
             (shift in)
                                                                            111 6F 157 o 0
16 10 020 DLE (data link escap)
                                                                           112 70 160 p p
17 11 021 DC1 (d _ice co
                                                                           |113 71 161 q <mark>q</mark>
                                     50 32 062 4#50; 2
18 12 022 DC2
                                                          82 52 122 R R
                                                                           |114 72 162 &#ll4; <mark>r</mark>
                                     51 33 063 4#51; 3
                                                          83 53 123 4#83; 💲
                                                                           |115 73 163 s 3
                                     52 34 064 4 4
                                                          84 54 124 T T
                                                                           116 74 164 t t
                                     53 35 065 4#53; 5
                                                          85 55 125 U U
                                                                           |117 75 165 u <mark>u</mark>
               mchronous idle)
                                     54 36 066 6 6
                                                          86 56 126 V V
                                                                           |118 76 166 v ♥
23 17 02 B (end of trans. block)
                                                          87 57 127 4#87; ₩
                                     55 37 067 4#55; 7
                                                                           |119 77 167 &#ll9; W
24 18 030 CAN (cancel)
                                     56 38 070 4#56; 8
                                                          88 58 130 X X
                                                                           |120 78 170 x 🗙
            (end of medium)
                                     57 39 071 4#57; 9
                                                          89 59 131 Y Y
                                                                           |121 79 171 y Y
                                     58 3A 072 : :
                                                          90 5A 132 Z Z
                                                                           122 7A 172 z Z
26 lA 032 SUB (substitute)
                                     59 3B 073 &#59; ;
                                                          91 5B 133 [ [
27 1B 033 ESC (escape)
                                                                           |123 7B 173 {
             (file separator)
                                     60 3C 074 < <
                                                          92 5C 134 \ \
28 1C 034 FS
                                                                           |124 7C 174 |
29 1D 035 GS
             (group separator)
                                     61 3D 075 = =
                                                          93 5D 135 @#93; ]
                                                                           125 7D 175 }
                                                          94 5E 136 @#94; ^
                                                                           126 7E 176 ~
30 1E 036 RS
             (record separator)
                                     62 3E 076 >>
                                                         95 5F 137 _ _ | 127 7F 177  DEL
31 1F 037 US
                                     63 3F 077 ? ?
             (unit separator)
```

## **Binary Encoding – Characters/Text**

- ASCII Encoding (<u>www.asciitable.com</u>)
  - American Standard Code for Information Interchange
- Created in 1963
  - Memory was expensive, 32KB in brand new machines
  - Economic incentive to use fewer bits for encoding

#### Design Goals:

- Represent everything on an American typewriter as efficiently as possible
- Organize similar characters together
  - Numbers, uppercase, lowercase, then other stuff

### Binary Encoding – Unicode & Emoji

- Unicode Standard is managed by the Unicode Consortium
  - "Universal language" that uses 1-4 bytes to represent a much larger range of characters/languages, including emoji
  - Adds new emojis every year, though adoption often lags: <a>\mathbb{I}</a>
    - https://emojipedia.org/new/
- Emojipedia demo: <a href="http://www.emojipedia.org">http://www.emojipedia.org</a>
  - Desktop Computer:
  - Code points: U+1F5A5, U+FE0F
  - Display:
















### Binary Encoding – Files and Programs

- At the lowest level, all digital data is stored as bits!
- Layers of abstraction keep everything comprehensible
  - Data/files are groups of bits interpreted by program
  - Program is actually groups of bits being interpreted by your CPU
- Computer Memory Demo
  - Linux tool: xxd

### **Discussion Question**

- Discuss the following question(s) in groups of 3-4 students
  - I will call on a few groups afterwards so please be prepared to share out
  - Be respectful of others' opinions and experiences







http://xkcd.com/1953/

### **Discussion Question**

- Discuss the following question(s) in groups of 3-4 students
  - I will call on a few groups afterwards so please be prepared to share out
  - Be respectful of others' opinions and experiences
- The Unicode Consortium publicly solicits proposals from the public for new emoji to add to future standards
  - What do you think some of the decision factors are (or should be) in how many and which ones to add?
  - Voting is done by a combination of paid members consisting of companies, institutions, and individuals – how do you feel about who has control and how they gained that control?
    - https://home.unicode.org/membership/members/

f W university of Washington

### **Group Work Time**

- During this time, you are encouraged to work on the following:
  - 1) If desired, continue your discussion
  - 2) Work on the lesson problems (solutions at the end of class)
  - 3) Work on the homework problems

#### Resources:

- You can revisit the lesson material
- Work together in groups and help each other out
- Course staff will circle around to provide support

#### **Practice Problems**

- What is the decimal value of the numeral 107<sub>8</sub>?
  - A. 71
  - B. 87
  - C. 107
  - D. 568
- Represent 0b100110110101101
   in hex.

- What is the decimal number 108 in hex?
  - **A.** 0x6C
  - **B.** 0xA8
  - C. 0x108
  - D. 0x612
- Represent 0x3C9 in binary.