

# Binomial Queues

CSE 373

Data Structures

Lecture 12

# Reading

---

- Reading
  - › Section 6.8,

# Merging heaps

---

- Binary Heap is a special purpose hot rod
  - › FindMin, DeleteMin and Insert only
  - › does not support fast merges of two heaps
- For some applications, the items arrive in prioritized clumps, rather than individually
- Is there somewhere in the heap design that we can give up a little performance so that we can gain faster merge capability?

# Binomial Queues

---

- Binomial Queues are designed to be merged quickly with one another
- Using pointer-based design we can merge large numbers of nodes at once by simply pruning and grafting tree structures
- More overhead than Binary Heap, but the flexibility is needed for improved merging speed

# Worst Case Run Times

---


	<u>Binary Heap</u>	<u>Binomial Queue</u>
Insert	$\Theta(\log N)$	$\Theta(\log N)$
FindMin	$\Theta(1)$	$O(\log N)$
DeleteMin	$\Theta(\log N)$	$\Theta(\log N)$
Merge	$\Theta(N)$	$O(\log N)$

# Binomial Queues

---


- Binomial queues give up  $\Theta(1)$  FindMin performance in order to provide  $O(\log N)$  merge performance
- A **binomial queue** is a collection (or *forest*) of heap-ordered trees
  - › Not just one tree, but a collection of trees
  - › each tree has a defined structure and capacity
  - › each tree has the familiar heap-order property

# Binomial Queue with 5 Trees



# Structure Property

- Each tree contains two copies of the previous tree
  - › the second copy is attached at the root of the first copy
- The number of nodes in a tree of depth  $d$  is exactly  $2^d$





# Powers of 2

- Any number N can be represented in base 2
  - › A base 2 value identifies the powers of 2 that are to be included





$2^3 = 8_{10}$	$2^2 = 4_{10}$	$2^1 = 2_{10}$	$2^0 = 1_{10}$	Hex <sub>16</sub>	Decimal <sub>10</sub>
		1	1	3	3
	1	0	0	4	4
	1	0	1	5	5

# Numbers of nodes

---

- Any number of entries in the binomial queue can be stored in a forest of binomial trees
- Each tree holds the number of nodes appropriate to its depth, ie  $2^d$  nodes
- So the structure of a forest of binomial trees can be characterized with a single binary number
  - ›  $100_2 \rightarrow 1 \cdot 2^2 + 0 \cdot 2^1 + 0 \cdot 2^0 = 4$  nodes

# Structure Examples



# What is a merge?

---

- There is a direct correlation between
  - › the number of nodes in the tree
  - › the representation of that number in base 2
  - › and the actual structure of the tree
- When we merge two queues, the number of nodes in the new queue is the *sum of  $N_1 + N_2$*
- We can use that fact to help see how fast merges can be accomplished

## Example 1.

Merge BQ.1 and  
BQ.2

Easy Case.

There are no  
comparisons and  
there is no  
restructuring.


BQ.1			9
$N=1_{10}=1_2$	$2^2=4$	$2^1=2$	$2^0=1$
+ BQ.2		4 8	
$N=2_{10}=10_2$	$2^2=4$	$2^1=2$	$2^0=1$
= BQ.3		4 8	9
$N=3_{10}=11_2$	$2^2=4$	$2^1=2$	$2^0=1$

## Example 2.

Merge BQ.1 and BQ.2

This is an add with a carry out.

It is accomplished with one comparison and one pointer change:  
 $O(1)$






### Example 3.

Merge BQ.1 and BQ.2

Part 1 - Form the carry.



BQ.1		<div>1</div> <div>3</div>	<div>7</div>
$N=3_{10}=11_2$	$2^2 = 4$	$2^1 = 2$	$2^0 = 1$
+ BQ.2		<div>4</div> <div>6</div>	<div>8</div>
	$N=3_{10}=11_2$	$2^2 = 4$	$2^1 = 2$
= carry		<div>7</div> <div>8</div>	
	$N=2_{10}=10_2$	$2^2 = 4$	$2^1 = 2$
			$2^0 = 1$



carry			
	$N=2_{10}=10_2$	$2^2=4$	$2^1=2$
		$2^0=1$	

+ BQ.1			
	$N=3_{10}=11_2$	$2^2=4$	$2^1=2$
		$2^0=1$	

### Example 3.

Part 2 - Add the existing values and the carry.

+ BQ.2			
	$N=3_{10}=11_2$	$2^2=4$	$2^1=2$
		$2^0=1$	

= BQ.3			
	$N=6_{10}=110_2$	$2^2=4$	$2^1=2$
		$2^0=1$	



# Merge Algorithm



---

- Just like binary addition algorithm
- Assume trees  $X_0, \dots, X_n$  and  $Y_0, \dots, Y_n$  are binomial queues
  - ›  $X_i$  and  $Y_i$  are of type  $B_i$  or null

```
C0 := null; //initial carry is null//  
for i = 0 to n do  
    combine Xi, Yi, and Ci to form Zi and new Ci+1  
Zn+1 := Cn+1
```

# Exercise

---



# $O(\log N)$ time to Merge

---

- For  $N$  keys there are at most  $\lceil \log_2 N \rceil$  trees in a binomial forest.
- Each merge operation only looks at the root of each tree.
- Total time to merge is  $O(\log N)$ .

# Insert

---

- Create a single node queue  $B_0$  with the new item and merge with existing queue
- $O(\log N)$  time


# DeleteMin

---



1. Assume we have a binomial forest  $X_0, \dots, X_m$
  2. Find tree  $X_k$  with the smallest root
  3. Remove  $X_k$  from the queue
  4. Remove root of  $X_k$  (return this value)
    - › This yields a binomial forest  $Y_0, Y_1, \dots, Y_{k-1}$ .
  5. Merge this new queue with remainder of the original (from step 3)
- Total time =  $O(\log N)$


# Implementation

- Binomial forest as an array of multiway trees
  - › FirstChild, Sibling pointers




# DeleteMin Example







Old forest








New forest







# Why Binomial?

$\binom{d}{k} = \frac{d!}{(d-k)!k!}$						
tree depth $d$	4	3	2	1	0	
nodes at depth $k$	1, 4, 6, 4, 1	1, 3, 3, 1	1, 2, 1	1, 1	1	

# Other Priority Queues

---

- Leftist Heaps
  - ›  $O(\log N)$  time for insert, delete, merge
- Skew Heaps
  - ›  $O(\log N)$  amortized time for insert, delete, merge
- Calendar Queues
  - ›  $O(1)$  average time for insert and delete

# Exercise Solution

---

