

CSE 417: Algorithms and Computational Complexity

2: Analysis

Winter 2007

Larry Ruzzo

Define Efficiency

“Runs fast on typical real problem instances”

Pro:

sensible, bottom-line-oriented

Con:

moving target (diff computers, compilers, Moore's law)

highly subjective (how fast is “fast”? what's “typical”?)

Efficiency

Our correct TSP algorithm was incredibly slow

Basically slow no matter what computer you have

We want a general theory of “efficiency” that is

- Simple

- Objective

- Relatively independent of changing technology

- But still predictive - “theoretically bad” algorithms should be bad in practice and vice versa (usually)

Measuring efficiency

Time \approx # of instructions executed in a simple programming language

only simple operations (+,*,-,=,if,call,...)

each operation takes one time step

each memory access takes one time step

no fancy stuff (add these two matrices, copy this long string,...) built in; write it/charge for it as above

No fixed bound on the memory size

We left out things but...

Things we've dropped

- memory hierarchy

 - disk, caches, registers have many orders of magnitude differences in access time

- not all instructions take the same time in practice


- different computers have different primitive instructions

However,

- the RAM model is useful for designing algorithms and measuring their efficiency

- one can usually tune implementations so that the hierarchy etc. is not a huge factor

Complexity analysis



Problem size n

Worst-case complexity: max # steps algorithm takes on any input of size n

Best-case complexity: min # steps algorithm takes on any input of size n

Average-case complexity: avg # steps algorithm takes on inputs of size n

Pros and cons:

Best-case

unrealistic oversell

Average-case

over what probability distribution? (different people may have different “average” problems)

analysis often hard

Worst-case

a fast algorithm has a comforting guarantee

maybe too pessimistic

Why Worst-Case Analysis?

Appropriate for time-critical applications, e.g. avionics

Unlike Average-Case, no debate about what the right definition is

If worst \gg average, then (a) alg is doing something pretty subtle, & (b) are hard instances really that rare?

Analysis often easier

Result is often representative of "typical" problem instances

Of course there are exceptions...

General Goals

Characterize growth rate of (worst-case) run time as a function of problem size, up to a constant factor

Why not try to be more precise?

Technological variations (computer, compiler, OS, ...) easily 10x or more

Being more precise is a ton of work

A key question is “scale up”: if I can afford to do it today, how much longer will it take when my business problems are twice as large? (E.g. today: cn^2 , next year: $c(2n)^2 = 4cn^2$: 4 x longer.)

Complexity


The complexity of an algorithm associates a number $T(n)$, the worst-case time the algorithm takes, with each problem size n .

Mathematically,


$$T: \mathbb{N}^+ \rightarrow \mathbb{R}^+$$

that is T is a function that maps positive integers (giving problem sizes) to positive real numbers (giving number of steps).

Complexity



Complexity



O-notation etc

Given two functions f and $g:\mathbb{N}\rightarrow\mathbb{R}$

$f(n)$ is $O(g(n))$ iff there is a constant $c>0$ so that
 $f(n)$ is eventually always $\leq c g(n)$

$f(n)$ is $\Omega(g(n))$ iff there is a constant $c>0$ so that
 $f(n)$ is eventually always $\geq c g(n)$

$f(n)$ is $\Theta(g(n))$ iff there are constants $c_1, c_2>0$ so that
eventually always $c_1g(n) \leq f(n) \leq c_2g(n)$

Examples

$10n^2 - 16n + 100$ is $O(n^2)$ also $O(n^3)$

$10n^2 - 16n + 100 \leq 11n^2$ for all $n \geq 10$

$10n^2 - 16n + 100$ is $\Omega(n^2)$ also $\Omega(n)$

$10n^2 - 16n + 100 \geq 9n^2$ for all $n \geq 16$

Therefore also $10n^2 - 16n + 100$ is $\Theta(n^2)$

$10n^2 - 16n + 100$ is not $O(n)$ also not $\Omega(n^3)$

Properties

Transitivity.

If $f = O(g)$ and $g = O(h)$ then $f = O(h)$.

If $f = \Omega(g)$ and $g = \Omega(h)$ then $f = \Omega(h)$.

If $f = \Theta(g)$ and $g = \Theta(h)$ then $f = \Theta(h)$.

Additivity.

If $f = O(h)$ and $g = O(h)$ then $f + g = O(h)$.

If $f = \Omega(h)$ and $g = \Omega(h)$ then $f + g = \Omega(h)$.

If $f = \Theta(h)$ and $g = O(h)$ then $f + g = \Theta(h)$.

Asymptotic Bounds for Some Common Functions

Polynomials:

$a_0 + a_1 n + \dots + a_d n^d$ is $\Theta(n^d)$ if $a_d > 0$

Logarithms:

$O(\log_a n) = O(\log_b n)$ for any constants $a, b > 0$

Logarithms:

For all $x > 0$, $\log n = O(n^x)$

log grows slower
than every
polynomial

“One-Way Equalities”

“2 + 2 is 4” vs $2 + 2 = 4$ vs $4 = 2 + 2$

“All dogs are mammals” vs

“All mammals are dogs”  FALSE

$2n^2 + 5n$ is $O(n^3)$ vs

$2n^2 + 5n = O(n^3)$ vs

$O(n^3) = 2n^2 + 5n$  FALSE

OK to put big-O in R.H.S. of equality, but not left.

[Better, but uncommon, notation: $T(n) \in O(f(n))$.]

Working with O - Ω - Θ notation

Claim: For any a , and any $b > 0$, $(n+a)^b$ is $\Theta(n^b)$

$$\begin{aligned}(n+a)^b &\leq (2n)^b && \text{for } n \geq |a| \\ &= 2^b n^b \\ &= c n^b && \text{for } c = 2^b\end{aligned}$$

so $(n+a)^b$ is $O(n^b)$

$$\begin{aligned}(n+a)^b &\geq (n/2)^b && \text{for } n \geq 2|a| \text{ (even if } a < 0) \\ &= 2^{-b} n^b \\ &= c' n && \text{for } c' = 2^{-b}\end{aligned}$$

so $(n+a)^b$ is $\Omega(n^b)$

Working with O - Ω - Θ notation

Claim: For any $a, b > 1$ $\log_a n$ is $\Theta(\log_b n)$

$$\log_a b = x \text{ means } a^x = b$$

$$a^{\log_a b} = b$$

$$(a^{\log_a b})^{\log_b n} = b^{\log_b n} = n$$

$$(\log_a b)(\log_b n) = \log_a n$$

$$c \log_b n = \log_a n \text{ for the constant } c = \log_a b$$

So :


$$\log_b n = \Theta(\log_a n) = \Theta(\log n)$$

Big-Theta, etc. not always “nice”

$$f(n) = \begin{cases} n^2, & n \text{ even} \\ n, & n \text{ odd} \end{cases}$$

$f(n) \neq \Theta(n^a)$ for any a .

Fortunately, such
nasty cases are rare



$f(n \log n) \neq \Theta(n^a)$ for any a , either, but at least it's simpler.

A Possible Misunderstanding?

We have looked at
type of complexity analysis
 worst-, best-, average-case
types of function bounds
 O , Ω , Θ

Insertion Sort:

$\Omega(n^2)$ (worst case)

$O(n)$ (best case)


These two considerations are independent of each other

one can do any type of function bound with any type of complexity analysis - measuring different things with same yardstick

Asymptotic Bounds for Some Common Functions

Exponentials.
For all $r > 1$
and all $d > 0$,
 $n^d = O(r^n)$.

every exponential
grows faster than
every polynomial



Polynomial time

Running time is $O(n^d)$ for some constant d independent of the input size n .

Why It Matters

Table 2.1 The running times (rounded up) of different algorithms on inputs of increasing size, for a processor performing a million high-level instructions per second. In cases where the running time exceeds 10^{25} years, we simply record the algorithm as taking a very long time.

| | n | $n \log_2 n$ | n^2 | n^3 | 1.5^n | 2^n | $n!$ |
|-----------------|---------|--------------|---------|--------------|--------------|-----------------|-----------------|
| $n = 10$ | < 1 sec | < 1 sec | < 1 sec | < 1 sec | < 1 sec | < 1 sec | 4 sec |
| $n = 30$ | < 1 sec | < 1 sec | < 1 sec | < 1 sec | < 1 sec | 18 min | 10^{25} years |
| $n = 50$ | < 1 sec | < 1 sec | < 1 sec | < 1 sec | 11 min | 36 years | very long |
| $n = 100$ | < 1 sec | < 1 sec | < 1 sec | 1 sec | 12,892 years | 10^{17} years | very long |
| $n = 1,000$ | < 1 sec | < 1 sec | 1 sec | 18 min | very long | very long | very long |
| $n = 10,000$ | < 1 sec | < 1 sec | 2 min | 12 days | very long | very long | very long |
| $n = 100,000$ | < 1 sec | 2 sec | 3 hours | 32 years | very long | very long | very long |
| $n = 1,000,000$ | 1 sec | 20 sec | 12 days | 31,710 years | very long | very long | very long |

Geek-speak Faux Pas du Jour

“Any comparison-based sorting algorithm requires at least $O(n \log n)$ comparisons.”

Statement doesn't "type-check."

Use Ω for lower bounds.

Summary

Typical initial goal for algorithm analysis is to find a
reasonably tight ← i.e., Θ if possible
asymptotic ← i.e., O or Θ
bound on ← usually upper bound
worst case running time
as a function of problem *size*

This is rarely the last word, but often helps separate good algorithms from blatantly poor ones - so you can concentrate on the good ones!