CSE 431 Fall 2019 Assignment #4

Due: Monday, October 28, 2019, 8:59 PM

Reading assignment: Read Section 6.3 of Sipser's text.

Problems:

- 1. (20 points) A language B is called *r.e.-complete* iff (a) B is Turing-recognizable (equivalently, recursively enumerable) and (b) For all Turing-recognizable languages A, $A \leq_m B$. Prove that A_{TM} is r.e.-complete.
- 2. (20 points) Show that A is decidable if and only if $A \leq_m \{1^n \mid n \text{ is even}\}.$
- 3. (20 points) Let $J = \{w \mid w = 0x \text{ for some } x \in A_{TM} \text{ or } w = 1y \text{ for some } y \in \overline{A_{TM}}\}$. Show that neither J nor \overline{J} is Turing-recognizable.
- 4. (20 points) Show that there is an undecidable language contained in 1^* .
- 5. (20 points) Which of the following problems are decidable? Justify each answer:
 - (a) Given a Turing machine M, does M accept 1010?
 - (b) Given Turing machines M and N, is L(N) the complement of L(M)?
 - (c) Given a Turing machine M, integers a and b and an input x, does M run for more than $a|x|^2 + b$ steps on input x?
- 6. (Extra Credit) Show that the following problem is undecidable: Given a Turing machine M and integers a and b, does there exist an input x on which M runs for more than $a|x|^2 + b$ steps on input x?
- 7. (Extra Credit) We showed previously that neither EQ_{TM} nor its complement is Turing-recognizable. Your problem is to show that, despite this, if you had a magic black box that decided A_{TM} that you could call repeatedly on different inputs, then you could decide $\overline{EQ_{TM}}$.