


CSE 451: Operating Systems Winter 2006

Module 6 Synchronization

Ed Lazowska
lazowska@cs.washington.edu
Allen Center 570

Synchronization

- Threads cooperate in multithreaded programs
 - to **share** resources, access shared data structures
 - e.g., threads accessing a memory cache in a web server
 - also, to **coordinate** their execution
 - e.g., a disk reader thread hands off blocks to a network writer thread through a circular buffer



1/15/2006

© 2006 Gribble, Lazowska, Levy

2

- For correctness, we have to control this cooperation
 - must assume threads **interleave executions arbitrarily** and at **different rates**
 - scheduling is not under application writers' control
 - We control cooperation using **synchronization**
 - enables us to restrict the interleaving of executions
 - Note: this also applies to processes, not just threads
 - (I'll almost never say "process" again!)
- It also applies across machines in a distributed system

1/15/2006

© 2006 Gribble, Lazowska, Levy

3

Shared resources

- We'll focus on coordinating access to shared resources
 - basic problem:
 - two concurrent threads are accessing a shared variable
 - if the variable is read/modified/written by both threads, then access to the variable must be controlled
 - otherwise, unexpected results may occur
- Over the next several lectures, we'll look at:
 - mechanisms to control access to shared resources
 - low level mechanisms like locks
 - higher level mechanisms like mutexes, semaphores, monitors, and condition variables
 - patterns for coordinating access to shared resources
 - bounded buffer, producer-consumer, ...

1/15/2006

© 2006 Gribble, Lazowska, Levy

4

The classic example

- Suppose we have to implement a function to **withdraw money from a bank account**:

```
int withdraw(account, amount) {  
    balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    return amount;  
}
```

- Now suppose that you and your S.O. share a bank account with a balance of \$100.00
 - what happens if you both go to separate ATM machines, and simultaneously withdraw \$10.00 from the account?

1/15/2006

© 2006 Gribble, Lazowska, Levy

5

- Represent the situation by creating a separate thread for each person to do the withdrawals
 - have both threads run on the same bank mainframe:

```
int withdraw(account, amount) {  
    balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    return amount;  
}
```

```
int withdraw(account, amount) {  
    balance = get_balance(account);  
    balance -= amount;  
    put_balance(account, balance);  
    return amount;  
}
```


1/15/2006

© 2006 Gribble, Lazowska, Levy

6

Interleaved schedules

- The problem is that the execution of the two threads can be interleaved, assuming preemptive scheduling:



- What's the account balance after this sequence?
 - who's happy, the bank or you? ;)

1/15/2006

© 2006 Gribble, Lazowska, Levy

7

The crux of the matter

- The problem is that two concurrent threads (or processes) access a **shared resource** (account) without any **synchronization**
 - creates a **race condition**
 - output is non-deterministic, depends on timing
- We need mechanisms for controlling access to shared resources in the face of concurrency
 - so we can reason about the operation of programs
 - essentially, **re-introducing determinism**
- Synchronization is necessary for any shared data structure
 - buffers, queues, lists, hash tables, ...

1/15/2006

© 2006 Gribble, Lazowska, Levy

8

What resources are shared?

- Local variables are *not* shared
 - refer to data on the stack, each thread has its own stack
 - *never* pass/share/store a pointer to a local variable on another thread's stack!
- Global variables are shared
 - stored in the static data segment, accessible by any thread
- Dynamic objects are shared
 - stored in the heap, shared if you can name it
 - in C, can conjure up the pointer
 - e.g., void *x = (void *) 0xDEADBEEF
 - in Java, strong typing prevents this
 - must pass references explicitly

1/15/2006

© 2006 Gribble, Lazowska, Levy

9

Mutual exclusion

- We want to use **mutual exclusion** to synchronize access to shared resources
- Code that uses mutual exclusion to synchronize its execution is called a **critical section**
 - only one thread at a time can execute in the critical section
 - all other threads are forced to wait on entry
 - when a thread leaves a critical section, another can enter

1/15/2006

© 2006 Gribble, Lazowska, Levy

10

Critical section requirements

- Critical sections have the following requirements
 - mutual exclusion
 - at most one thread is in the critical section
 - progress
 - if thread T is outside the critical section, then T cannot prevent thread S from entering the critical section
 - bounded waiting (no starvation)
 - if thread T is waiting on the critical section, then T will eventually enter the critical section
 - assumes threads eventually leave critical sections
 - performance
 - the overhead of entering and exiting the critical section is small with respect to the work being done within it

1/15/2006

© 2006 Gribble, Lazowska, Levy

11

Mechanisms for building critical sections

- Locks
 - very primitive, minimal semantics; used to build others
- Semaphores
 - basic, easy to get the hang of, hard to program with
- Monitors
 - high level, requires language support, implicit operations
 - easy to program with; Java "synchronized()" as an example
- Messages
 - simple model of communication and synchronization based on (atomic) transfer of data across a channel
 - direct application to distributed systems

1/15/2006

© 2006 Gribble, Lazowska, Levy

12

Locks

- A lock is a object (in memory) that provides the following two operations:
 - **acquire()**: a thread calls this before entering a critical section
 - **release()**: a thread calls this after leaving a critical section
- Threads pair up calls to **acquire()** and **release()**
 - between **acquire()** and **release()**, the thread **holds** the lock
 - **acquire()** does not return until the caller holds the lock
 - at most one thread can hold a lock at a time (usually)
 - so: what can happen if the calls aren't paired?
- Two basic flavors of locks
 - spinlock
 - blocking (a.k.a. "mutex")

1/15/2006

© 2006 Gribble, Lazowska, Levy

13

Using locks

```
int withdraw(account, amount) {
    acquire(lock);
    balance = get_balance(account);
    balance -= amount;
    put_balance(account, balance);
    release(lock);
    return amount;
}
```

critical section

```
acquire(lock)
balance = get_balance(account);
balance -= amount;
acquire(lock)
put_balance(account, balance);
release(lock);
balance = get_balance(account);
balance -= amount;
put_balance(account, balance);
release(lock);
```

- What happens when green tries to acquire the lock?
- Why is the "return" outside the critical section?
 - is this ok?

1/15/2006

© 2006 Gribble, Lazowska, Levy

14

Spinlocks

- How do we implement locks? Here's one attempt:

```
struct lock {
    int held = 0;
}
void acquire(lock) {
    while (lock->held);
    lock->held = 1;
}
void release(lock) {
    lock->held = 0;
}
```

the caller "busy-waits",
or spins for lock to be
released, hence spinlock

- Why doesn't this work?
 - where is the race condition?

1/15/2006

© 2006 Gribble, Lazowska, Levy

15

Implementing locks (cont.)

- Problem is that implementation of locks has critical sections, too!
 - the acquire/release must be **atomic**
 - atomic == executes as though it could not be interrupted
 - code that executes "all or nothing"
- Need help from the hardware
 - atomic instructions
 - test-and-set, compare-and-swap, ...
 - disable/reenable interrupts
 - to prevent context switches

1/15/2006

© 2006 Gribble, Lazowska, Levy

16

Spinlocks redux: Test-and-Set

- CPU provides the following as **one atomic instruction**:

```
bool test_and_set(bool *flag) {
    bool old = *flag;
    *flag = True;
    return old;
}
```

- So, to fix our broken spinlocks, do:

```
struct lock {
    int held = 0;
}
void acquire(lock) {
    while(!test_and_set(&lock->held));
}
void release(lock) {
    lock->held = 0;
}
```

1/15/2006

© 2006 Gribble, Lazowska, Levy

17

Reminder of use ...

```
int withdraw(account, amount) {
    acquire(lock);
    balance = get_balance(account);
    balance -= amount;
    put_balance(account, balance);
    release(lock);
    return amount;
}
```

critical section

```
acquire(lock)
balance = get_balance(account);
balance -= amount;
acquire(lock)
put_balance(account, balance);
release(lock);
balance = get_balance(account);
balance -= amount;
put_balance(account, balance);
release(lock);
```

- How does a thread blocked on an "acquire" (that is, stuck in a test-and-set loop) yield the CPU?
 - calls **yield()**, or there's an involuntary context switch

1/15/2006

© 2006 Gribble, Lazowska, Levy

18

Problems with spinlocks

- Spinlocks work, but are horribly wasteful!
 - if a thread is spinning on a lock, the thread holding the lock cannot make progress
 - And neither can anyone else!
- Only want spinlocks as primitives to build higher-level synchronization constructs
 - “Do not try this at home!”

1/15/2006

© 2006 Gribble, Lazowska, Levy

19

Another approach: Disabling interrupts

```
struct lock {  
}  
void acquire(lock) {  
    cli(); // disable interrupts  
}  
void release(lock) {  
    sti(); // reenale interrupts  
}
```

1/15/2006

© 2006 Gribble, Lazowska, Levy

20

Problems with disabling interrupts

- Only available to the kernel
 - Can't allow user-level to disable interrupts!
- Insufficient on a multiprocessor
 - Each processor has its own interrupt mechanism
- “Long” periods with interrupts disabled can wreak havoc with devices
- Just as with spinlocks, you only want to use disabling of interrupts to build higher-level synchronization constructs

1/15/2006

© 2006 Gribble, Lazowska, Levy

21

Summary

- Synchronization can be provided by locks, semaphores, monitors, messages ...
- Locks are the lowest-level mechanism
 - very primitive in terms of semantics – error-prone
 - implemented by spin-waiting (crude) or by disabling interrupts (also crude, and can only be done in the kernel)
- In our next exciting episode ...
 - semaphores are a slightly higher level abstraction
 - less crude implementation too
 - monitors are significantly higher level
 - utilize programming language support to reduce errors

1/15/2006

© 2006 Gribble, Lazowska, Levy

22