

**CSE 451: Operating Systems
Autumn 2010**

**Module 16
Journaling File Systems**


Ed Lazowska
lazowska@cs.washington.edu
Allen Center 570

In our most recent exciting episodes ...

- Original Bell Labs UNIX file system
 - a *simple yet practical* design
 - exemplifies engineering tradeoffs that are pervasive in system design
 - elegant but slow
 - and performance gets worse as disks get larger
- BSD UNIX Fast File System (FFS)
 - solves the throughput problem
 - larger blocks
 - cylinder groups
 - aggressive caching
 - awareness of disk performance details

Caching (applies both to FS and FFS)

- Cache (often called *buffer cache*) is just part of system memory
- It's system-wide, shared by all processes
- Need a replacement algorithm
 - LRU usually
- Even a small (4MB) cache can be very effective
- Today's huge memories => bigger caches => even higher hit ratios
- Many file systems "read-ahead" into the cache, increasing effectiveness even further



Caching writes => problems when crashes occur

- Some applications assume data is on disk after a write (seems fair enough!)
- And the file system itself will have (potentially costly!) consistency problems if a crash occurs between syncs – i-nodes and file blocks can get out of whack
- Approaches:
 - "write-through" the buffer cache (synchronous – *too slow*),
 - NVRAM: write into battery-backed RAM (*too expensive*) and then later to disk, or
 - "write-behind": maintain queue of uncommitted blocks, periodically flush (*unreliable* – this is the sync solution – used in FS and FFS)

FS and FFS are real dogs when a crash occurs

- Caching is necessary for performance
- Suppose a crash occurs during a file creation:
 1. Allocate a free inode
 2. Point directory entry at the new inode
- In general, after a crash the disk data structures may be in an inconsistent state
 - metadata updated but data not
 - data updated but metadata not
 - either or both partially updated
- fsck (i-check, d-check) are *very slow*
 - must touch every block
 - Must do this in "file system order" not in "disk order"
 - worse as disks get larger!

Journaling file systems

- Became popular ~2002
- There are several options that differ in their details
 - Ext3, ReiserFS, XFS, JFS, ntfs
- Basic idea
 - update metadata, or all data, *transactionally*
 - “all or nothing”
 - if a crash occurs, you may lose a bit of work, but the disk will be in a consistent state
 - more precisely, you will be able to quickly get it to a consistent state by using the transaction log/journal – rather than scanning every disk block and checking sanity conditions

11/14/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

7

Where is the Data?

- In the file systems we have seen already, the data is in two places:
 - On disk
 - In in-memory caches
- The caches are crucial to performance, but also the source of the potential “corruption on crash” problem
- The basic idea of the solution:
 - Always leave “home copy” of data in a consistent state
 - Make updates persistent by writing them to a sequential (chronological) journal partition/file
 - At your leisure, push the updates (in order) to the home copies and reclaim the journal space

11/14/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

8

Redo log

- Log: an append-only file containing log records
 - <start t>
 - transaction t has begun
 - <t,x,v>
 - transaction t has updated block x and its new value is v
 - Can log block “diffs” instead of full blocks
 - <commit t>
 - transaction t has committed – updates will survive a crash
- Committing involves writing the redo records – the home data needn't be updated at this time

11/14/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

9

If a crash occurs

- Recover the log
- Redo committed transactions
 - Walk the log in order and re-execute updates from all committed transactions
 - Aside: note that update (write) is *idempotent*: can be done any non-zero number of times with the same result.
- Uncommitted transactions
 - Ignore them. It's as though the crash occurred a tiny bit earlier...

11/14/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

10

Managing the Log Space

- A “cleaner” thread walks the log in order, updating the home locations of updates in each transaction
 - Note that idempotence is important here – may crash while cleaning is going on
- Once a transaction has been reflected to the home blocks, it can be deleted from the log

11/14/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

11

Impact on performance

- The log is a big contiguous write
 - very efficient
- And you do fewer synchronous writes
 - these are very costly in terms of performance
- So journaling file systems can actually improve performance (immensely)
- As well as making recovery very efficient

11/14/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

12

Want to know more?

- CSE 444! This is a direct ripoff of database system techniques
 - But it is *not* what Microsoft Windows Longhorn (Vista) was supposed to be before they backed off – “the file system is a database”
 - Nor is it a “log-structured file system” – that’s a file system in which there is nothing but a log (“the log is the file system”)
- “New-Value Logging in the Echo Replicated File System”, Andy Hisgen, Andrew Birrell, Charles Jerian, Timothy Mann, Garret Swart
 - <http://citeseer.ist.psu.edu/hisgen93newvalue.html>