

CSE 451: Operating Systems Autumn 2010

Module 6 Scheduling

Ed Lazowska
lazowska@cs.washington.edu
Allen Center 570

Scheduling

- In discussing processes and threads, we talked about **context switching**
 - an interrupt occurs (device completion, timer interrupt)
 - a thread causes a trap or exception
 - may need to choose a different thread/process to run
- We glossed over the choice of which process or thread is chosen to be run next
 - “some thread from the ready queue”
- This decision is called **scheduling**
 - scheduling is a **policy**
 - context switching is a **mechanism**

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

2

Classes of Schedulers

- Batch
 - Throughput / utilization oriented
 - Example: audit inter-bank funds transfers each night, Pixar rendering, Hadoop/MapReduce jobs
- Interactive
 - Response time oriented
 - Example: `attu.cs`
- Real time
 - Deadline driven
 - Example: embedded systems (cars, airplanes, etc.)
- Parallel
 - Speedup-driven
 - Example: “space-shared” use of a 1000-processor machine for large simulations
- Others...

We'll be talking primarily about interactive schedulers
(as does the text)

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

3

Multiple levels of scheduling decisions

- Long term
 - Should a new “job” be “initiated,” or should it be held?
 - typical of batch systems
 - what might cause you to make a “hold” decision?
- Medium term
 - Should a running program be temporarily marked as non-runnable (e.g., swapped out)?
- Short term
 - Which thread should be given the CPU next? For how long?
 - Which I/O operation should be sent to the disk next?
 - On a multiprocessor:
 - should we attempt to coordinate the running of threads from the same address space in some way?
 - should we worry about cache state (processor affinity)?

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

4

Scheduling Goals I: Performance

- Many possible metrics / performance goals (which sometimes conflict)
 - maximize **CPU utilization**
 - maximize **throughput** (requests completed / s)
 - minimize **average response time** (average time from submission of request to completion of response)
 - minimize **average waiting time** (average time from submission of request to start of execution)
 - minimize **energy** (joules per instruction) subject to some constraint (e.g., frames/second)

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

5

Scheduling Goals II: Fairness

- No single, compelling definition of “fair”
 - How to measure fairness?
 - Equal CPU consumption? (over what time scale?)
 - Fair per-user? per-process? per-thread?
 - What if one process is CPU bound and one is I/O bound?
- Sometimes the goal is to be unfair:
 - Explicitly favor some particular class of requests (priority system), but...
 - avoid starvation (be sure everyone gets at least some service)

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

6

The basic situation

Scheduling:
 - Who to assign each resource to
 - When to re-evaluate your decisions

10/11/2010 © 2010 Gribble, Lazowska, Levy, Zahorjan 7

When to assign?

- Pre-emptive vs. non-preemptive schedulers
 - Non-preemptive
 - once you give somebody the green light, they've got it until they relinquish it
 - an I/O operation
 - allocation of memory in a system without swapping
 - Preemptive
 - you can re-visit a decision
 - setting the timer allows you to preempt the CPU from a thread even if it doesn't relinquish it voluntarily
 - in any modern system, if you mark a program as non-runnable, its memory resources will eventually be re-allocated to others
 - Re-assignment always involves some overhead
 - Overhead doesn't contribute to the goal of any scheduler
- We'll assume "work conserving" policies
 - Never leave a resource idle when someone wants it
 - Why even mention this? When might it be useful to do something else?

10/11/2010 © 2010 Gribble, Lazowska, Levy, Zahorjan 8

Before we look at specific policies

- There are some simple but useful "laws" to know about
- The Utilization Law: $U = X * S$
 - Where U is utilization, X is throughput (requests per second), and S is average service time
 - This means that utilization is constant, independent of the schedule, so long as the workload can be processed
- Little's Law: $N = X * R$
 - Where N is average number in system, X is throughput, and R is average response time
 - This means that good response time implies fewer in system, and vice versa

10/11/2010 © 2010 Gribble, Lazowska, Levy, Zahorjan 9

- Kleinrock's Conservation Law for priority scheduling:

$$\sum_p U_p * W_p = \text{constant}$$
 - Where U_p is the utilization by priority level p and W_p is the waiting time of priority level p
 - This means you can't improve the response time of one class of task by increasing its priority, without hurting the response time of at least one other class

10/11/2010 © 2010 Gribble, Lazowska, Levy, Zahorjan 10

Algorithm #1: FCFS/FIFO

- First-come first-served / First-in first-out (FCFS/FIFO)
 - schedule in the order that they arrive
 - "real-world" scheduling of people in (single) lines
 - supermarkets, McD's, Starbucks ...
 - jobs treated equally, no starvation
 - In what sense is this "fair"?
- Sounds perfect!
 - in the real world, when does FCFS/FIFO work well?
 - even then, what's its limitation?
 - and when does it work badly?

10/11/2010 © 2010 Gribble, Lazowska, Levy, Zahorjan 11

FCFS/FIFO example

- Suppose the duration of A is 5, and the durations of B and C are each 1
 - average response time for schedule 1 (assuming A, B, and C all arrive at about time 0) is $(5+6+7)/3 = 18/3 = 6$
 - average response time for schedule 2 is $(1+2+7)/3 = 10/3 = 3.3$
 - consider also "elongation factor" - a "perceptual" measure:
 - Schedule 1: A is 5/5, B is 6/1, C is 7/1 (worst is 7, ave is 4.7)
 - Schedule 2: A is 7/5, B is 1/1, C is 2/1 (worst is 2, ave is 1.5)

10/11/2010 © 2010 Gribble, Lazowska, Levy, Zahorjan 12

FCFS/FIFO drawbacks

- Average response time can be lousy
 - small requests wait behind big ones
- May lead to poor utilization of other resources
 - if you send me on my way, I can go keep another resource busy
 - FCFS may result in poor overlap of CPU and I/O activity
 - E.g., a CPU-intensive job prevents an I/O-intensive job from doing a small bit of computation, thus preventing it from going back and keeping the I/O subsystem busy
- Note: The more copies of the resource there are to be scheduled, the less dramatic the impact of occasional very large jobs (so long as there is a single waiting line)
 - E.g., many cores vs. one core

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

13

Algorithm #2: SPT/SJF


- Shortest processing time first / Shortest job first (SPT/SJF)
 - choose the request with the smallest service requirement
- *Provably optimal* with respect to average response time
 - Why do we care about "provably optimal"?

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

14

SPT/SJF optimality – The interchange argument



- In any schedule that is not SPT/SJF, there is some adjacent pair of requests f and g where the service time (duration) of f , s_f , exceeds that of g , s_g
- The total contribution to average response time of f and g is $2t_k + 2s_f + s_g$
- If you interchange f and g , their total contribution will be $2t_k + 2s_g + s_f$, which is smaller because $s_g < s_f$
- If the variability among request durations is zero, how does FCFS compare to SPT for average response time?

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

15

SPT/SJF drawbacks

- It's non-preemptive
 - So?
- ... but there's a preemptive version – SRPT (Shortest Remaining Processing Time first) – that accommodates arrivals (rather than assuming all requests are initially available)
- Sounds perfect!
 - what about starvation?
 - can you know the processing time of a request?
 - can you guess/approximate? How?

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

16

Algorithm #3: RR

- Round Robin scheduling (RR)
 - Use preemption to offset lack of information about execution times
 - I don't know which one should run first, so let's run them all!
 - ready queue is treated as a circular FIFO queue
 - each request is given a time slice, called a **quantum**
 - request executes for duration of quantum, or until it blocks
 - what signifies the end of a quantum?
 - time-division multiplexing (time-slicing)
 - great for timesharing
 - no starvation
- Sounds perfect!
 - how is RR an improvement over FCFS?
 - how is RR an improvement over SPT?
 - how is RR an approximation to SPT?

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

17

RR drawbacks

- What if all jobs are exactly the same length?
 - What would the pessimal schedule be (with average response time as the measure)?
- What do you set the quantum to be?
 - no value is "correct"
 - if small, then context switch often, incurring high overhead
 - if large, then response time degrades
- Treats all jobs equally
 - if I run 100 copies of SETI@home, it degrades your service
 - how might I fix this?

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

18

Algorithm #4: Priority

- Assign priorities to requests
 - choose request with highest priority to run next
 - if tie, use another scheduling algorithm to break (e.g., RR)
 - Goal: non-fairness (favor one group over another)
- Abstractly modeled (and usually implemented) as multiple “priority queues”
 - put a ready request on the queue associated with its priority
- Sounds perfect!

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

19

Priority drawbacks

- How are you going to assign priorities?
- Starvation
 - if there is an endless supply of high priority jobs, no low-priority job will ever run
- Solution: “age” threads over time
 - increase priority as a function of accumulated wait time
 - decrease priority as a function of accumulated processing time
 - many ugly heuristics have been explored in this space

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

20

Program behavior and scheduling

- An analogy:
 - Say you're at the airport waiting for a flight
 - There are two identical ATMs:
 - ATM 1 has 3 people in line
 - ATM 2 has 6 people in line
 - You get into the line for ATM 1
 - ATM 2's line shrinks to 4 people
 - Why might you now switch lines, preferring 5th in line for ATM 2 over 4th in line for ATM 1?


10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

21

Residual Life

- Given that a job has already executed for X seconds, how much longer will it execute, on average, before completing?



10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

22

Multi-level Feedback Queues (MLFQ)

- It's been observed that workloads tend to have increasing residual life – “if you don't finish quickly, you're probably a lifer”
- This is exploited in practice by using a policy that discriminates against the old (with apologies to the EEOC)
- **MLFQ:**
 - there is a hierarchy of queues
 - there is a priority ordering among the queues
 - new requests enter the highest priority queue
 - each queue is scheduled RR
 - requests move between queues based on execution history

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

23

UNIX scheduling

- Canonical scheduler is pretty much MLFQ
 - 3-4 classes spanning ~170 priority levels
 - timesharing: lowest 60 priorities
 - system: middle 40 priorities
 - real-time: highest 60 priorities
 - priority scheduling across queues, RR within
 - process with highest priority always run first
 - processes with same priority scheduled RR
 - processes dynamically change priority
 - increases over time if process blocks before end of quantum
 - decreases if process uses entire quantum
- Goals:
 - reward interactive behavior over CPU hogs
 - interactive jobs typically have short bursts of CPU

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

24

Scheduling the Apache web server SRPT

- What does a web request consist of? (What's it trying to get done?)
- How are incoming web requests scheduled, in practice?
- How might you estimate the service time of an incoming request?
- Starvation under SRPT is a problem in theory – is it a problem in practice?
 - “Kleinrock’s conservation law”

(Work by Bianca Schroeder and Mor Harchol-Balter at CMU)

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

25




Figure 5: Results for a persistent overload of I.2. (Left) Buildup in connections at the server. (Right) response times.

Figure 13: Comparison of FAIR and SRPT in the baseline case for the workloads in Table 1, under the NASA trace log. The mean response times over all requests are shown left, and the mean response times of only the biggest 1% of all requests are shown right.

10/11/2010

© 2003 Bianca Schroeder & Mor Harchol-Balter, CMU

26

Summary

- Scheduling takes place at many levels
- It can make a huge difference in performance
 - this difference increases with the variability in service requirements
- Multiple goals, sometimes conflicting
- There are many “pure” algorithms, most with some drawbacks in practice – FCFS, SPT, RR, Priority
- Real systems use hybrids that exploit observed program behavior
- Scheduling is still important, and there are still new angles to be explored – particularly in large-scale datacenters for reasons of cost and energy

10/11/2010

© 2010 Gribble, Lazowska, Levy, Zahorjan

27