




RIO: Relational Indexing for Object Recognition

- RIO worked with industrial parts that could have
 - planar surfaces
 - cylindrical surfaces
 - threads



Review of Alignment

Alignment is the most common paradigm for matching 3D models to either 2D or 3D data. The steps are:

1. **hypothesize a correspondence** between a set of model points and a set of data points
2. From the correspondence **compute a transformation** from model to data
3. **Apply the transformation** to the model features to produce transformed features
4. **Compare** the transformed model features to the image features to verify or disprove the hypothesis


2D-3D Alignment

- single **2D images** of the objects
- **3D object models**
 - **full 3D** models, such as GC or SEV
 - **view class** models representing characteristic views of the objects


View Classes and Viewing Sphere

- The space of view points can be partitioned into a finite set of characteristic views.
- Each view class represents a set of view points that have something in common, such as:


1. same surfaces are visible
2. same line segments are visible
3. **relational distance between pairs of them is small**




3 View Classes of a Cube



1 surface




2 surfaces




3 surfaces

Object Representation in RIO


- 3D objects are represented by a **3D mesh** and set of **2D view classes**.
- Each **view class** is represented by an **attributed graph** whose nodes are features and whose attributed edges are relationships.
- For purposes of indexing, attributed graphs are stored as sets of **2-graphs**, graphs with 2 nodes and 2 relationships.



RIO Features




ellipses





coaxials




coaxials-multi



parallel lines
close and far




L V
junctions



Y



Z





U

triples


RIO Relationships

- share one arc
- share one line
- share two lines
- coaxial
- close at extremal points
- bounding box encloses / enclosed by



Hexnut Object

MODEL-VIEW



RELATIONS:


- a: encloses
- b: coaxial

FEATURES:



- 1: coaxials-multi
- 2: ellipse
- 3: parallel lines

What other features
and relationships
can you find?

MODEL-VIEW



Graph and 2-Graph Representations



Relational Indexing for Recognition

Preprocessing (off-line) Phase


for each model view M_i in the database

- encode each 2-graph of M_i to produce an index
- store M_i and associated information in the indexed bin of a hash table H

Matching (on-line) phase

1. Construct a relational (2-graph) description D for the scene
2. For each 2-graph G of D
 - encode it, producing an index to access the hash table H
 - cast a vote for each M_i in the associated bin
3. Select the M_i s with high votes as possible hypotheses
4. Verify or disprove via alignment, using the 3D meshes

The Voting Process



Verification

1. The matched features of the hypothesized object are used to determine its **pose**. Pose is computed from correspondences between 2D and 3D points, lines, and circles.
2. The **3D mesh** of the object is used to project all its features onto the image using perspective projection and hidden feature removal.
3. A **verification procedure** checks how well the object features line up with edges on the image, using a Hausdorff distance between expected and existing edges.


Feature Extraction



(a) Original left image



(b) Original right image




(c) Combined edge image



(d) Linear features detected



(e) Circular arc features detected




(f) Ellipses detected


Some Test Scenes



(a) Image 1 (left)




(b) Image 2 (right)



(c) Image 3 (left)



(d) Image 4 (left)



(e) Image 5 (left)



(f) Image 6 (right)



(g) Image 7 (left)




(h) Image 8 (right)




(i) Image 9 (right)

Sample Alignments

3D to 2D Perspective Projection



(a)



(b)

RIO Verifications

incorrect
hypothesis

