



Interest Points

CSE 455
Linda Shapiro

Preview: Harris detector




Interest points extracted with Harris (~ 500 points)

How can we find corresponding points?




Not always easy




NASA Mars Rover images

Answer below (look for tiny colored squares...)



NASA Mars Rover images
with SIFT feature matches
Figure by Noah Snavely

Human eye movements




What catches your interest?


Yarbus eye tracking

Interest points

- Suppose you have to click on some point, go away and come back after I deform the image, and click on the same points again.
 - Which points would you choose?




Intuition




Corners


- We should easily recognize the point by looking through a small window
- Shifting a window in *any direction* should give a *large change* in intensity



“flat” region:
no change in
all directions









“edge”:
no change along
the edge
direction



“corner”:
significant
change in all
directions

Let's look at the **gradient** distributions



Principle Component Analysis




Principal component is the direction of highest variance.

Next, highest component is the direction with highest variance *orthogonal* to the previous components.







How to compute PCA components:

1. Subtract off the mean for each data point.
2. Compute the covariance matrix.
3. Compute eigenvectors and eigenvalues.
4. The components are the eigenvectors ranked by the eigenvalues.

$$Hx = \lambda x$$



Corners have ...





Both eigenvalues are large!

Second Moment Matrix or Harris Matrix

$$H = \sum_{x,y} w(x,y) \begin{bmatrix} I_x I_x & I_x I_y \\ I_x I_y & I_y I_y \end{bmatrix}$$

2 x 2 matrix of image derivatives smoothed by Gaussian weights.



Notation:

$$I_x \Leftrightarrow \frac{\partial I}{\partial x}$$

$$I_y \Leftrightarrow \frac{\partial I}{\partial y}$$

$$I_x I_y \Leftrightarrow \frac{\partial I}{\partial x} \frac{\partial I}{\partial y}$$

First compute I_x , I_y , and $I_x I_y$ as 3 images; then apply Gaussian to each.

The math

To compute the eigenvalues:

1. Compute the Harris matrix over a window.

$$H = \sum_{(u,v)} w(u,v) \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix}$$

$$I_x = \frac{\partial f}{\partial x}, I_y = \frac{\partial f}{\partial y}$$

Typically Gaussian weights



2. Compute eigenvalues from that.

$$H = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \quad \lambda_{\pm} = \frac{1}{2} \left((a + d) \pm \sqrt{4bc + (a - d)^2} \right)$$

Corner Response Function

- Computing eigenvalues are expensive
- Harris corner detector used the following alternative

$$R = \det(M) - \alpha \cdot \text{trace}(M)^2$$

Reminder:

$$\det \left(\begin{bmatrix} a & b \\ c & d \end{bmatrix} \right) = ad - bc \quad \text{trace} \left(\begin{bmatrix} a & b \\ c & d \end{bmatrix} \right) = a + d$$

Harris detector: Steps

1. Compute derivatives I_x , I_y and $I_x I_y$ at each pixel and smooth them with a Gaussian.
2. Compute the Harris matrix H in a window around each pixel
3. Compute corner response function R
4. Threshold R
5. Find local maxima of response function (nonmaximum suppression)


C.Harris and M.Stephens. *Proceedings of the 4th Alvey Vision Conference*: pages 147—151, 1988.

Harris Detector: Steps




Harris Detector: Steps

Compute corner response R




Harris Detector: Steps

Find points with large corner response: $R > \text{threshold}$



Harris Detector: Steps

Take only the points of local maxima of R



Harris Detector: Results



Simpler Response Function

Instead of


$$R = \det(M) - \alpha \cdot \text{trace}(M)^2$$

We can use


$$f = \frac{1}{\frac{1}{\lambda_1} + \frac{1}{\lambda_2}} = \frac{\text{Det}(H)}{\text{Tr}(H)}$$

Properties of the Harris corner detector

- Translation invariant? Yes
- Rotation invariant? Yes
- Scale invariant? No



Corner !



What's the problem?

All points will be classified as edges

Scale

Let's look at scale first:



What is the “best” scale?



Scale Invariance



$$f(I_{i_1 \dots i_m}(x, \sigma)) = f(I_{i_1 \dots i_m}(x', \sigma'))$$

How can we independently select interest points in each image, such that the detections are repeatable across **different scales**?

Differences between Inside and Outside



1. We can use a Laplacian function


Scale

But we use a Gaussian.


Why Gaussian?

It is invariant to scale change, i.e., $f * \mathcal{G}_\sigma * \mathcal{G}_{\sigma'} = f * \mathcal{G}_{\sigma''}$ and has several other nice properties. Lindeberg, 1994

In practice, the Laplacian is approximated using a Difference of Gaussian (DoG).



Difference-of-Gaussian (DoG)



$$G1 - G2 = \text{DoG}$$



-



=







K. Grauman, B. Leibe

DoG example

Take Gaussians at multiple spreads and uses DoGs.




$\sigma = 1$



$\sigma = 66$


Scale invariant interest points

Interest points are local maxima in both position and scale.




Scale

In practice the image is downsampled for larger sigmas.



Lowe, 2004.

Lowe's Pyramid Scheme




1/14/2016 The parameter **s** determines the number of images per octave. 32

Key point localization

Detect maxima and minima of difference-of-Gaussian in scale space


Each point is compared to its 8 neighbors in the current image and 9 neighbors each in the scales above and below

$s+2$ difference images.
top and bottom ignored.
 s planes searched.




For each max or min found, output is the **location** and the **scale**.

Scale-space extrema detection: experimental results over 32 images that were synthetically transformed and noise added.



Stability



Expense

Sampling in scale for efficiency

How many scales should be used per octave? $S=?$


More scales evaluated, more keypoints found

$S < 3$, stable keypoints increased to

$S > 3$, stable keypoints decreased



$S = 3$, maximum stable keypoints found

Results: Difference-of-Gaussian




K. Grauman, B. Leibe

How can we find correspondences?



Similarity transform

Rotation invariance





- Rotate patch according to its **dominant gradient orientation**
- This puts the patches into a canonical orientation.

Orientation Normalization

- Compute orientation histogram
- Select dominant orientation
- Normalize: rotate to fixed orientation

[Lowe, SIFT, 1999]



What's next?

Once we have found the keypoints and a dominant orientation for each, we need to **describe** the (rotated and scaled) neighborhood about each.

