

## Texture Mapping

1



Texture mapping (Woo et al., fig. 9-1)

Texture mapping allows you to take a simple polygon and give it the appearance of something much more complex.

- Due to Ed Catmull, PhD thesis, 1974
- Refined by Blinn & Newell, 1976

Texture mapping ensures that "all the right things" happen as a textured polygon is transformed and rendered.

3

## Reading

### Required

- Angel, 8.6, 8.7, 8.9, 8.10, 9.13-9.13.2

### Recommended

- Paul S. Heckbert. Survey of texture mapping. **IEEE Computer Graphics and Applications** 6(11): 56-67, November 1986.

### Optional

- Woo, Neider, & Davis, Chapter 9
- James F. Blinn and Martin E. Newell. Texture and reflection in computer generated images. **Communications of the ACM** 19(10): 542--547, October 1976.

2

## Texture mapping

## Non-parametric texture mapping



With "non-parametric texture mapping":

- Texture size and orientation are fixed
- They are unrelated to size and orientation of polygon
- Gives cookie-cutter effect

4

## Parametric texture mapping



With "parametric texture mapping," texture size and orientation are tied to the polygon.

Idea:


- Separate "texture space" and "screen space"
- Texture the polygon as before, but in texture space
- Deform (render) the textured polygon into screen space

A texture can modulate just about any parameter – diffuse color, specular color, specular exponent, ...

5

## Implementing texture mapping

A texture lives in its own abstract image coordinates parameterized by  $(u, v)$  in the range  $[0..1], [0..1]$ :



Computing  $(u, v)$  texture coordinates in a ray tracer is fairly straightforward.

Note: if the surface moves/deforms, the texture goes with it.

6



## Mapping to texture image coords

The texture is usually stored as an image. Thus, we need to convert from abstract texture coordinate:

$(u, v)$  in the range  $[0..1], [0..1]$

to texture image coordinates:

$(u_{tex}, v_{tex})$  in the range  $[0..w_{tex}], [0..h_{tex}]$




Q: What do you do when the texture sample you need lands between texture pixels?


7

## Texture resampling

We need to resample the texture:



A common choice is **bilinear interpolation**:



$$T(a, b) = T(i + \Delta_x, j + \Delta_y)$$

$$= (1 - \Delta_x)(1 - \Delta_y)T[i, j] +$$

$$\Delta_x(1 - \Delta_y)T[i + 1, j] +$$

$$(1 - \Delta_x)\Delta_y T[i, j + 1] +$$


$$\Delta_x\Delta_y T[i + 1, j + 1]$$

8

## Displacement mapping

Textures can be used for more than just color.

In **displacement mapping**, a texture is used to perturb the surface geometry itself:



- These displacements "animate" with the surface

Q: Do you have to do hidden surface calculations on  $\tilde{Q}$ ? Yes


9

## Bump mapping

In **bump mapping**, a texture is used to perturb the normal:

- Use the original, simpler geometry,  $Q(u)$ , for hidden surfaces
- Use the normal from the displacement map for shading:

$$\tilde{N} = \text{normal}[\tilde{Q}(u)]$$




Q: What artifacts in the images would reveal that bump mapping is a fake?

*silhouettes, no self-shadowing, incorrect shadow casting onto other objects*


10

## Displacement vs. bump mapping

Input texture



Rendered as displacement map over a rectangular surface



11

## Displacement vs. bump mapping (cont'd)



Original rendering


Rendering with bump map wrapped around a cylinder

*Bump map and rendering by Wyvern Aldinger*

12

## Solid textures

Q: What kinds of artifacts might you see from using a marble veneer instead of real marble?



One solution is to use **solid textures**:

- Use model-space coordinates to index into a 3D texture
- Like "carving" the object from the material

One difficulty of solid texturing is coming up with the textures.

13

## Solid textures (cont'd)

Here's an example for a vase cut from a solid marble texture:




*Solid marble texture by Ken Perlin. (Foley, IV-2.1)*

14

## Solid textures (cont'd)

$$\text{in}(x,y,z) = \text{stripes}(x) \quad \text{shift}(x,y,z) = K \cdot \text{noise}(x,y,z) \quad \text{out}(x,y,z) = \text{stripes}(x + \text{shift}(x,y,z))$$



15

## Environment mapping



In **environment mapping** (also known as **reflection mapping**), a texture is used to model an object's environment:

- Rays are bounced off objects into environment
- Color of the environment used to determine color of the illumination
- Really, a simplified form of ray tracing
- Environment mapping works well when there is just a single object – or in conjunction with ray tracing

Under simplifying assumptions, environment mapping can be implemented in hardware.

With a ray tracer, the concept is easily extended to handle refraction as well as reflection.

16

## **Summary**

What to take home from this lecture:

1. The meaning of the boldfaced terms.
2. Familiarity with the various kinds of texture mapping, including their strengths and limitations.