

Hierarchical Modeling

Daniel Leventhal
 Adapted from Brian Curless
 CSE 457
 Autumn 2011

Reading

Optional:


- Angel, sections 10.1 – 10.6, 10.8
- *OpenGL Programming Guide*, chapter 3

Symbols and instances

Most graphics APIs support a few geometric primitives

- spheres
- cubes
- cylinders

These symbols are **instanced transformation** **instance**



Q: What is the matrix for the instance transformation above?


$$M = T R S$$

3D Example: A robot arm

$$T(x, y, z) R_x(\theta) R_y(\phi) R_z(\psi)$$

Consider this robot arm with 3 degrees of freedom:

- Base rotates about its vertical axis by θ
- Upper arm rotates in its xy -plane by ϕ
- Lower arm rotates in its yz -plane by ψ



(Note that the angles are set to zero in the figure; i.e., the parts are shown in their "default" positions.)

Q: What matrix do we use to transform the base?


Q: What matrix for the upper arm?

Q: What matrix for the lower arm?


$$\underbrace{R_y(\theta) T(0, h_1, 0)}_{\text{Base}} \underbrace{R_x(\phi)}_{\text{Upper arm}} \underbrace{T(0, h_2, 0) R_z(\psi)}_{\text{Lower Arm}}$$

3D Example: A robot arm

An alternative interpretation is that we are taking the original coordinate frames...



...and translating and rotating them into place:



5

Robot arm implementation

The robot arm can be displayed by keeping a global matrix and computing it at each step:

```
Matrix M_model;

main()
{
    . . .
    robot_arm();
    . . .
}

robot_arm()
{
    M_model = R_y(theta);
    base();
    M_model = R_y(theta)*T(0,h1,0)*R_z(phi);
    upper_arm();
    M_model = R_y(theta)*T(0,h1,0)*R_z(phi)
                *T(0,h2,0)*R_z(psi);
    lower_arm();
}
```

Do the matrix computations seem wasteful?

6

Robot arm implementation, better

Instead of recalculating the global matrix each time, we can just update it *in place* the right:

```
Matrix M_model;

main()
{
    . . .
    M_model = Identity();
    robot_arm();
    . . .
}

robot_arm()
{
    M_model *= R_y(theta);
    base();
    M_model *= T(0,h1,0)*R_z(phi);
    upper_arm();
    M_model *= T(0,h2,0)*R_z(psi);
    lower_arm();
}
```

7

Robot arm implementation, OpenGL

OpenGL maintains a global state matrix called the **model-view matrix** concatenating matrices on the *right*


```
main()
{
    . . .
    glMatrixMode( GL_MODELVIEW );
    glLoadIdentity();
    robot_arm();
    . . .
}

robot_arm()
{
    glRotatef( theta, 0.0, 1.0, 0.0 );
    base();
    glTranslatef( 0.0, h1, 0.0 );
    glRotatef( phi, 0.0, 0.0, 1.0 );
    lower_arm();
    glTranslatef( 0.0, h2, 0.0 );
    glRotatef( psi, 0.0, 0.0, 1.0 );
    upper_arm();
}
```

8


Hierarchical modeling

Hierarchical models can be composed of instances using trees or DAGs:




- edges contain geometric transformations
- nodes contain geometry (and possibly drawing attributes)

How might we draw the tree for the robot arm?



9

A complex example: human figure



What's the most sensible way to traverse this tree?

Depth First

10

Human figure implementation, OpenGL

```

figure()
{
    torso();
    glPushMatrix();
    glTranslate( ... );
    glRotate( ... );
    head();
    glPopMatrix();
    glPushMatrix();
    glTranslate( ... );
    glRotate( ... );
    left_upper_arm();
    glPushMatrix();
    glTranslate( ... );
    glRotate( ... );
    left_lower_arm();
    glPopMatrix();
    glPopMatrix();
    ...
}
    
```

11

Animation

The above examples are called **articulated models**

- rigid parts
- connected by joints

They can be animated by specifying the joint angles (or other display parameters) as functions of time.

12


Key-frame animation

The most common method for character animation in production is **key-frame animation**

- Each joint specified at various (not necessarily the same as other joints)
- System does interpolation or **betweening**

Doing this well requires:

- A way of smoothly interpolating key frames: **splines**
- A good interactive system
- A lot of skill on the part of the animator




13

Scene graphs

The idea of hierarchical modeling can be extended to an entire scene, encompassing:

- many different objects
- lights
- camera position

This is called a **scene tree** or **scene graph**



14

Summary

Here's what you should take home from this lecture:

- All the **boldfaced terms**.
- How primitives can be instanced and composed to create hierarchical models using geometric transforms.
- How the notion of a model tree or DAG can be extended to entire scenes.
- How OpenGL transformations can be used in hierarchical modeling.
- How keyframe animation works.

15