

Texture Mapping

Daniel Leventhal
Adapted from Brian Curless
CSE 457
Autumn 2011

Reading

Recommended

- Angel, 8.6, 8.7, 8.9, 8.10, 9.13-9.13.2
- Paul S. Heckbert. Survey of texture mapping. **IEEE Computer Graphics and Applications** 6(11): 56–67, November 1986.

Optional

- Woo, Neider, & Davis, Chapter 9
- James F. Blinn and Martin E. Newell. Texture and reflection in computer generated images. **Communications of the ACM** 19(10): 542--547, October 1976.

Texture mapping



Texture mapping (Woo et al., fig. 9-1)

Texture mapping allows you to take a simple polygon and give it the appearance of something much more complex.

- Due to Ed Catmull, PhD thesis, 1974
- Refined by Blinn & Newell, 1976


A texture can modulate just about any parameter – diffuse color, specular color, specular exponent, ...

Implementing texture mapping

A texture lives in its own abstract image coordinates parameterized by (s,t) in the range $[[0..1], [0..1]]$:



It can be wrapped around many different surfaces:



With a ray caster, we can do the sphere and cylinder mappings directly (as we will see later). For z-buffers, everything gets converted to a triangle mesh with associated (s,t) coordinates.

Note: if the surface moves/deforms, the texture goes with it.

Mapping to texture image coords

The texture is usually stored as an image. Thus, we need to convert from abstract texture coordinate:

(s, t) in the range $([0..1], [0..1])$

to texture image coordinates:

(s_{tex}, t_{tex}) w_{tex} h_{tex}

Point on triangle mesh Mapping to abstract texture coords Mapping to texture pixel coords

Q
lands between texture pixels?

5

Texture resampling

We need to resample the texture:

Mapping to texture pixel coords Close-up

Thus, we seek to solve for: $T(a, b) = T(i + \Delta_x, j + \Delta_y)$

A common choice is **bilinear interpolation**

$T(i + \Delta_x, j) = \text{_____} T(i, j) + \text{_____} T(i + 1, j)$

$T(i + \Delta_x, j + 1) = \text{_____} T(i, j + 1) + \text{_____} T(i + 1, j + 1)$

$T(i + \Delta_x, j + \Delta_y) = \text{_____} T(i + \Delta_x, j) + \text{_____} T(i + \Delta_x, j + 1)$
 $= \text{_____} T(i, j) + \text{_____} T(i + 1, j) +$
 $\text{_____} T(i, j + 1) + \text{_____} T(i + 1, j + 1)$

6

Texture mapping and the z-buffer

Texture-mapping can also be handled in z-buffer algorithms.

Method:

- Scan conversion is done in screen space, as usual
- Each pixel is colored according to the texture
- Texture coordinates are found by Gouraud-style interpolation

Note: Mapping is more complicated to handle perspective correctly!

7

Displacement mapping

Textures can be used for more than just color.

In **displacement mapping** the surface geometry itself. Here's the idea in 2D:

$\tilde{Q}(s) = Q(s) + d(s)N(s)$

- These displacements "animate" with the surface
- In 3D, you would of course have (s, t) parameters instead of just s .


Suppose Q is a simple surface, like a cube. Will it take more work to render the modified surface Q ?

8

Bump mapping

In **bump mapping**, a texture is used to perturb the normal:

- Use the original, simpler geometry, $Q(s)$, for hidden surfaces
- Use the normal from the displacement map for shading:

$$\tilde{N} = \text{normal}[\tilde{Q}(s)]$$



$Q(s)$

What artifacts in the images would reveal that bump mapping is a fake?


9

Displacement vs. bump mapping

Input texture




Rendered as displacement map over a rectangular surface



10

Displacement vs. bump mapping (cont'd)




Original rendering Rendering with bump map wrapped around a cylinder

Bump map and rendering by Wyvern Aldinger

11

Solid textures

Q: What kinds of artifacts might you see from using a marble veneer instead of real marble?



One solution is to use **solid textures**

- Use model-space coordinates to index into a 3D texture
- Like "carving" the object from the material

One difficulty of solid texturing is coming up with the textures.

12

Solid textures (cont'd)


Here's an example for a vase cut from a solid marble texture:



Solid marble texture by Ken Perlin, (Foley, IV-21)

Solid textures (cont'd)

$$\text{in}(x,y,z) = \text{stripes}(x) \quad \text{shift}(x,y,z) = K \cdot \text{noise}(\quad) \quad \text{out}(x,y,z) = \text{stripes}(x + \text{shift}(\quad))$$



Environment mapping




In **environment mapping** (without reflection mapping), a texture is used to model an object's environment:

- Rays are bounced off objects into environment
- Color of the environment used to determine color of the illumination
- Environment mapping works well when there is just a single object – or in conjunction with ray tracing

This can be readily implemented (without interreflection) using a fragment shader, where the texture is stored in a "cube map" instead of a sphere.

With a ray tracer, the concept is easily extended to handle refraction as well as reflection (and interreflection).

HDR Capture



Summary

What to take home from this lecture:

1. The meaning of the boldfaced terms.
2. Familiarity with the various kinds of texture mapping, including their strengths and limitations.