

CSE 490K Lecture 11

Crypto Details + Security Evaluation

Tadayoshi Kohno

Midterm

- ◆ Common security goals
 - Confidentiality
 - Integrity
 - Availability
 - Accountability
- ◆ Threats, vulnerabilities
- ◆ Software security
 - Like Project 1
 - Buffer overflows
 - Format string vulnerabilities
 - Double-free bugs

Authentication & Usability

- ◆ Password strength
- ◆ Party-in-the-middle attacks
- ◆ Usability challenges

Midterm

◆ Crypto

- Symmetric and Asymmetric (Know differences)
- Encryption and Authenticated Encryption
- Message Authentication
- Block ciphers
- Hash functions
- PKIs
- For all of the above:
 - What they are from an external perspective, not the internals (except for the one-time pad)
 - (No number theory, etc)
 - But be able to understand attacks, like the last homework assignment, Security Evaluation #2, and some stuff I'll show on the board

Security Evaluation

Very popular Windows compression utility. Also an Outlook email plugin. Over 160 million downloads from download.com alone [<http://www.winzip.com/empopp.htm>].

File


WinZip

Archive.zip



WinZip encryption

WinZip has the ability to encrypt files. Lots of history, but we'll look at the AE-2 method.

Passphrase





Zippping a file without AE-2 (high level)



Archive.zip

Zippping a file with AE-2 (high level)



Archive.zip

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type
File date/size
CRC-32
Filename
Compressed Data

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type
File date/size
CRC-32
Filename
Compressed Data

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type
File date/size
CRC-32
Filename

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type = AE
File date/size
CRC-32
Filename

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type = AE
File date/size
CRC-32 = 0
Filename

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type = AE
File date/size
CRC-32 = 0
Filename

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type

Passphrase

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type

Passphrase



Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Passphrase



PBKDF

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type

Zippping a file with AE-2 (high level)

File

Compression
Algorithm


Passphrase




PBKDF

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type

Zippping a file with AE-2 (high level)




Passphrase




Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type

Zippping a file with AE-2 (high level)



Passphrase



Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Passphrase



PBKDF

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Passphrase



PBKDF

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val

Zippping a file with AE-2 (high level)

File

Compression
Algorithm

Passphrase




PBKDF



AES-CTR
then
HMAC-SHA1

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val

Zippping a file with AE-2 (high level)




Passphrase




Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val

Zippping a file with AE-2 (high level)



Zippping a file with AE-2 (high level)



Consider a scenario in which Alice wishes to send important information to Bob using WinZip AE-2 encryption.

Desired functionality

Alice

Bob

Desired functionality

Alice

passphrase

Bob

passphrase

Desired functionality

Alice

passphrase

Bob

passphrase

F

Desired functionality

Alice

passphrase

Bob

passphrase

F

WinZip

Desired functionality

Alice

passphrase

Bob

passphrase

F

WinZip

A.zip

Desired functionality

Alice

passphrase

Bob

passphrase

F

WinZip

A.zip

Internet

Desired functionality

Alice

passphrase

Bob

passphrase

F

WinZip

A.zip

Internet

A.zip

Desired functionality

Alice

passphrase

F

WinZip

A.zip

Internet

A.zip

WinZip

Bob

passphrase

Desired functionality

Alice

passphrase

F

WinZip

A.zip

Internet

A.zip


WinZip

Bob

passphrase


F

First security goal (privacy)



Important!! Different classes of adversaries.
Unknown plaintext, known plaintext, chosen
plaintext, chosen ciphertext

First security goal (privacy)



Even if Mallory is able to learn A.zip, he should not be able to learn useful information about the original file F.

Important!! Different classes of adversaries.
Unknown plaintext, known plaintext, chosen plaintext, chosen ciphertext

Information leakage

From A.zip, the adversary can learn

- The names of the encrypted files.
- The files' last modification dates and times.
- The files' compression ratios.

Unknown plaintext, known plaintext,
and chosen-plaintext issues

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

Information leakage

From A.zip, the adversary can learn

- The names of the encrypted files.
- The files' last modification dates and times.
- The files' compression ratios.

Unknown plaintext, known plaintext,
and chosen-plaintext issues

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

Information leakage

Potentially serious. For example,

- Not uncommon for filenames to contain personal or sensitive information.
- Compression ratios of files, and especially of related files, can leak information about those files' contents [BCL02,Kel02].


Information leakage

Potentially serious. For example,

- Not uncommon for filenames to contain personal or sensitive information.
- Compression ratios of files, and especially of related files, can leak information about those files' contents [BCL02,Kel02].

Information leakage was a problem with classic WinZip encryption, so the problem should have been fixed with AE-2.

Second security goal (authenticity)



Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

Second security goal (authenticity)

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase

A.zip

WinZip

F

Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

Second security goal (authenticity)

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase

WinZip

F

Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

Second security goal (authenticity)

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase

M.zip

WinZip

F

Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

Second security goal (authenticity)

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase

M.zip

WinZip

F'

Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

Second security goal (authenticity)



Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

Third security goal (privacy)

Chosen-ciphertext privacy attacks

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase

A.zip

WinZip

F

Even if Mallory can modify A.zip in transit and can learn Bob's output, Mallory should not be able to learn additional information about F.

Third security goal (privacy)

Chosen-ciphertext privacy attacks

Alice

passphrase

Bob

passphrase

F

WinZip

A.zip


M.zip

WinZip

F


Even if Mallory can modify A.zip in transit and can learn Bob's output, Mallory should not be able to learn additional information about F.

Third security goal (privacy)



Even if Mallory can modify A.zip in transit and can learn Bob's output, Mallory should not be able to learn additional information about F.

Third security goal (privacy)



Even if Mallory can modify $A.zip$ in transit and can learn Bob's output, Mallory should not be able to learn additional information about F .

Third security goal (privacy)

Chosen-ciphertext privacy attacks

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase

M.zip

WinZip

F'

or

Err Msg

Even if Mallory can modify A.zip in transit and can learn Bob's output, Mallory should not be able to learn additional information about F.

Third security goal (privacy)

Chosen-ciphertext privacy attacks

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase

M.zip

WinZip

F'

or

Err Msg

Mallory

Even if Mallory can modify A.zip in transit and can learn Bob's output, Mallory should not be able to learn additional information about F.

Third security goal (privacy)

Chosen-ciphertext privacy attacks

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase

M.zip

WinZip

F'

or

Err Msg

Mallory

Even if Mallory can modify A.zip in transit and can learn Bob's output, Mallory should not be able to learn additional information about F.

Third security goal (privacy)

Chosen-ciphertext privacy attacks

Alice

passphrase

F

WinZip

A.zip

Information
about F

Bob

passphrase

M.zip

WinZip

F'

or

Err Msg

Mallory

Even if Mallory can modify A.zip in transit and can learn Bob's output, Mallory should not be able to learn additional information about F.

Third security goal (privacy)

Chosen-ciphertext privacy attacks

Alice

passphrase

F

WinZip

A.zip

Bob

passphrase


M.zip

WinZip

F'

or

Err Msg



Mallory

Even if Mallory can modify A.zip in transit and can learn Bob's output, Mallory should not be able to learn additional information about F.

A.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

A.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

The “Encrypted and MACed Data” field of A.zip contains the contents of the file F, only compressed and encrypted.

A.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

The “Encrypted and MACed Data” field of A.zip contains the contents of the file F, only compressed and encrypted.

Therefore, an adversary might try to break the authenticity by creating a new M.zip based on A.zip, but with this field changed.

M.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data - prime

A.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

The “Encrypted and MACed Data” field of A.zip contains the contents of the file F, only compressed and encrypted.


Therefore, an adversary might try to break the authenticity by creating a new M.zip based on A.zip, but with this field changed.

But, because of the MAC, such an attack will generally not work.


M.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data - prime

Zippping a file with AE-2



WinZip has the ability to use different compression algorithms. WinZip records the choice in the “compression type” field.



A.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

The “compression type” field is not
MACed.

A.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

The “compression type” field is not
MACed.

An adversary could change this field
without triggering any error when Bob
tries to decrypt.

M.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type = none
Salt
Key check val
Encrypted and MACed Data - prime

A.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

The “compression type” field is not MACed.


An adversary could change this field without triggering any error when Bob tries to decrypt.

If the compression type is changed to “none,” the decrypted file will be the compressed version of the file that Alice encrypted.

M.zip

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type = none
Salt
Key check val
Encrypted and MACed Data - prime


Illustrating the attack



Suppose the file that Alice encrypts looks like this.

Illustrating the attack

If Mallory applies the attack, then the file that Bob extracts will look like this:



The previous attack is “conventional:” it focuses on attacking the encryption of the data contained within a file.

The previous attack is “conventional:” it focuses on attacking the encryption of the data contained within a file.

But a file’s filename is critical to the interpretation of the data contained within the file.

Attacking filenames

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

Attacking filenames

The filename field is unauthenticated.

Header
compression type = AE
File date/size
CRC-32 = 0
Filename
Version = 2
compression type
Salt
Key check val
Encrypted and MACed Data

Attacking filenames

Consequences of unauthenticated filenames:

- Break authenticity. E.g., change a file's name from AliceSalary.dat to MallorySalary.dat.
- Break privacy. E.g., change a file's extension from .doc to .xls and observe Bob's response. (Window's default application will be unable to load the file.)

A Zip archive may
contain more than one
file.

A Zip archive may contain more than one file.

When this is the case, the files' fields are concatenated together.

(Colors indicate fields that vary per file.)

Header
compression type = AE
date/size I
CRC-32 = 0
Filename I
Version = 2
compression type
Salt I
Key check I
Encrypted and MACed Data I

A Zip archive may contain more than one file.

When this is the case, the files' fields are concatenated together.

(Colors indicate fields that vary per file.)

Header	Header
compression type = AE	compression type = AE
date/size 1	date/size 2
CRC-32 = 0	CRC-32 = 0
Filename 1	Filename 2
Version = 2	Version = 2
compression type	compression type
Salt 1	Salt 2
Key check 1	Key check 2
Encrypted and MACed Data 1	Encrypted and MACed Data 2

A Zip archive may contain more than one file.

When this is the case, the files' fields are concatenated together.

(Colors indicate fields that vary per file.)

Header	Header	Header
compression type = AE	compression type = AE	compression type = AE
date/size 1	date/size 2	date/size 3
CRC-32 = 0	CRC-32 = 0	CRC-32 = 0
Filename 1	Filename 2	Filename 3
Version = 2	Version = 2	Version = 2
compression type	compression type	compression type
Salt 1	Salt 2	Salt 3
Key check 1	Key check 2	Key check 3
Encrypted and MACed Data 1	Encrypted and MACed Data 2	Encrypted and MACed Data 3

Since each file is encapsulated separately, not all files need to be encrypted.

Header	Header	Header
compression type = AE	compression type = AE	compression type = AE
date/size 1	date/size 2	date/size 3
CRC-32 = 0	CRC-32 = 0	CRC-32 = 0
Filename 1	Filename 2	Filename 3
Version = 2	Version = 2	Version = 2
compression type	compression type	compression type
Salt 1	Salt 2	Salt 3
Key check 1	Key check 2	Key check 3
Encrypted and MACed Data 1	Encrypted and MACed Data 2	Encrypted and MACed Data 3

Since each file is encapsulated separately, not all files need to be encrypted.

Header	Header
compression type = AE	compression type = AE
date/size 1	date/size 2
CRC-32 = 0	CRC-32 = 0
Filename 1	Filename 2
Version = 2	Version = 2
compression type	compression type
Salt 1	Salt 2
Key check 1	Key check 2
Encrypted and MACed Data 1	Encrypted and MACed Data 2

Since each file is encapsulated separately, not all files need to be encrypted.

Header	Header	Header
compression type = AE	compression type = AE	compression type
date/size 1	date/size 2	date/size 3
CRC-32 = 0	CRC-32 = 0	CRC-32
Filename 1	Filename 2	Filename 3
Version = 2	Version = 2	Compressed Data 3
compression type	compression type	
Salt 1	Salt 2	
Key check 1	Key check 2	
Encrypted and MACed Data 1	Encrypted and MACed Data 2	

Suppose a WinZip archive contains Alice's, Bob's, and Mallory's salary.

Header	Header	Header
compression type = AE	compression type = AE	compression type = AE
date/size 1	date/size 2	date/size 3
CRC-32 = 0	CRC-32 = 0	CRC-32 = 0
AliceSal.dat	BobSal.dat	MallorySal.dat
Version = 2	Version = 2	Version = 2
compression type	compression type	compression type
Salt 1	Salt 2	Salt 3
Key check 1	Key check 2	Key check 3
Encrypted and MACed Data 1	Encrypted and MACed Data 2	Encrypted and MACed Data 3

Suppose a WinZip archive contains Alice's, Bob's, and Mallory's salary.

Header	Header	Header
compression type = AE	compression type = AE	compression type = AE
date/size 1	date/size 2	date/size 3
CRC-32 = 0	CRC-32 = 0	CRC-32 = 0
AliceSal.dat	BobSal.dat	MallorySal.dat
Version = 2	Version = 2	Version = 2
compression type	compression type	compression type
Salt 1	Salt 2	Salt 3
Key check 1	Key check 2	Key check 3
Encrypted and MACed Data 1	Encrypted and MACed Data 2	Encrypted and MACed Data 3

Mallory could replace the encrypted version of MallorySal.dat with an unencrypted file of her choice.

Header	Header	Header
compression type = AE	compression type = AE	compression type = AE
date/size 1	date/size 2	date/size 3
CRC-32 = 0	CRC-32 = 0	CRC-32 = 0
AliceSal.dat	BobSal.dat	MallorySal.dat
Version = 2	Version = 2	Version = 2
compression type	compression type	compression type
Salt 1	Salt 2	Salt 3
Key check 1	Key check 2	Key check 3
Encrypted and MACed Data 1	Encrypted and MACed Data 2	Encrypted and MACed Data 3

Mallory could replace the encrypted version of MallorySal.dat with an unencrypted file of her choice.

Header	Header
compression type = AE	compression type = AE
date/size 1	date/size 2
CRC-32 = 0	CRC-32 = 0
AliceSal.dat	BobSal.dat
Version = 2	Version = 2
compression type	compression type
Salt 1	Salt 2
Key check 1	Key check 2
Encrypted and MACed Data 1	Encrypted and MACed Data 2

Mallory could replace the encrypted version of MallorySal.dat with an unencrypted file of her choice.

Header	Header	Header
compression type = AE	compression type = AE	compression type
date/size 1	date/size 2	date/size 3
CRC-32 = 0	CRC-32 = 0	CRC-32
AliceSal.dat	BobSal.dat	MallorySal.dat
Version = 2	Version = 2	Mallory's desired salary (compressed)
compression type	compression type	
Salt 1	Salt 2	
Key check 1	Key check 2	
Encrypted and MACed Data 1	Encrypted and MACed Data 2	


When Bob extracts the archive, he will enter a passphrase.

WinZip will not inform Bob that MallorySal.dat is unencrypted.


Bob will think that MallorySal.dat is authentic.

Header	Header	Header
compression type = AE	compression type = AE	compression type
date/size 1	date/size 2	date/size 3
CRC-32 = 0	CRC-32 = 0	CRC-32
AliceSal.dat	BobSal.dat	MallorySal.dat
Version = 2	Version = 2	Mallory's desired salary (compressed)
compression type	compression type	
Salt 1	Salt 2	
Key check 1	Key check 2	
Encrypted and MACed Data 1	Encrypted and MACed Data 2	

Issues with PBKDF



Issues with PBKDF



PBKDF

The PBKDF module derives AES and HMAC-SHA1 keys from a user's passphrase and a randomly selected salt.

PBKDF is parameterized.

When deriving 128-bit AES keys, WinZip will use a 64-bit salt.

AES key collisions

If the user encrypts 2^{32} files with the same passphrase, then we expect two files to use the same 64-bit salt.

The AES key is a deterministic function of the passphrase and the salt.

Therefore, we expect AES key collisions after encrypting only 2^{32} files.

Keystream reuse

WinZip always uses AES-CTR with zero as the initial counter.

An AES key collision implies keystream reuse.

Therefore, we expect AES-CTR keystream reuse after encrypting only 2^{32} files.

Self-extracting Encrypted Executables and Authenticity

Alice

Bob

passphrase

passphrase



Goal: Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

But M.exe is an executable! Replace M.exe with a malicious binary that ignores the passphrase and outputs the file F' of the adversary's choice.

Self-extracting Encrypted Executables and Authenticity

Alice

Bob

passphrase

passphrase



Goal: Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

But M.exe is an executable! Replace M.exe with a malicious binary that ignores the passphrase and outputs the file F' of the adversary's choice.

Self-extracting Encrypted Executables and Authenticity

Alice

Bob

passphrase

passphrase



Goal: Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

But M.exe is an executable! Replace M.exe with a malicious binary that ignores the passphrase and outputs the file F' of the adversary's choice.

Self-extracting Encrypted Executables and Authenticity

Alice

Bob

passphrase

passphrase



Goal: Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

But M.exe is an executable! Replace M.exe with a malicious binary that ignores the passphrase and outputs the file F' of the adversary's choice.

Self-extracting Encrypted Executables and Authenticity

Alice

Bob

passphrase

passphrase



Goal: Even if Mallory can modify A.zip in transit, he should not be able to trick Bob into accepting a file that Alice did not send.

But M.exe is an executable! Replace M.exe with a malicious binary that ignores the passphrase and outputs the file F' of the adversary's choice.

Now to the Whiteboard

◆ Attacking

- CTR mode encryption with 0 as the IV
 - State assumptions
 - Make assumptions about what adversary knows
 - Show that the adversary can learn new things under some model (unknown plaintext, known plaintext, chosen plaintext)
- CBC mode where the IV for the i -th message is the last ciphertext block of the $(i-1)$ -st message
 - chosen-plaintext attack
- Creating a MAC from with a hash function H as Tag $(K, M) = H(K||M)$, where $||$ denotes string concatenation