



Computer Basics

How exactly does a computer work?

© Lawrence Snyder, 2004




Integrated Circuits

Integrated circuits (ICs) are the power source of the information revolution

- When computers were made of discrete parts, wires of every transistor (3), capacitor (2), resistor (2), etc. had to be hand-connected
- Labor intensive, expensive, error prone, unreliable, cumbersome, ... even with robots!
- Integrated circuits solved that by 2 ideas
Integration -- circuits built as a unit from like parts
Photolithography -- printing process to make chips




Intel Pentium Processor




Photolithography

Consider process for depositing wires




Remove Resist



The cost of the circuit is not related to complexity



R4400 NEC/MIPS Processor





Semiconductors

Silicon, a semiconductor – sometimes it conducts and sometimes it doesn't

- It's possible to control when semiconductors do and don't conduct

Compute by controlling conducting



Field Effect

Charged objects are familiar – use a nylon comb on a dry day

- A charged field can control whether a semiconductor conducts or not




The charge of the control wire (gate) is key

- Neutral gate, channel doesn't conduct
- Charged gate, channel conducts

8



MIPS R10000 Processor




Notice that wires cross over other wires ...

9



MOS Transistors

The field effect idea is implemented in metal-oxide-semiconductor transistors



10



Operation

The two cases: the gate is neutral or the gate is charged



Charged gate attracts electrons to channel

Notice key points of integrated circuits:
Constructed as a unit of compatible parts
Fabricated in layers by photolithography

11



Computers ...

Deterministically execute instructions to process information

"Deterministically" means that when a computer chooses the next instruction to perform it is required by its construction to execute a specific instruction based only on the program and input it is given

Computers have no free will and they are not cruel

12

Fetch/Execute Cycle

Computer = instruction execution engine

- The fetch/execute cycle is the process that executes instructions

Instruction Fetch (IF)
 Instruction Decode (ID)
 Data Fetch (DF)
 Instruction Execution (EX)
 Result Return (RR)

13

Anatomy of a Computer

The Hard Disk is the α -device

14

Memory ...

Programs and their data must be in the memory while they are running

Memory locations

0	1	2	3	4	5	6	7	8	9	10	11	...
G	o	D	a	w	g	s	!	!	0	...		

Labels: memory addresses, memory contents, byte=8 bits

0 1 0 0 0 1 0 0

Groups of four bytes are a word

15

Control

The Fetch/Execute cycle is hardwired into the computer's control, i.e. it is the actual "engine"

The instructions executed have the form
 ADDB 10, 16, 20

10	11	12	13	14	15	16	17	18	19	20	21	...
6						12				18		...

Put in memory location 20 the contents of memory location 10 + contents of memory location 16

16

Indirect Data Reference

Instructions tell *where* the data is, not *what* the data is ... contents change

One instruction has many effects
 ADDB 10, 16, 20

10	11	12	13	14	15	16	17	18	19	20	21	...
8						7				15		...

10	11	12	13	14	15	16	17	18	19	20	21	...
60						-55				5		...

17

ALU

The Arithmetic/Logic Unit does the actual computation

Each type of data has its own separate instructions

ADDB : add bytes	ADDBU : add bytes unsigned
ADDH : add half words	ADDHU : add halves unsigned
ADD : add words	ADDU : add words unsigned
ADDS : add short decimal numbers	
ADDD : add long decimal numbers	

Most computers have only about a 100-150 instructions hard wired

18



Input/Output

Input units bring data to memory from outside world; output units send data to outside world from memory

- Most peripheral devices are "dumb" meaning that the processor assists in their operation
- Disks are *memory* devices because they can output information and input it back again

19



The PC's PC

The program counter (PC) tells where the next instruction comes from

- Instructions are a word long, so add 4 to the PC to find the next instruction

Program Counter: 112

110	111	112	113	114	115	116	117	118	119	120	121
688,724	ADD	210,216,220	AND	414,418,720	OR	...					

20



Clocks Run The Engine

The rate a computer "spins around" the Fetch/Execute cycle is controlled by it's clock

- Current clocks run 2-3 GHz
- In principle, the computer should do one instruction per cycle, but often it fails to
- Modern processors try to do more than one instruction per cycle, and often succeed

Clock rate is not a good indicator of speed

21



Summary

Semiconductors make Info Revolution

- * Semiconductors properties ...
 - Fields controls when semiconductor conducts
 - On/off of conductors allows us to compute

Fetch/execute cycle runs instructions

- * 5 steps to interpret machine instructions
- * Programs must be in the memory
- * Data is moved in and out of memory

Instructions, data are represented in binary

22