



4/27/05
4/27/05

fit100-13-control

Control Flow

INFO/CSE 100, Spring 2005
Fluency in Information Technology

<http://www.cs.washington.edu/100>



Readings and References

- Reading
 - » *Fluency with Information Technology*
 - Chapter 21, Iteration Principles

fit100-13-control

4/27/05
4/27/05


fit100-13-control © 2004 University of Washington

2

if statement in Simple Sample GUI

```
<script type="text/javascript">
function setResults(resultString) {
  var tempString = resultString;
  if (document.getElementById("radioLC").checked) {
    tempString = tempString.toLowerCase();
  } else if (document.getElementById("radioUC").checked) {
    tempString = tempString.toUpperCase();
  }
  document.getElementById("resultField").value = tempString;
}
</script>
```

- the `setResults(string)` function is called by several event processors
- in every case, it takes the string that it is given, **decides if upper or lower case is desired**, and sets the `resultField` accordingly



fit100-13-control

4/27/05

fit100-13-control © 2004 University of Washington

3

The `if / else` statement

The `if` statement is a *conditional statement*

- » a conditional expression is evaluated as being `true` or `false`
 - the expression is a *boolean expression* (ie, returns `true` or `false`)
- » if the condition is `true`, then one set of statements is executed
- » if the statement is `false`, then a different set of statements is executed

```
if (<boolean expression>) {  
    <statements>  
} else {  
    <statements>  
}
```

fit100-13-control





Examples

```
if (count == 0) {  
    ready = false;  
} else {  
    ready = true;  
    count = count-1;  
}
```

What is the conditional expression?

What statements are part of the true block?

Which statements are part of the false block?

What happens when count is 21? 0? -1?

```
if (pageCount >= 100) {  
    alert("This may take a few minutes.");  
}
```

What is the conditional expression?

Which statements are part of the false block?

What statements are part of the true block?

What happens when pageCount is 21? 100? 200?

scratch.html


The screenshot displays a Mozilla browser window titled "Scratch file for testing - Mozilla". The address bar shows the URL `http://www.cs.washington.edu/education/courses/100/04`. The main content area displays the text "This page is a simple place to try out JavaScript." A small dialog box titled "[JavaScript Application]" is open, showing a warning icon and the text "Ready: false, Count: 0" with an "OK" button.

The source code of the page is visible in the right-hand pane, titled "Source of: http://www.cs.washington.edu/education/courses/100/04au/slides/14-control/scratch.html". The code is as follows:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
  "http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
<title>Scratch file for testing</title>
<script type="text/javascript">
var count = 0;
</script>
</head>

<body>
This page is a simple place to try out JavaScript.
<script type="text/javascript">
if (count == 0) {
  ready = false;
} else {
  ready = true;
  count = count-1;
}
alert("Ready: "+ready+", Count: "+count);
</script>
</body>
</html>
```

W3Schools TryIt Editor



The screenshot shows the W3Schools TryIt Editor interface. The browser window title is "Tryit Editor v1.4 - Mozilla". The address bar shows the URL "http://www.w3schools.com/js/tryit.asp?filename=tryjs_text". The main editing area is split into two panes. The left pane contains HTML and JavaScript code, and the right pane shows the rendered output. A JavaScript alert dialog box is displayed in the center, with the title "[JavaScript Application]" and the message "This may take a few minutes." with an "OK" button.

Tryit Editor v1.4 - Mozilla

File Edit View Go Bookmarks Tools Window Help

Back Forward Reload Stop http://www.w3schools.com/js/tryit.asp?filename=tryjs_text Search Print

Loading...

Edit the text and click me

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01  
Transitional//EN"  
  "http://www.w3.org/TR/html4/loose.dtd">  
<html>  
<head>  
<title>Scratch file for testing</title>  
<script type="text/javascript">  
var pageCount = 100;  
</script>  
</head>  
  
<body>  
This page is a simple place to try out JavaScript.  
<script type="text/javascript">  
if (pageCount >= 100) {  
  alert("This may take a few minutes.");  
}  
</script>  
</body>  
</html>
```



This page is a simple place to try out JavaScript.

[JavaScript Application] This may take a few minutes. OK

Edit the text above, and click on the button to see the result.

Transferring data from www.w3schools.com...

A Fancier Example of a GUI program



fit100-13-control

An `if` statement from `bean.html`

```
<html>
<head>
<title>Interactive Coffee Cost Calculator</title>
<script type="text/javascript">
function refresh() {

    var shotCount;           // number of espresso shots
    var cupSize;             // size of the cup in ounces
    var drink;              // name of the requested drink

    var price;              // calculated price of the drink
    var taxRate = 0.087;    // Seattle retail tax

    var element;           // the current gui element (radio button)

    for (var i=0; i<document.getElementById("shotForm").elements.length;
i++) {
        element = document.getElementById("shotForm").elements[i];
        if (element.checked) {
            shotCount = parseInt(element.value,10);
        }
    }
    ...
}
```

fit100-13-control

4/27/05
4/27/05

fit100-13-control © 2004 University of Washington

9



Iteration

- Iteration or looping is a way to execute a block of program statements more than once
- we will use the **for** statement to create loops
 - » The **for** loop is generally controlled by counting
 - » There is an index variable that you increment or decrement each time through the loop
 - » When the index reaches some limit condition, then the looping is done and we continue on in the code




Why do we want loops in our code?

- Do something for a given number of times or for every object in a collection of objects
 - » for every radio button in a form, see if it is checked
 - » for every month of the year, charge \$100 against the balance
 - » calculate the sum of all the numbers in a list
 - » etc.
- Many loops are counting loops
 - » they do something a certain number of times



The **for** loop

A counting loop is usually implemented with **for**




fit100-13-control

4/27/05
4/27/05

fit100-13-control © 2004 University of Washington

12

for example



The screenshot shows a web browser window titled "Tryit Editor v1.4". The browser's address bar contains the text "Edit the text and click me". The main content area is split into two panels. The left panel contains the following HTML and JavaScript code:

```
<html>
<body>

<script type="text/javascript">
var count=10;
for (var i=0; i < count; i++) {
    document.writeln("<br>index value is : "+i);
}
</script>

</body>
</html>
```

The right panel displays the output of the JavaScript code, which is a list of ten lines, each containing the text "index value is : " followed by a number from 0 to 9. At the bottom of the browser window, there is a footer that reads "Edit the text above, and click on the button to see the result."



`i++` is a shortcut

- `for (i=0; i < count; i++)`
- at the end of every pass through the `for` loop body, do the following:
 - » get the value of `i`
 - » increment `i`
 - » store the incremented value
- Used as it is here, this is the same as writing
 - » `i = i + 1`

body of loop may not execute at all

- Notice that depending on the values of the control variables, it is quite possible that the body of the loop will not execute at all

check for limit condition
`itemCount` is 0 when we get here, so
`i < itemCount` is immediately false and
the loop body is skipped completely

```
var itemCount = 0;
...
for (var i=0; i < itemCount; i++) {
    document.writeln("<br>..processing item "+i);
}
```

fit100-13-control

4/27/05

fit100-13-control © 2004 University of Washington

15



loop body skip

Edit the text and click me

```
<html>
<body>
Begin processing.
<script type="text/javascript">
var itemCount=0;
//...
for (var i=0; i < itemCount; i++) {
    document.writeln("<br>..processing item "+i);
}
</script>
<br>End processing.
</body>
</html>
```

Begin processing.
End processing.

Edit the text above, and click on the button to see the result.

fit100-13-control

“Off By 1” Error

- The most common error when working with iterations is to miscount by 1
 - » *Everyone* makes this mistake
 - » A common place where the “off by 1” error matters is in how many times a loop loops
 - » One advantage of a simple loop control statement is that it's easier to tell how many loops there will be

```
for ( i=0; i<n; i++) {  
    <statement list>  
}
```


Number of iterations



fit100-13-control



Another Example from the iCCC



Shots	<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4
Cup Size	<input type="radio"/> 8 <input checked="" type="radio"/> 12 <input type="radio"/> 16
Drink	<input type="radio"/> Espresso <input type="radio"/> Latte <input checked="" type="radio"/> Cappuccino <input type="radio"/> Americano

Total Cost:

a double tall
Cappuccino, what a
great way to start the
afternoon





A for loop from bean.html

```
<html>
<head>
<title>Interactive Coffee Cost Calculator</title>
<script type="text/javascript">
function refresh() {

    var shotCount;           // number of espresso shots
    var cupSize;             // size of the cup in ounces
    var drink;               // name of the requested drink

    var price;               // calculated price of the drink
    var taxRate = 0.087;     // Seattle retail tax

    var element;            // the current gui element (radio button)

    for (var i=0; i<document.getElementById("shotForm").elements.length;
i++) {
        element = document.getElementById("shotForm").elements[i];
        if (element.checked) {
            shotCount = parseInt(element.value,10);
        }
    }
}
...

```

fit100-13-control

4/27/05
4/27/05

fit100-13-control © 2004 University of Washington

19



arrays

- On the previous page, we are selecting one element from a collection of elements
- this collection is an array named **elements**
 - » one entry for each radio button in the shotForm
 - » the length of this array is available
`document.getElementById("shotForm").elements.length`
 - » we retrieve an individual element using the index variable
`element = document.getElementById("shotForm").elements[i];`
 - » The index of the first element is 0