



Lab Exercise 14: Birthday Display


Goal

The goal is to practice with arrays and using them in a data-intensive info-graphic.

Warm Up

To get started write a Processing program that displays a 12 x 31 array of gray rectangles that correspond (roughly) to the days of the year, one column for each month. Try a canvas size that is 600x1000 and set `noStroke()`.

This program will require a *nested loop*, which is a loop within a loop. We need two loops because one will move across a row of months, and the other will move down the column of days. We will draw 12 rectangles across, and then draw 31 such rows.



Begin by setting up a loop (loop variable *i*) to draw twelve 38 x 18 gray rectangles across the screen, starting 50 pixels in from the left and 50 pixels down from the top. Place them every 40 pixels.

Then put this loop code AROUND the loop you just wrote; that is, the earlier loop will be INSIDE of this one:

```
for (int j = 0; j < 31; j++) {
  }
}
```

← The “12” loop goes here

In the same way you adjusted the rectangle’s horizontal positioning based on *i* above, moving across by 40 pixels per rectangle, you also need to adjust the rectangle’s vertical positioning based on the *j* value, moving down by 20 pixels per row.

That’s it, a nested loop – the “12” loop is nested inside of the “31” loop. Notice how it works. Save this file as `birthdaya.pde`.

Initializing Arrays

We know that an integer array *A* of three elements can be declared by

```
int[ ] A = new int[3];
```

but the array’s elements don’t yet contain any values. When you want to start out with values, replace the “`new int[<size>]`” with “`{ <initial items separated by commas> }`” as in

```
int[ ] A = {5, 4, 3};
```

This creates the array (the length being determined by the number of initial values) and fills-in the numbers in index order, i.e. `A[0]` has value 5.

Finally, revise the `rect()` function. In drawing this box, you will not use the variables `i` and `j` as you did before. Instead, you will replace the month variable (`i`) by `month[j]`, and the day variable (`j`) by `day[j]`. The rank is already being used for the color `fill()`. Give it a try. Does it work?

Labeling

This info-graphic is nearly done. We need to label the columns and the rows. It is not necessary to import a font, although that is OK. Write the column headings with `text("Jan Feb Mar ...", 90, 65);`

Label the rows with a loop containing the code `text(i+1, 65, 82 ...);`

In both cases there is something to fill in where the ellipsis (...) is. Finally, label the gradient bar with "Less Common" and "More Common" at its two ends.

Wrap Up: You have initially assigned values to arrays, and then used those arrays to display birthday data as an info-graphic. The technique used a color gradient to show rankings of the birthdays.

Turn In: Place your completed, documented code in the hw14 dropbox.