

Building Java Programs

Chapter 5
Lecture 5-1: `while` Loops,
Fencepost Loops, and Sentinel Loops

reading: 5.1 – 5.2

A deceptive problem...

- Write a method `printNumbers` that prints each number from 1 to a given maximum, separated by commas.

For example, the call:

```
printNumbers(5)
```

should print:

```
1, 2, 3, 4, 5
```

Flawed solutions

- ```
public static void printNumbers(int max) {
 for (int i = 1; i <= max; i++) {
 System.out.print(i + ", ");
 }
 System.out.println(); // to end the line of output
}
```

- **Output from** `printNumbers(5)`: 1, 2, 3, 4, 5,


- ```
public static void printNumbers(int max) {  
    for (int i = 1; i <= max; i++) {  
        System.out.print(", " + i);  
    }  
    System.out.println(); // to end the line of output  
}
```

- **Output from** `printNumbers(5)`: , 1, 2, 3, 4, 5

Fence post analogy

- We print n numbers but need only $n - 1$ commas.
- Similar to building a fence with wires separated by posts:
 - If we use a flawed algorithm that repeatedly places a post + wire, the last post will have an extra dangling wire.

```
for (length of fence) {  
    place a post.  
    place some wire.  
}
```



Fencepost loop

- Add a statement outside the loop to place the initial "post."
 - Also called a *fencepost loop* or a "loop-and-a-half" solution.


place a post.

for (length of fence - 1) {

place some wire.

place a post.

}



Fencepost method solution

```
public static void printNumbers(int max) {  
    System.out.print(1);  
    for (int i = 2; i <= max; i++) {  
        System.out.print(", " + i);  
    }  
    System.out.println();    // to end the line  
}
```

- Alternate solution: Either first or last "post" can be taken out:

```
public static void printNumbers(int max) {  
    for (int i = 1; i <= max - 1; i++) {  
        System.out.print(i + ", ");  
    }  
    System.out.println(max);    // to end the line  
}
```

Fencepost question

- Modify your method `printNumbers` into a new method `printPrimes` that prints all *prime* numbers up to a max.
 - Example: `printPrimes(50)` prints
2, 3, 5, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43, 47
 - If the maximum is less than 2, print no output.
- To help you, write a method `countFactors` which returns the number of factors of a given integer.
 - `countFactors(20)` returns 6 due to factors 1, 2, 4, 5, 10, 20.

Fencepost answer

```
// Prints all prime numbers up to the given max.
```

```
public static void printPrimes(int max) {  
    if (max >= 2) {  
        System.out.print("2");  
        for (int i = 3; i <= max; i++) {  
            if (countFactors(i) == 2) {  
                System.out.print(", " + i);  
            }  
        }  
        System.out.println();  
    }  
}
```

```
// Returns how many factors the given number has.
```

```
public static int countFactors(int number) {  
    int count = 0;  
    for (int i = 1; i <= number; i++) {  
        if (number % i == 0) {  
            count++; // i is a factor of number  
        }  
    }  
    return count;  
}
```


while loops

reading: 5.1

Categories of loops

- **definite loop:** Executes a known number of times.
 - The `for` loops we have seen are definite loops.
 - Print "hello" 10 times.
 - Find all the prime numbers up to an integer n .
 - Print each odd number between 5 and 127.
- **indefinite loop:** One where the number of times its body repeats is not known in advance.
 - Prompt the user until they type a non-negative number.
 - Print random numbers until a prime number is printed.
 - Repeat until the user has typed "q" to quit.

The while loop


- **while loop:** Repeatedly executes its body as long as a logical test is true.

```
while (test) {  
    statement(s);  
}
```

- Example:

```
int num = 1;  
while (num <= 200) {  
    System.out.print(num + " ");  
    num = num * 2;  
}  
  
// output: 1 2 4 8 16 32 64 128
```

```
// initialization  
// test  
  
// update
```



Example while loop

```
// finds the first factor of 91, other than 1
int n = 91;
int factor = 2;
while (n % factor != 0) {
    factor++;
}
System.out.println("First factor is " + factor);
// output: First factor is 7
```

- `while` is better than `for` because we don't know how many times we will need to increment to find the factor.

Sentinel values

- **sentinel**: A value that signals the end of user input.
 - **sentinel loop**: Repeats until a sentinel value is seen.
- Example: Write a program that prompts the user for text until the user types "quit", then output the total number of characters typed.
 - (In this case, "quit" is the sentinel value.)

```
Type a word (or "quit" to exit): hello
Type a word (or "quit" to exit): yay
Type a word (or "quit" to exit): quit
You typed a total of 8 characters.
```

Solution?

```
Scanner console = new Scanner(System.in);
int sum = 0;
String response = "dummy"; // "dummy" value, anything but "quit"

while (!response.equals("quit")) {
    System.out.print("Type a word (or \"quit\" to exit): ");
    response = console.next();
    sum += response.length();
}

System.out.println("You typed a total of " + sum + " characters.");
```

- This solution produces the wrong output. Why?
You typed a total of 12 characters.

The problem with our code

- Our code uses a pattern like this:

```
sum = 0.  
while (input is not the sentinel) {  
    prompt for input; read input.  
    add input length to the sum.  
}
```

- On the last pass, the sentinel's length (4) is added to the sum:

```
prompt for input; read input ("quit").  
add input length (4) to the sum.
```

- This is a fencepost problem.
 - Must read N lines, but only sum the lengths of the first $N-1$.

A fencepost solution

```
sum = 0.  
prompt for input; read input.           // place a "post"  
  
while (input is not the sentinel) {  
    add input length to the sum.         // place a "wire"  
    prompt for input; read input.       // place a "post"  
}
```

- Sentinel loops often utilize a fencepost "loop-and-a-half" style solution by pulling some code out of the loop.

Correct code

```
Scanner console = new Scanner(System.in);
int sum = 0;

// pull one prompt/read ("post") out of the loop
System.out.print("Type a word (or \"quit\" to exit): ");
String response = console.next();

while (!response.equals("quit")) {
    sum += response.length();    // moved to top of loop
    System.out.print("Type a word (or \"quit\" to exit): ");
    response = console.next();
}

System.out.println("You typed a total of " + sum + " characters.");
```

Sentinel as a constant

```
public static final String SENTINEL = "quit";
```

```
...
```

```
Scanner console = new Scanner(System.in);  
int sum = 0;
```

```
// pull one prompt/read ("post") out of the loop
```

```
System.out.print("Type a word (or \" + SENTINEL + "\" to exit): ");  
String response = console.next();
```

```
while (!response.equals(SENTINEL)) {  
    sum += response.length();    // moved to top of loop  
    System.out.print("Type a word (or \" + SENTINEL + "\" to exit): ");  
    response = console.next();  
}
```

```
System.out.println("You typed a total of " + sum + " characters.");
```