

CSE 142 Final Cheat Sheet

```

for (initialization; test; update) {
    statement(s);
    ...
}

if (test) {
    statement(s);
} else if (test) {
    statement(s);
} else {
    statement(s);
}

```

```

while (condition) {
    statement(s);
}

public static type name(parameters) {
    statement(s);
    ...
    return expression;
}

```

Math Method	Description
Math.abs(<i>value</i>)	absolute value
Math.min(<i>v1</i> , <i>v2</i>)	smaller of two values
Math.max(<i>v1</i> , <i>v2</i>)	larger of two values
Math.round(<i>value</i>)	nearest whole number
Math.sqrt(<i>value</i>)	square root
Math.pow(<i>b</i> , <i>e</i>)	base to the exponent power

Random Method	Description
nextInt(<i>max</i>)	random integer from 0 to <i>max</i> -1

String Method	Description
contains(str)	true if this string contains the other's characters inside it
endsWith(str), startsWith(str)	true if this string starts/ends with the other's characters
equals(str)	true if this string is the same as <i>str</i>
equalsIgnoreCase(str)	true if this string is the same as <i>str</i> , ignoring capitalization
indexOf(str)	index in this string where given string begins (-1 if not found)
length()	number of characters in this string
replace(str1 , str2)	replace all occurrences in this string of <i>str1</i> with <i>str2</i>
substring(i , j)	characters in this string from index <i>i</i> (inclusive) to <i>j</i> (exclusive)
toLowerCase(), toUpperCase()	a new string with all lowercase or uppercase letters
charAt(i)	returns char at index <i>i</i>

Scanner Method	Description
nextInt()	reads/returns input token as <code>int</code>
next()	reads/returns input token as <code>String</code>
nextDouble()	reads/returns input token as <code>double</code>
nextLine()	reads/returns line as <code>String</code>
hasNextInt()	returns <code>true</code> if there is a next token and it can be read as an <code>int</code>
hasNext()	returns <code>true</code> if there is a next token to read
hasNextDouble()	returns <code>true</code> if there is a next token and it can be read as a <code>double</code>
hasNextLine()	returns <code>true</code> if there is a next line to read

Declaring and using Arrays

```
type[] name = new type[length];  
name[index] = value;
```

Classes

Field *(data inside each object)*

```
private type name;
```

Method *(behavior inside each object)*

```
public type name(parameters) {  
    statements;  
}
```

Constructor *(code to initialize new objects)*

```
public className(parameters) {  
    statements;  
}
```

toString method *(called when an object is printed)*

```
public String toString() {  
    code that produces/returns a String;  
}
```

Inheritance

```
public class name extends superclass {  
}
```

Critter classes

```
public class name extends Critter {  
    fields  
  
    constructor  
  
    public boolean eat() {  
        statement(s) that return true (eat) or false (don't eat);  
    }  
  
    public Attack fight(String opponent) {  
        returns either Attack.ROAR, Attack.POUNCE, or Attack.SCRATCH;  
    }  
  
    public Color getColor() {  
        statement(s) that return a Color;  
    }  
  
    public Direction getMove() {  
        statement(s) that return either Direction.NORTH, Direction.SOUTH,  
        Direction.EAST, Direction.WEST, or Direction.CENTER;  
    }  
  
    public String toString() {  
        statement(s) that return a String;  
    }  
}
```