

CSE 143 Midterm Exam Aug. 1, 2011

Name _____ Student ID # _____

Section _____ TA Name _____

The exam is closed book, closed notes, closed devices, except that you may have a 5x8 card with hand-written notes plus the reference sheet handed out with the exam. There are two blank pages at the end of the exam if you need extra scratch space to write.

You must show your ID and hand in your exam as you leave the room. You may not come back inside after that.

Style and indenting matter, within limits. We're not overly picky about details like an extra or a missing parenthesis, but we do need to be able to follow your code and understand it. A few well-chosen comments can be very helpful. Too many make it hard to read the code.

If you have questions during the exam, raise your hand and someone will come to you. *Don't* leave your seat.

Please wait to turn the page until everyone has their exam and you have been told to begin.

Advice: The solutions to many of the problems are quite short. Don't be alarmed if there is a lot more room on the page than you actually need for your answer.

More gratuitous advice: Be sure to get to all the questions. If you find you are spending a lot of time on a question, move on and try other ones, then come back to the question that was taking the time.

1 – ArrayLists	/ 15
2 – Complexity	/ 12
3 – Stacks/Queues	/ 20
4 – Linked Lists	/ 20
5 – Collections	/ 18
6 - Recursion	/ 15
Total	/ 100

CSE 143 Midterm, August 1, 2011

Question 1. (15 points) ArrayLists. Consider the following method:

```
public static void scramble(ArrayList<String> list) {
    for (int i = list.size()-1; i >= 0; i = i-2) {
        String s = list.get(i);
        list.remove(i);
        list.add(s);
    }
}
```

Now, suppose we have an ArrayList named `words` containing the following strings:

```
["eye", "frog", "of", "from", "newt", "toe"]
```

What output is produced if we call method `scramble` with this ArrayList as an argument, and then print the list after the method returns, as follows:

```
scramble(words);
System.out.println(words);
```

(Don't worry about the punctuation – the number and order of the words in the output is what's important.)

Output:

CSE 143 Midterm, August 1, 2011

Question 2. (12 points) Complexity. Each of the following methods processes arrays of integers. For each method, circle the complexity ($O(1)$, $O(n)$, etc.) that best characterizes its execution time as a function of the size of its array argument. (i.e., The array size is the problem size.)

Hint: don't worry too much about what each method does. Just figure out how many steps it takes.

(a) // modify elements of array a in a strange way

```
void mangle(int[] a) {
    for (int i=0; i < a.length; i++) {
        if (a[i] < 0) {
            a[i] = -a[i];
        } else {
            a[i] = 2*a[i];
        }
    }
}
```

Circle: $O(1)$ $O(n)$ $O(n^2)$ $O(n^3)$ $O(2^n)$

(b) // rearrange elements of a (Reminder: $n++$ increases n by 1, $n--$ decreases n by 1)

```
void mumble(int[] a) {
    int left = 0;
    int right = a.length-1;
    while (left < right) {
        int temp = a[left];
        a[left] = a[right];
        a[right] = temp;
        left++;
        right--;
    }
}
```

Circle: $O(1)$ $O(n)$ $O(n^2)$ $O(n^3)$ $O(2^n)$

CSE 143 Midterm, August 1, 2011

Question 3. (20 points) Stacks/queues. Complete the method `isBalanced` below so that it returns `true` if its string argument contains properly nested and balanced parentheses (`'('` and `')'`) and square brackets (`'['` and `']'`), and returns `false` if not. A string contains properly nested and balanced parentheses and brackets if there is exactly one right parenthesis or bracket for each left parenthesis or bracket, and pairs of parentheses and brackets are properly nested. Other characters in the string are ignored. Examples:

```
isBalanced("(this) is [balanced (properly)], isn't it?") => true
isBalanced("(this is [not) okay]") => false  ( () and [] pairs don't match)
isBalanced("(this (isn't okay)") => false  (not enough closing ')')
isBalanced("this is okay ([(())] [[()]])") => true
```

For full credit you may use only **one** queue or stack in your solution (but not both). You may have as many additional simple variables as you like, but no additional collections, arrays, or strings.

Hint: The logic needed has a close resemblance to that needed for the HTML validator assignment.

```
public static boolean isBalanced(String s) {
```

```
}
```

CSE 143 Midterm, August 1, 2011

Question 4. (20 points) Linked lists. Suppose we have a class `SortedStringLinkedList` that uses a linked list made up of `ListNode` objects to store a collection of strings in non-decreasing order.

Complete the definition of method `removeDuplicates`, below, so that when it is called it deletes duplicate values from the sorted list. For example if the list contains

```
["apple", "apple", "banana", "banana", "cherry", "donut", "donut", "donut", "eggplant"]
```

then after calling method `removeDuplicates` the list should contain

```
["apple", "banana", "cherry", "donut", "eggplant"]
```

For full credit you must remove duplicate `ListNode`s from the list, and you may not change the data stored in any `ListNode`, create any new `ListNode`s, or use any other collections, strings, or arrays.

Hint: The solution can be quite simple. If you have complicated, nested loops, see if you can simplify.

```
public class SortedStringLinkedList {           public class ListNode {
    private ListNode list; // list data         public String data
    ...                                       public ListNode next;
    ...                                       ...

```

```
public void removeDuplicates() {
    // write your code below

```

```
}
```

CSE 143 Midterm, August 1, 2011

Question 5. (18 points) Collections. Suppose we have a collection of type `Map<String,Double>` that contains a map from names to debit card balances. For example, the map might contain the following key/value pairs:

```
{Bart=-17.42, Marge=35.12, Lisa=1435.21, Homer=-3.55, Krusty=0.00}
```

Complete method `printOverspent` below so that it prints the name and balance for each name that has a negative debit card balance associated with it. The names may be printed in any order; each separate name and balance pair should appear together on a new output line. Names and balances should not be printed for those names whose balance is greater than or equal to zero. Given the above data, the output should be

```
Bart -17.42  
Homer -3.55
```

(The same two lines in the reverse order would also be okay.)

You may assume that the `Map` argument is not null and that no name or balance is null. You should not modify the original list.

```
public void printOverspent (Map<String,Double> accounts) {
```

```
}
```

CSE 143 Midterm, August 1, 2011

Question 6. (15 points) Recursion. Consider the following method.

```
public static int f(int n, int m) {
    if (n == 0) {
        return m;
    } else if (m == 0) {
        return n;
    } else {
        return f(n/10, m/10)*100 + (n%10)*10 + m%10;
    }
}
```

What value is returned by the method call `f(123, 864)`?

It would be helpful if you showed your work and partial results so we can follow the sequence of recursive calls and argument values. That should make it easier for you to get the correct answer and easier for us to award partial credit if something goes wrong along the way. Just be sure that you clearly show your final answer at the end.

CSE 143 Midterm, August 1, 2011

Additional blank page for scratch paper.

If you write an answer to a test question here, be sure to go back to the original page and write a note so the grader can find your answer.

CSE 143 Midterm, August 1, 2011

Additional blank page for scratch paper.

If you write an answer to a test question here, be sure to go back to the original page and write a note so the grader can find your answer.