

# CSE 190 M, Spring 2007

## Final Exam Key


### 1. HTML/CSS

## Scene

#7

Elizabeth: Captain Barbosa, I am here to negotiate the cessation of hostilities against Port Royal.

Barbossa:



There are a lot of long words in

there, Miss.

What is it that you want?

Elizabeth: I want you to leave and never come back.

Barbossa: I'm disinclined to acquiesce to your request. Means "no."

---

## 2. Javascript/DOM

```
window.onload = loadq2;
```

```
function loadq2() {  
    var del = document.getElementById("del");  
    del.onclick = divideAll;  
}
```

```
function divideAll() {  
    var divisor = document.getElementById("divisor").value;  
    var div = document.getElementById("q2buttons");  
    var buttons = div.getElementsByTagName("button");  
    for (var i = 0; i < buttons.length; i++) {  
        if (buttons[i].innerHTML % divisor == 0) {  
            div.removeChild(buttons[i]);  
            i--;  
        }  
    }  
}
```

```
}  
or:
```

```
window.onload = loadq2;
```

```
function loadq2() {  
    var del = document.getElementById("del");  
    del.onclick = divideAll;  
}
```

```
function divideAll() {  
    var divisor = document.getElementById("divisor").value;  
    var div = document.getElementById("q2buttons");  
    while (div.firstChild.innerHTML % divisor == 0) {  
        div.removeChild(div.firstChild);  
    }  
    var button = div.firstChild;  
    while (button.nextSibling) {  
        if (button.nextSibling.innerHTML % divisor == 0) {  
            div.removeChild(button.nextSibling);  
        }  
    }  
}
```

```
}
```

---

### 3. Ajax/XML

```
window.onload = loadq3;
```

```
function loadq3() {  
    ajaxHelper("movie.xml", displayLines);  
}
```

```
function displayLines(ajax) {  
    var q3html = document.getElementById("q3html");  
    var character = ajax.responseXML.getElementsByTagName("character")[0];  
    var lines = character.getElementsByTagName("line");  
    for (var i = 0; i < lines.length; i++) {  
        var time = lines[i].getAttribute("time");  
        var text = lines[i].firstChild.nodeValue;  
        var p = document.createElement("p");  
        p.innerHTML = "(" + time + ") " + text;  
        q3html.appendChild(p);  
    }  
}
```

---

## 4. PHP

```
<?php
include("q4top.html");

$name = $_POST["name"];
$cc = $_POST["cc"];
$pw = $_POST["pw"];

if ($name == "" || strlen($pw) < 6 ||
    !preg_match("/^\d{4}[-]?\d{4}[-]?\d{4}[-]?\d{4}$/", $cc)) {
    print("<h1>Denied! Invalid data.</h1>");
} else {
    print("<h1>Successful.</h1>");
}
$cc = preg_replace("/-/","",$cc);
$pw = preg_replace("/./","*",$pw);
print("<p>$name, $pw, $cc</p>");

include("q4bottom.html");
?>
```

---

## 5. SQL

```
SELECT DISTINCT c1.Role
FROM      Movie m1, Movie m2, Cast c1, Cast c2
WHERE     c1.Role = c2.Role
AND       c1.mid = m1.id
AND       c2.mid = m2.id
AND       m1.name LIKE "%Pirates of the Caribbean%"
AND       m2.name LIKE "%Pirates of the Caribbean%"
ORDER BY c1.Role;
```

or:

```
SELECT DISTINCT c1.Role
FROM      Movie m1, Movie m2, Cast c1, Cast c2
WHERE     c1.aid = c2.aid
AND       c1.mid = m1.id
AND       c2.mid = m2.id
AND       m1.name LIKE "%Pirates of the Caribbean%"
AND       m2.name LIKE "%Pirates of the Caribbean%"
ORDER BY c1.Role;
```