

# CSE 333

## Lecture 16 -- networks

**Hal Perkins**

Department of Computer Science & Engineering

University of Washington





# Administrivia

HW3 due Thursday

- Debugging: What's your experience? What worked? Where were the bugs lurking? What turned out to be dead ends?

Today - overview of networking

Then - client-side and server-side TCP sockets



# Rest of the quarter

HW3 due Thursday night

HW4 out by end of week, due last Thur. of the quarter

2 more exercises:


- TCP client side: out this week, due Wed. after long weekend
- TCP server side: out next week, due following Mon. (last wk)

Final exam: Wed. June 11, 2:30

- Last minute review Q&A Tue. late afternoon?



# Networks from 10,000ft







# The “physical” layer

Individual bits are modulated onto a wire or transmitted over radio

- ▶ physical layer specifies how bits are encoded at a signal level
- ▶ e.g., a simple spec would encode “1” as +1V, “0” as -1V








# The “data link” layer

Multiple computers on a LAN contend for the network medium

- ▶ media access control (MAC) specifies how computers cooperate
- ▶ link layer also specifies how bits are packetized and NICs are addressed






# The “network” layer (IP)

The Internet Protocol (IP) routes packets across multiple networks

- ▶ every computer has a unique Internet address (IP address)
- ▶ individual networks are connected by routers that span networks






# The “network” layer (IP)

Protocols to:

- ▶ let a host find the MAC address of an IP address on the same network
- ▶ let a router learn about other routers and figure out how to get IP packets one step closer to their destination






# The “network” layer (IP)

## Packet encapsulation

- ▶ an IP packet is encapsulated as the payload of an Ethernet frame
- ▶ as IP packets traverse networks, routers pull out the IP packet from an ethernet frame and plunk it into a new one on the next network






# The “transport” layer (TCP, UDP)

## TCP

- ▶ the “transmission control protocol”
- ▶ provides apps with reliable, ordered, congestion-controlled byte streams
- ▶ fabricates them by sending multiple IP packets, using sequence numbers to detect missing packets, and retransmitting them
- ▶ a single host (IP address) can have up to 65,535 “ports”
  - ▶ kind of like an apartment number at a postal address






# The “transport” layer (TCP, UDP)

## TCP



- ▶ useful analogy: how would you send a book by mail via postcards?
- ▶ split the book into multiple postcards, send each one by one, including sequence numbers that indicate the assembly order
- ▶ receiver sends back postcards to acknowledge receipt and indicate which got lost in the mail





# The “transport” layer (TCP)

Packet encapsulation -- same as before!






# The “transport” layer (TCP)

Applications use OS services to establish TCP streams

- the “Berkeley sockets” API -- a set of OS system calls
- clients **connect()** to a server IP address + application port number
- servers **listen()** for and **accept()** client connections
- clients, servers **read()** and **write()** data to each other






# The “transport” layer (UDP)

## UDP

- the “user datagram protocol”
- provides apps with unreliable packet delivery
- UDP datagrams are fragmented into multiple IP packets
  - UDP is a really thin, simple layer on top of IP






# The (mostly missing) layers 5,6

## Layer 5: session layer

- ▶ supposedly handles establishing, terminating application sessions
- ▶ RPC kind of fits in here

## Layer 6: presentation layer

- ▶ supposedly maps application-specific data units into a more network-neutral representation
- ▶ encryption (SSL) kind of fits in here






# The “application” layer

## Application protocols


- the format and meaning of messages between application entities
- e.g., HTTP is an application level protocol that dictates how web browsers and web servers communicate
  - ▶ HTTP is implemented on top of TCP streams





# The “application” layer


Packet encapsulation -- same as before!





# The “application” layer

Packet encapsulation -- same as before!





# The “application” layer

## Popular application-level protocols:

- **DNS**: translates a DNS name (**www.google.com**) into one or more IP addresses (74.125.155.105, 74.125.155.106, ...)
  - a hierarchy of DNS servers cooperate to do this
- **HTTP**: web protocols
- **SMTP, IMAP, POP**: mail delivery and access protocols
- **ssh**: remote login protocol
- **bittorrent**: peer-to-peer, swarming file sharing protocol



See you on Wednesday!