CSE 333 – SECTION 5

C++ continued

Overview

- Questions (?)
- C++ Classes, new, delete, etc.
- Drawing Memory Diagrams
- References Revisited

C++ classes

- Encapsulation and Abstraction
- Access specifiers:
  - Public: anything outside the class can access it
  - Protected: only this class and derived classes can access it
  - Private: only this class can access it
- Polymorphism
- Multiple Inheritance

new and delete

- new is used to allocate objects and primitive data types on the heap
- delete is used to deallocate these heap allocated objects
- Use "delete [ ] array" on an array
- Unlike malloc() and free(), new and delete are operators

Memory diagram

- See: BadCopy.cc
- See: wrapmain.cc and IntArrayList.h
- What does memory look like when you call the default constructor?
- How about the copy constructor?

Memory diagram

```cpp
#define MAXSIZE 3
class IntArrayList {
public:
  IntArrayList() : array_(new int[MAXSIZE]), len_(0), maxsize_(MAXSIZE) { }

  IntArrayList(const int *const arr, size_t len) : len_(len), maxsize_(len_*2) {
    array_ = new int[maxsize_];
    memcpy(array_, arr, len * sizeof(int));
  }

  IntArrayList(const IntArrayList &rhs) {
    len_ = rhs.len_;
    maxsize_ = rhs.maxsize_;
    array_ = new int[maxsize_];
    memcpy(array_, rhs.array_, maxsize_ * sizeof(int));
  }
  ...
private:
  int *array_;
  size_t len_;
  size_t maxsize_;
};
```

Memory diagram

```cpp
class Wrap {
public:
  Wrap() : p_(nullptr) { }
  Wrap(IntArrayList *p)
    : p_(p) { *p_ = *p; }
  IntArrayList *p() const
    {return p_;}
private:
  IntArrayList *p_;
}

struct List {
  IntArrayList v;
}
```

```cpp
int main() {
  Wrap a;
  Wrap b(new IntArrayList);
  struct List c { };
  struct List d {*b.p()};
  a = b;
  c = d;
  Wrap *e;
  e = &a;
  Wrap *f = new Wrap(&d.v);
  struct List *g =
      new struct List;
  g->v = *(new IntArrayList);
  delete f;
  delete g;
  return 0;
}
```

Exercise 1

- A) Create a Memory Diagram for the following code:

```cpp
int main() {
  IntArrayList a;
  IntArrayList *b = new IntArrayList();
  struct List l { a };
  struct List m { *b };
  Wrap w(b);
  delete b;
}
```

- B) Identify any potential leaks (if any)

Exercise 2

- Modify wrapmain.cc and IntArrayList.h such that there are no memory leaks in wrapmain.cc