

C++ STL (part 2 of 2)

CSE 333 Fall 2023

Instructor: Chris Thachuk

Teaching Assistants:

Ann Baturytski

Yuquan Deng

Noa Ferman

James Froelich

Hannah Jiang

Yegor Kuznetsov

Humza Lala

Alan Li

Leanna Mi Nguyen

Chanh Truong

Jennifer Xu

Relevant Course Information

- ❖ Homework 3 released today, due Nov. 16
- ❖ Exercise 8 deadline extended to Monday, Nov. 6
 - Use C++ reference material to find useful standard library features
- ❖ Midterm Grading Update

Review from last lecture

vectorfun.cc

```
#include <iostream>
#include <vector>
#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    cout << "vec.push_back " << a << endl;
    vec.push_back(a);
    cout << "vec.push_back " << b << endl;
    vec.push_back(b);
    cout << "vec.push_back " << c << endl;
    vec.push_back(c);

    cout << "vec[0]" << endl << vec[0] << endl;
    cout << "vec[2]" << endl << vec[2] << endl;

    return EXIT_SUCCESS;
}
```

Review from last lecture

Why All the Copying?

Lecture Outline

- ❖ **STL iterators, algorithms**
- ❖ STL (finish)
 - List
 - Map

STL `iterator`

- ❖ Each container class has an associated `iterator` class (e.g., `vector<int>::iterator`) used to iterate through elements of the container
 - <https://cplusplus.com/reference/iterator/iterator/>
 - `Iterator range` is from `begin` up to `end`, i.e., `[begin, end)`
 - `end` is one past the last container element!
 - Some container iterators support more operations than others
 - All can be incremented (`++`), copied, copy-constructed
 - Some can be dereferenced on RHS (e.g., `x = *it;`)
 - Some can be dereferenced on LHS (e.g., `*it = x;`)
 - Some can be decremented (`--`)
 - Some support random access (`[]`, `+`, `-`, `+=`, `-=`, `<`, `>` operators)

iterator Example

vectoriterator.cc

```
#include <vector>

#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    vec.push_back(a);
    vec.push_back(b);
    vec.push_back(c);

    cout << "Iterating:" << endl;
    vector<Tracer>::iterator it;
    for (it = vec.begin(); it < vec.end(); it++) {
        cout << *it << endl;
    }
    cout << "Done iterating!" << endl;
    return EXIT_SUCCESS;
}
```

Type Inference (C++11)

- ❖ The `auto` keyword can be used to infer types
 - Simplifies your life if, for example, functions return complicated types
 - The expression using `auto` must contain explicit initialization for it to work

```
// Calculate and return a vector  
// containing all factors of n  
std::vector<int> Factors(int n);  
  
void foo(void) {  
    // Manually identified type  
    std::vector<int> facts1 =  
        Factors(324234);  
  
    // Inferred type  
    auto facts2 = Factors(12321);  
  
    // Compiler error here  
    auto facts3;  
}
```


auto and Iterators

- ❖ Life becomes much simpler!

```
for (vector<Tracer>::iterator it = vec.begin(); it < vec.end(); it++) {  
    cout << *it << endl;  
}
```



```
for (auto it = vec.begin(); it < vec.end(); it++) {  
    cout << *it << endl;  
}
```

Range for Statement (C++11)

- ❖ Syntactic sugar similar to Java's `foreach`

```
for ( declaration : expression ) {  
    statements  
}
```

- *declaration* defines loop variable
- *expression* is an object representing a sequence
 - Strings, initializer lists, arrays with an explicit length defined, STL containers that support iterators

```
// Prints out a string, one  
// character per line  
std::string str("hello");  
  
for ( auto c : str ) {  
    std::cout << c << std::endl;  
}
```

Updated iterator Example

vectoriterator_2011.cc

```
#include <vector>

#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    vec.push_back(a);
    vec.push_back(b);
    vec.push_back(c);

    cout << "Iterating:" << endl;
    // "auto" is a C++11 feature not available on older compilers
    for (auto& p : vec) {
        cout << p << endl;
    }
    cout << "Done iterating!" << endl;
    return EXIT_SUCCESS;
}
```

STL Algorithms

- ❖ A set of functions to be used on ranges of elements
 - **Range**: any sequence that can be accessed through *iterators* or *pointers*, like arrays or some of the containers
 - General form: `algorithm(begin, end, ...);`
- ❖ Algorithms operate directly on range *elements* rather than the containers they live in
 - Make use of elements' copy ctor, =, ==, !=, <
 - Some do not modify elements
 - e.g., **find**, **count**, **for_each**, **min_element**, **binary_search**
 - Some do modify elements
 - e.g., **sort**, **transform**, **copy**, **swap**

Algorithms Example

vectoralgos.cc

```
#include <vector>
#include <algorithm>
#include "Tracer.h"
using namespace std;

void PrintOut(const Tracer& p) {
    cout << " printout: " << p << endl;
}

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    vec.push_back(c);
    vec.push_back(a);
    vec.push_back(b);
    cout << "sort:" << endl;
    sort(vec.begin(), vec.end());
    cout << "done sort!" << endl;
    for_each(vec.begin(), vec.end(), &PrintOut);
    return 0;
}
```

Attempt on your own after lecture

Copying For sort

Attempt on your own after lecture

Iterator Question

- ❖ Write a function **OrderNext** () that takes a `vector<Tracer>` iterator and then does the compare-and-possibly-swap operation we saw in **sort** () on that element and the one *after* it
 - Hint: Iterators behave similarly to pointers!
 - Example: **OrderNext** (`vec.begin` ()) should order the first 2 elements of `vec`

Lecture Outline

- ❖ STL iterators, algorithms
- ❖ **STL (finish)**
 - List
 - Map

STL `list`

- ❖ A generic doubly-linked list
 - <https://cplusplus.com/reference/list/list/>
 - Elements are **not** stored in contiguous memory locations
 - Does not support random access (*e.g.*, cannot do `list[5]`)
 - Some operations are much more efficient than vectors
 - Constant time insertion, deletion anywhere in list
 - Can iterate forward or backwards
 - Has a built-in sort member function
 - Doesn't copy! Manipulates list structure instead of element values

list Example

listexample.cc

```
#include <list>
#include <algorithm>
#include "Tracer.h"
using namespace std;

void PrintOut(const Tracer& p) {
    cout << " printout: " << p << endl;
}

int main(int argc, char** argv) {
    Tracer a, b, c;
    list<Tracer> lst;

    lst.push_back(c);
    lst.push_back(a);
    lst.push_back(b);
    cout << "sort:" << endl;
    lst.sort();
    cout << "done sort!" << endl;
    for_each(lst.begin(), lst.end(), &PrintOut);
    return EXIT_SUCCESS;
}
```

STL `map`

- ❖ One of C++'s *associative* containers: a key/value table, implemented as a search tree
 - <https://cplusplus.com/reference/map/map/>
 - General form: `map<key_type, value_type> name;`
 - Keys must be *unique*
 - `multimap` allows duplicate keys
 - Efficient lookup ($\mathcal{O}(\log n)$) and insertion ($\mathcal{O}(\log n)$)
 - Access `value` via `name[key]`
 - Elements are type `pair<key_type, value_type>` and are stored in *sorted* order (key is field `first`, value is field `second`)
 - Key type must support less-than operator (`<`)

map Example

mapexample.cc

```
void PrintOut(const pair<Tracer, Tracer>& p) {
    cout << "printout: [" << p.first << ", " << p.second << "]" << endl;
}

int main(int argc, char** argv) {
    Tracer a, b, c, d, e, f;
    map<Tracer, Tracer> table;
    map<Tracer, Tracer>::iterator it;

    table.insert(pair<Tracer, Tracer>(a, b));
    table[c] = d;
    table[e] = f;
    cout << "table[e]:" << table[e] << endl;
    it = table.find(c);

    cout << "PrintOut(*it), where it = table.find(c)" << endl;
    PrintOut(*it);

    cout << "iterating:" << endl;
    for_each(table.begin(), table.end(), &PrintOut);

    return EXIT_SUCCESS;
}
```

Basic map Usage

❖ `animals.cc`

Basic map Usage

❖ `animals.cc`



- https://www.youtube.com/watch?v=jofNR_WkoCE

Unordered Containers (C++11)

- ❖ `unordered_map`, `unordered_set`
 - And related classes `unordered_multimap`, `unordered_multiset`
 - Average case for key access is $\mathcal{O}(1)$
 - But range iterators can be less efficient than ordered `map/set`
 - See *C++ Primer*, online references for details

Extra Exercise #1

- ❖ Using the `Tracer.h/.cc` files from lecture:
 - Construct a vector of lists of Tracers
 - *i.e.*, a `vector` container with each element being a `list` of `Tracers`
 - Observe how many copies happen 😊
 - Use the sort algorithm to sort the vector
 - Use the `list.sort()` function to sort each list