

C++ Class Details, Heap

CSE 333 Spring 2023

Instructor: Chris Thachuk

Teaching Assistants:

Byron Jin

CJ Reith

Deeksha Vawani

Edward Zhang

Humza Lala

Lahari Nidadavolu

Noa Ferman

Saket Gollapudi

Seulchan (Paul) Han

Timmy Yang

Tim Mandzyuk

Wui Wu

Relevant Course Information

- ❖ Exercise 6 due Monday
- ❖ Exercise 7 out by Monday
 - Will build on Exercise 6 and use what a lot of is discussed today
- ❖ Homework 2 due Thursday (4/27)
 - File system crawler, indexer, and search engine
 - Don't forget to clone your repo to double-/triple-/quadruple-check compilation!
 - Don't modify the header files!

Lecture Outline

- ❖ **Class Details**
 - **Filling in some gaps from last time**
- ❖ **Using the Heap**
 - `new / delete / delete []`

Rule of Three

- ❖ If you define any of:
 - 1) Destructor
 - 2) Copy Constructor
 - 3) Assignment (`operator=`)
- ❖ Then you should normally define all three
 - Can explicitly ask for default synthesized versions (C++11):

```
class Point {  
public:  
    Point() = default;           // the default ctor  
    ~Point() = default;         // the default dtor  
    Point(const Point& copyme) = default; // the default cctor  
    Point& operator=(const Point& rhs) = default; // the default "="  
    ...  
};
```

Dealing with the Insanity (C++11)

❖ C++ style guide tip:

- **Disabling** the copy constructor and assignment operator can avoid confusion from implicit invocation and excessive copying

Point_2011.h

```
class Point {
public:
    Point(const int x, const int y) : x_(x), y_(y) { } // ctor
    ...
    Point(const Point& copyme) = delete; // declare cctor and "=" as
    Point& operator=(const Point& rhs) = delete; // as deleted (C++11)
private:
    ...
}; // class Point

Point w; // compiler error (no default constructor)
Point x(1, 2); // OK!
Point y = w; // compiler error (no copy constructor)
y = x; // compiler error (no assignment operator)
```

Access Control

- ❖ **Access modifiers** for members:
 - `public`: accessible to *all* parts of the program
 - `private`: accessible to the member functions of the class
 - Private to *class*, not object instances
 - `protected`: accessible to member functions of the class and any *derived* classes (subclasses – more to come, later)
- ❖ Reminders:
 - Access modifiers apply to *all* members that follow until another access modifier is reached
 - If no access modifier is specified, `struct` members default to `public` and `class` members default to `private`

Nonmember Functions

- ❖ “Nonmember functions” are just normal functions that happen to use some class
 - Called like a regular function instead of as a member of a class object instance
 - This gets a little weird when we talk about operators...
 - These do *not* have access to the class’ private members
- ❖ Useful nonmember functions often included as part of interface to a class
 - Declaration goes in header file, but *outside* of class definition

friend Nonmember Functions

- ❖ A class can give a nonmember function (or class) access to its non-`public` members by declaring it as a `friend` within its definition
 - Not a class member, but has access privileges as if it were
 - `friend` functions are usually unnecessary if your class includes appropriate “getter” public functions

Complex.h

```
class Complex {  
    ...  
    friend std::istream& operator>>(std::istream& in, Complex& a);  
    ...  
}; // class Complex
```

```
std::istream& operator>>(std::istream& in, Complex& a) {  
    ...  
}
```

Complex.cc 8

When to use Nonmember and `friend`



There is more to C++ object design that we don't have time to get to; these are good rules of thumb, but be sure to think about your class carefully!

❖ Member functions:

- Operators that modify the object being called on
 - Assignment operator (`operator=`)
- “Core” non-operator functionality that is part of the class interface

❖ Nonmember functions:

- Used for commutative operators
 - *e.g.*, so `v1 + v2` is invoked as `operator+(v1, v2)` instead of `v1.operator+(v2)`
- If operating on two types and the class is on the right-hand side
 - *e.g.*, `cin >> complex;`
- Returning a “new” object, not modifying an existing one
- Only grant `friend` permission if you NEED to



Poll Everywhere

pollev.com/cse333sp

If we wanted to overload `operator==` to compare two `Point` objects, what type of function should it be?

- ❖ Reminder that `Point` has getters and a setter
- A. **non-friend + member**
- B. **friend + member**
- C. **non-friend + non-member**
- D. **friend + non-member**
- E. **I'm lost...**

Namespaces

- ❖ Each namespace is a separate scope
 - Useful for avoiding symbol collisions!

ll::Iterator
ht::Iterator

Same name, but
different
namespace

- ❖ Namespace definition:

lowercase

```
namespace name {  
    // declarations go here  
} // namespace name
```

Namespace doesn't add
indentation to contents

Comment to remind that this
is end of namespace

- Doesn't end with a semi-colon and doesn't add to the indentation of its contents
- Creates a new namespace name if it did not exist, otherwise *adds to the existing namespace (!)*
 - This means that components (e.g., classes, functions) of a namespace can be defined in multiple source files

Classes vs. Namespaces

- ❖ They seems somewhat similar, but classes are *not* namespaces:
 - There are no instances/objects of a namespace; a namespace is just a group of logically-related things (classes, functions, etc.)
 - To access a member of a namespace, you must use the fully qualified name (*i.e.*, `nsp_name::member`)
 - Unless you are `using` that namespace
 - You only used the fully qualified name of a class member when you are defining it outside of the scope of the class definition

Complex Example Walkthrough

See:

`Complex.h`

`Complex.cc`

`testcomplex.cc`

Lecture Outline

- ❖ Class Details
 - Filling in some gaps from last time
- ❖ **Using the Heap**
 - `new / delete / delete []`



C++11 `nullptr`

- ❖ C and C++ have long used `NULL` as a pointer value that references nothing
- ❖ C++11 introduced a new literal for this: `nullptr`
 - New reserved word
 - Interchangeable with `NULL` for all practical purposes, but it has type `T*` for any/every `T`, and is not an integer value
 - Avoids funny edge cases (see C++ references for details)
 - Still can convert to/from integer `0` for tests, assignment, etc.
 - Advice: prefer `nullptr` in C++11 code
 - Though `NULL` will also be around for a long, long time

new/delete

- ❖ To allocate on the heap using C++, you use the `new` keyword instead of `malloc()` from `stdlib.h`
 - You can use `new` to allocate an object (e.g., `new Point`)
 - You can use `new` to allocate a primitive type (e.g., `new int`)
- ❖ To deallocate a heap-allocated object or primitive, use the `delete` keyword instead of `free()` from `stdlib.h`
 - Don't mix and match!
 - Never `free()` something allocated with `new`
 - Never `delete` something allocated with `malloc()`
 - Careful if you're using a legacy C code library or module in C++

new/delete Behavior

❖ new behavior:

- When allocating you can specify a constructor or initial value
 - e.g., `new Point(1, 2)`, `new int(333)`
- If no initialization specified, it will use default constructor for objects and uninitialized (“mystery”) data for primitives
- You don’t need to check that `new` returns `nullptr`
 - When an error is encountered, an exception is thrown (that we won’t worry about)

❖ delete behavior:

- If you `delete` already `deleted` memory, then you will get undefined behavior (same as when you double `free` in C)

new/delete Example

```
int* AllocateInt(int x) {
    int* heapy_int = new int;
    *heapy_int = x;
    return heapy_int;
}
```

```
Point* AllocatePoint(int x, int y) {
    Point* heapy_pt = new Point(x, y);
    return heapy_pt;
}
```

heappoint.cc

```
#include "Point.h"

... // definitions of AllocateInt() and AllocatePoint()

int main() {
    Point* x = AllocatePoint(1, 2);
    int* y = AllocateInt(3);

    cout << "x's x_coord: " << x->get_x() << endl;
    cout << "y: " << *y << ", *y: " << *y << endl;

    delete x;
    delete y;
    return EXIT_SUCCESS;
}
```

Dynamically Allocated Arrays

❖ To dynamically allocate an array:

- Default initialize: `type* name = new type[size];`

❖ To dynamically deallocate an array:

- Use `delete [] name;`

- It is an *incorrect* to use “`delete name;`” on an array
 - The compiler probably won't catch this, though (!) because it can't always tell if `name*` was allocated with `new type[size];` or `new type;`
 - Especially inside a function where a pointer parameter could point to a single item or an array and there's no way to tell which!
 - Result of wrong `delete` is undefined behavior

Arrays Example (primitive)

arrays.cc

```
#include "Point.h"

int main() {
    int stack_int;
    int* heap_int = new int;
    int* heap_int_init = new int(12);

    int stack_arr[3];
    int* heap_arr = new int[3];

    int* heap_arr_init_val = new int[3]();
    int* heap_arr_init_lst = new int[3]{4, 5}; // C++11

    ...

    delete heap_int; //
    delete heap_int_init; //
    delete heap_arr; //
    delete[] heap_arr_init_val; //

    return EXIT_SUCCESS;
}
```

Arrays Example (class objects)

arrays.cc

```
#include "Point.h"

int main() {
    ...

    Point stack_pt(1, 2);
    Point* heap_pt = new Point(1, 2);

    Point* heap_pt_arr_err = new Point[2];

    Point* heap_pt_arr_init_lst = new Point[2]{{1, 2}, {3, 4}};
                                        // C++11

    ...

    delete heap_pt;
    delete[] heap_pt_arr_init_lst;

    return EXIT_SUCCESS;
}
```

malloc vs. new

	<code>malloc()</code>	<code>new</code>
What is it?	a function	an operator or keyword
How often used (in C)?	often	never
How often used (in C++)?	rarely	often
Allocated memory for	anything	arrays, structs, objects, primitives
Returns	a <code>void*</code> <i>(should be cast)</i>	appropriate pointer type <i>(doesn't need a cast)</i>
When out of memory	returns <code>NULL</code>	throws an exception
Deallocating	<code>free()</code>	<code>delete</code> or <code>delete []</code>



Poll Everywhere

pollev.com/cse333sp

What will happen when we invoke **Bar ()** ?

- If there is an error, how would you fix it?

A. **Bad dereference**

B. **Bad delete**

C. **Memory leak**

D. **“Works” fine**

E. **We’re lost...**

```
Foo::Foo(int val) { Init(val); }
Foo::~~Foo() { delete foo_ptr_; }

void Foo::Init(int val) {
    foo_ptr_ = new int;
    *foo_ptr_ = val;
}

Foo& Foo::operator=(const Foo& rhs) {
    delete foo_ptr_;
    Init(*(rhs.foo_ptr_));
    return *this;
}

void Bar() {
    Foo a(10);
    Foo b(20);
    a = a;
}
```

Rule of Three, Revisited

- ❖ Now what will happen when we invoke **Bar** () ?
 - If there is an error, how would you fix it?

```
Foo::Foo(int val) { Init(val); }
Foo::~~Foo() { delete foo_ptr_; }

void Foo::Init(int val) {
    foo_ptr_ = new int;
    *foo_ptr_ = val;
}

Foo& Foo::operator=(const Foo& rhs) {
    if (&rhs != this) {
        delete foo_ptr_;
        Init(*(rhs.foo_ptr_));
    }
    return *this;
}

void Bar() {
    Foo a(10);
    Foo b = a;
}
```


Extra Exercise #1

- ❖ Write a C++ function that:
 - Uses `new` to dynamically allocate an array of strings and uses `delete []` to free it
 - Uses `new` to dynamically allocate an array of pointers to strings
 - Assign each entry of the array to a string allocated using `new`
 - Cleans up before exiting
 - Use `delete` to delete each allocated string
 - Uses `delete []` to delete the string pointer array
 - (whew!)