

# Networking Introduction

CSE 333

**Instructor:** Hannah C. Tang

## Teaching Assistants:

Deeksha Vatwani Hannah Jiang

Jen Xu

Leanna Nguyen Nam Nguyen

Sayuj Shahi

Tanay Vakharia Wei Wu

Yiqing Wang


Zohar Le

# Lecture Outline

- ❖ Introduction to Networks
  - Layers upon layers upon layers...





# Networks From 10,000 ft



# The Physical Layer




- ❖ Individual bits are modulated onto a wire or transmitted over radio
  - Physical layer specifies how bits are encoded at a signal level
  - Many choices, e.g., encode “1” as +1v, “0” as -0v; or “0”=+1v, “1”=-1v, ...

0 1 0 1




# The Data Link Layer

- ❖ Multiple computers on a LAN contend for the network medium
  - Media access control (MAC) specifies how computers cooperate
  - Link layer also specifies how bits are “packetized” and network interface controllers (NICs) are addressed




# The Network Layer (IP)

- ❖ Internet Protocol (IP) routes packets across multiple networks
  - Every computer has a unique IP address
  - Individual networks are connected by routers that span networks





# The Network Layer (IP)

- ❖ There are protocols to:
  - Let a host map an IP to MAC address on the same network
  - Let a router learn about other routers to get IP packets one step closer to their destination



# The Network Layer (IP)

- ❖ Packet encapsulation:
  - An IP packet is encapsulated as the payload of an Ethernet frame
  - As IP packets traverse networks, routers pull out the IP packet from an Ethernet frame and plunk it into a new one on the next network






- ❖ Design an addressing system for a planet. You can assume you only need two levels: a "network ID" and a "subnetwork ID"
  - Eg, "UW" = network ID and "123456" as the subnetwork ID
  - You have to do this in 32 bits

$$2^{32} \approx 4B$$
$$(k) \quad (32-k)$$

net id      subnet id




# Outline

- ❖ **Introduction to Networks**
- ❖ Network Programming
  - Sockets API
  - Network Addresses
  - DNS Lookup



# The Transport Layer (TCP)

- ❖ Transmission Control Protocol (TCP):
  - Provides applications with reliable, ordered, congestion-controlled byte streams
    - Sends stream data as multiple IP packets (differentiated by sequence numbers) and retransmits them as necessary
    - When receiving, puts packets back in order and detects missing packets
  - A single host (IP address) can have up to  $2^{16} = 65,535$  “ports”
    - Kind of like an apartment number at a postal address (your applications are the residents who get mail sent to an apt. #)




# The Transport Layer (TCP)

- ❖ Packet encapsulation – one more nested layer!




# The Transport Layer (TCP)

- ❖ Applications use OS services to establish TCP streams:
  - The “Berkeley sockets” API
    - A set of OS system calls
  - Clients **connect** () to a server IP address + application port number
  - Servers **listen** () for and **accept** () client connections
  - Clients and servers **read** () and **write** () data to each other




# The Transport Layer (UDP)

- ❖ User Datagram Protocol (UDP):
  - Provides applications with *unreliable* packet delivery
  - UDP is a really thin, simple layer on top of IP
    - Datagrams still are fragmented into multiple IP packets




# The (Mostly Missing) Layers 5 & 6

- ❖ Layer 5: Session Layer
  - Supposedly handles establishing and terminating application sessions
  - Remote Procedure Call (RPC) kind of fits in here
- ❖ Layer 6: Presentation Layer
  - Supposedly maps application-specific data units into a more network-neutral representation
  - Encryption (SSL) kind of fits in here



# The Application Layer


- ❖ Application protocols
  - The format and meaning of messages between application entities
  - Example: HTTP is an application-level protocol that dictates how web browsers and web servers communicate
    - HTTP is implemented *on top of* TCP streams






# The Application Layer

## ❖ Packet encapsulation:



# The Application Layer

- ❖ Packet encapsulation:



# The Application Layer

- ❖ Popular application-level protocols:
  - **DNS:** translates a domain name (*e.g.* [www.google.com](http://www.google.com)) into one or more IP addresses (*e.g.* 74.125.197.106)
    - Domain Name System
    - An hierarchy of DNS servers cooperate to do this
  - **HTTP:** web protocols
    - Hypertext Transfer Protocol
  - **SMTP, IMAP, POP:** mail delivery and access protocols
    - Secure Mail Transfer Protocol, Internet Message Access Protocol, Post Office Protocol
  - **SSH:** secure remote login protocol
    - Secure Shell
  - **bittorrent:** peer-to-peer, swarming file sharing protocol

# netcat demo (if time)

- ❖ netcat (`nc`) is “a computer networking utility for reading from and writing to network connections using TCP or UDP”
  - <https://en.wikipedia.org/wiki/Netcat>
  - Listen on port: `nc -l <port>`
  - Connect: `nc <IPaddr> <port>`
    - Local host: `127.0.0.1`

# The Future of Networking?

