

CSE 341: Programming Languages

Section 1

Konstantin Weitz

Thanks to Dan Grossman, Josiah Adams, and Cody A. Schroeder for the substantial majority of this content

Hi, I'm Konstantin

Hi, I'm Konstantin

```
fun min(x, y) =  
  if x <= y then x else y.
```

Hi, I'm Konstantin



```
Function min x y :=  
  if x <=? y then x else y.
```

Hi, I'm Konstantin



```
Function min x y :=  
  if x <=? y then x else y.
```

```
Goal  $\forall x y, \text{min } x y \leq x \wedge$   
       $\text{min } x y \leq y.$ 
```

Hi, I'm Konstantin



```
Function min x y :=  
  if x <=? y then x else y.
```


```
Goal  $\forall x y, \text{min } x y \leq x \wedge$   
       $\text{min } x y \leq y.$ 
```

Proof.



```
intros; unfold min.  
destruct (x <=? y) eqn:e.  
= rewrite Nat.leb_le in e.  
  omega.  
= rewrite leb_iff_conv in e.  
  omega.
```

Qed.

Hi, I'm Konstantin



Hi, I'm Konstantin



SQL

Today's Agenda

- ML Development Workflow
 - Emacs
 - Using **use**
 - The REPL (Read–Eval–Print Loop)
- More ML
 - Shadowing Variables
 - Debugging Tips
 - Boolean Operations
 - Comparison Operations

Emacs Demo

- Recommended (not required) editor for this course
- Powerful, but the learning curve can at first be intimidating

Using *use*

```
use "foo.sml";
```

- Enters bindings from the file `foo.sml`
 - Like typing the variable bindings one at a time in sequential order into the REPL (more on this in a moment)
- Result is `()` bound to variable `it`
 - Ignorable

The REPL

- Read-Eval-Print-Loop is well named
- Conveniently run programs
 - Useful to quickly try something out
 - Save code for reuse by moving it into a persistent `.sml` file
- Expects semicolons
- For reasons discussed later, it's dangerous to reuse `use` without restarting the REPL session

Debugging Errors

Your mistake could be:

- **Syntax:** What you wrote means nothing or not the construct you intended
- **Type-checking:** What you wrote does not type-check
- **Evaluation:** It runs but produces wrong answer, or an exception, or an infinite loop

Keep these straight when debugging even if sometimes one kind of mistake appears to be another

Play around

Best way to learn something: Try lots of things and don't be afraid of errors

Work on developing resilience to mistakes

- Slow down
- Don't panic
- Read what you wrote very carefully

Maybe watching me make a few mistakes will help...

Shadowing of Variable Bindings

```
val a = 1; (* a -> 1 *)  
val b = a; (* a -> 1, b -> 1 *)  
val a = 2; (* a -> 2, b -> 1 *)
```

1. Expressions in variable bindings are evaluated “eagerly”
 - Before the variable binding “finishes”
 - Afterwards, the expression producing the value is irrelevant
1. Multiple variable bindings to the same variable name, or “**shadowing**”, is allowed
 - When looking up a variable, ML uses the latest binding by that name in the current environment
2. Remember, there is no way to “assign to” a variable in ML
 - Can only **shadow** it in a later environment
 - After binding, a variable’s value is an immutable constant

Try to Avoid Shadowing

```
val x = "Hello World";  
val x = 2;           (* is this a type error? *)  
val res = x * 2;    (* is this 4 or a type error? *)
```

- Shadowing can be confusing and is often poor style
- Why? Reintroducing variable bindings in the same REPL session may..
 - make it seem like *wrong* code is *correct*, or
 - make it seem like *correct* code is *wrong*.

Using a Shadowed Variable

- Is it ever possible to use a shadowed variable? **Yes! And no...**
- It can be possible to uncover a shadowed variable when the latest binding goes out of scope

```
val x = "Hello World";  
fun add1(x : int) = x + 1; (* shadow x in func body *)  
val y = add1 2;  
val z = x^"!!"; (* "Hello World!!" *)
```

Use `use` Wisely

- **Warning:** Variable shadowing makes it dangerous to call `use` more than once without *restarting* the REPL session.
- It may be fine to repeatedly call `use` in the same REPL session, but unless you know what you're doing, *be safe!*
 - Ex: loading multiple distinct files (with independent variable bindings) at the beginning of a session
 - `use`'s behavior is well-defined, but even expert programmers can get confused
- Restart your REPL session before repeated calls to `use`

Boolean Operations

Operation	Syntax	Type-checking	Evaluation
<code>andalso</code>	<code>e1 andalso e2</code>	<code>e1</code> and <code>e2</code> must have type <code>bool</code>	Same as Java's <code>e1 && e2</code>
<code>orelse</code>	<code>e1 orelse e2</code>	<code>e1</code> and <code>e2</code> must have type <code>bool</code>	Same as Java's <code>e1 e2</code>
<code>not</code>	<code>not e1</code>	<code>e1</code> must have type <code>bool</code>	Same as Java's <code>!e1</code>

- `not` is just a pre-defined function, but `andalso` and `orelse` must be built-in operations since they cannot be implemented as a function in ML.
 - Why? Because `andalso` and `orelse` “short-circuit” their evaluation and may not evaluate *both* `e1` and `e2`.
- Be careful to always use `andalso` instead of `and`.
- `and` is completely different. We will get back to it later.

Style with Booleans

Language does not *need* `andalso` , `orelse` , or `not`

```
(* e1 andalso e2 *)  
if e1  
then e2  
else false
```

```
(* e1 orelse e2 *)  
if e1  
then true  
else e2
```

```
(* not e1 *)  
if e1  
then false  
else true
```

Using more concise forms generally much better style

And definitely please do not do this:

```
(* just say e (!!!) *)  
if e  
then true  
else false
```

Comparisons

For comparing `int` values:

`=` `<>` `>` `<` `>=` `<=`

You might see weird error messages because comparators can be used with some other types too:

- `>` `<` `>=` `<=` can be used with `real`, but not 1 `int` and 1 `real`
- `=` `<>` can be used with any “equality type” but not with `real`
 - Let’s not discuss equality types yet