

Procedures II

CSE 351 Autumn 2022

Instructor:

Justin Hsia

Teaching Assistants:

Angela Xu

Arjun Narendra

Armin Magness

Assaf Vayner

Carrie Hu

Clare Edmonds

David Dai

Dominick Ta

Effie Zheng

James Froelich

Jenny Peng

Kristina Lansang

Paul Stevans

Renee Ruan

Vincent Xiao

WHY DO YOU LIKE FUNCTIONAL
PROGRAMMING SO MUCH? WHAT
DOES IT ACTUALLY GET YOU?

TAIL RECURSION IS
ITS OWN REWARD.



<http://xkcd.com/1270/>

Relevant Course Information

- ❖ Lab 1b grades released tonight
 - Regrade requests open Wednesday – Friday
- ❖ Lab 2 due Friday (10/28)
 - Since you are submitting a text file (`defuser.txt`), there won't be any Gradescope autograder output this time
 - Extra credit (bonus) needs to be submitted to the extra credit assignment
- ❖ Midterm (take home, 11/3–11/5)
 - Make notes and use the [midterm reference sheet](#)
 - Form study groups and look at past exams!

Polling Question

Vote only on 3rd question on
Ed Lessons

- ❖ Answer the following questions about when `main()` is run (assume `x` and `y` stored on the Stack):

```
int main() {  
    int i, x = 0;  
    for(i=0;i<3;i++)  
        x = randSum(x);  
    printf("x = %d\n", x);  
    return 0;  
}
```

```
int randSum(int n) {  
    int y = rand()%20;  
    return n+y;  
}
```

- *Higher/larger address:* `x` or `y`?
- How many total stack frames are *created*?
- What is the maximum *depth* (# of frames) of the Stack?

A. 1 B. 2 C. 3 D. 4

Reading Review

- ❖ Terminology:
 - Stack frame: return address, saved registers, local variables, argument build
 - Register saving conventions: callee-saved and caller-saved
- ❖ Questions from the Reading?


x86-64/Linux Stack Frame (Review)

❖ Caller's Stack Frame

- Extra arguments (if > 6 args) for this call

❖ Current/Callee Stack Frame

- Return address
 - Pushed by `call` instruction
- Old frame pointer (optional)
- Saved register context
(when reusing registers)
- Local variables
(If can't be kept in registers)
- “Argument build” area
(If callee needs to call another function -
parameters for function about to call, if
needed)



Review Question

- ❖ In the following function, how big is the stack frame? Which instruction(s) pertain to the **local variables** and **saved registers** portions of its stack frame?

```
call_incr2:  
1  pushq    %rbx  
2  subq    $16, %rsp  
3  movq    %rdi, %rbx  
4  movq    $351, 8(%rsp)  
5  movl    $100, %esi  
6  leaq    8(%rsp), %rdi  
7  call    increment  
8  addq    %rbx, %rax  
9  addq    $16, %rsp  
10 popq    %rbx  
11 ret
```

Example: increment

```
long increment(long* p, long val) {  
    long x = *p;  
    long y = x + val;  
    *p = y;  
    return x;  
}
```

increment:

```
movq    (%rdi), %rax  
addq    %rax, %rsi  
movq    %rsi, (%rdi)  
ret
```


Register	Use(s)
%rdi	1 st arg (p)
%rsi	2 nd arg (val), y
%rax	x, return value

Procedure Call Example (initial state)

```
long call_incr() {  
    long v1 = 351;  
    long v2 = increment(&v1, 100);  
    return v1 + v2;  
}
```

```
call_incr:  
    subq    $16, %rsp  
    movq    $351, 8(%rsp)  
    movl    $100, %esi  
    leaq    8(%rsp), %rdi  
    call    increment  
    addq    8(%rsp), %rax  
    addq    $16, %rsp  
    ret
```

Initial Stack Structure



- ❖ Return address on stack is the address of instruction immediately *following* the call to “call_incr”
 - Shown here as main, but could be anything)
 - Pushed onto stack by call call_incr


Procedure Call Example (step 1)

```
long call_incr() {  
    long v1 = 351;  
    long v2 = increment(&v1, 100);  
    return v1 + v2;  
}
```

```
call_incr:  
    subq    $16, %rsp  
    movq    $351, 8(%rsp)  
    movl    $100, %esi  
    leaq    8(%rsp), %rdi  
    call    increment  
    addq    8(%rsp), %rax  
    addq    $16, %rsp  
    ret
```

} **Allocate space for local vars**

Stack Structure




- ❖ Setup space for local variables
 - Only v1 needs space on the stack
- ❖ Compiler allocated extra space
 - Often does this for a variety of reasons, including alignment

Procedure Call Example (step 2)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

Stack Structure



} Set up parameters for call
to increment

Aside: `movl` is used because 100 is a small positive value that fits in 32 bits. High order bits of `rsi` get set to zero automatically. It takes *one less byte* to encode a `movl` than a `movq`.

Register	Use(s)
%rdi	&v1
%rsi	100


Procedure Call Example (step 3)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

```
increment:
    movq    (%rdi), %rax
    addq    %rax, %rsi
    movq    %rsi, (%rdi)
    ret
```

Stack Structure



- ❖ State while inside increment
 - **Return address** on top of stack is address of the addq instruction immediately following call to increment

Register	Use(s)
%rdi	&v1
%rsi	100
%rax	


Procedure Call Example (step 4)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

```
increment:
    movq    (%rdi), %rax # x = *p
    addq    %rax, %rsi   # y = x + 100
    movq    %rsi, (%rdi) # *p = y
    ret
```

Stack Structure



- ❖ State while inside increment
 - After code in body has been executed


Register	Use(s)
%rdi	&v1
%rsi	451
%rax	351

Procedure Call Example (step 5)

```
long call_incr() {  
    long v1 = 351;  
    long v2 = increment(&v1, 100);  
    return v1 + v2;  
}
```

```
call_incr:  
    subq    $16, %rsp  
    movq    $351, 8(%rsp)  
    movl    $100, %esi  
    leaq    8(%rsp), %rdi  
    call    increment  
    addq    8(%rsp), %rax  
    addq    $16, %rsp  
    ret
```

Stack Structure



- ❖ After returning from call to increment
 - Registers and memory have been modified and return address has been popped off stack

Register	Use(s)
%rdi	&v1
%rsi	451
%rax	351


Procedure Call Example (step 6)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

← Update %rax to contain v1+v2

Stack Structure




Register	Use(s)
%rdi	&v1
%rsi	451
%rax	451+351

Procedure Call Example (step 7)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

Stack Structure



← De-allocate space for local vars


Register	Use(s)
%rdi	&v1
%rsi	451
%rax	802

Procedure Call Example (step 8)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

Stack Structure



- ❖ State just before returning from call to call_incr


Register	Use(s)
%rdi	&v1
%rsi	451
%rax	802

Procedure Call Example (step 9)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

Final Stack Structure



- ❖ State immediately *after* returning from call to `call_incr`
 - Return addr has been popped off stack
 - Control has returned to the instruction immediately following the call to `call_incr` (not shown here)

Register	Use(s)
%rdi	&v1
%rsi	451
%rax	802

Procedures

- ❖ Stack Structure
- ❖ Calling Conventions
 - Passing control
 - Passing data
 - Managing local data
- ❖ Register Saving Conventions
- ❖ Illustration of Recursion

Register Saving Conventions (Review)

- ❖ When procedure `whoa` calls `who`:
 - `whoa` is the *caller*
 - `who` is the *callee*
- ❖ Can registers be used for temporary storage?

`whoa:`

```
• • •  
movq $15213, %rdx  
call who  
addq %rdx, %rax  
• • •  
ret
```

`who:`

```
• • •  
subq $18213, %rdx  
• • •  
ret
```

- No! Contents of register `%rdx` overwritten by `who`!
- This could be trouble – something should be done. Either:
 - *Caller* should save `%rdx` before the call (and restore it after the call)
 - *Callee* should save `%rdx` before using it (and restore it before returning)

Register Saving Conventions (Review)

❖ “*Caller-saved*” registers

- It is the **caller**’s responsibility to save any important data in these registers before calling another procedure (*i.e.*, the **callee** can freely change data in these registers)
- **Caller** saves values in its stack frame before calling **Callee**, then restores values after the call

❖ “*Callee-saved*” registers

- It is the callee’s responsibility to save any data in these registers before using the registers (*i.e.*, the **caller** assumes the data will be the same across the **callee** procedure call)
- **Callee** saves values in its stack frame before using, then restores them before returning to **caller**

Silly Register Convention Analogy

- 1) Parents (*caller*) leave for the weekend and give the keys to the house to their child (*callee*)
 - Being suspicious, they put away/hid the valuables (*caller-saved*) before leaving
 - Warn child to leave the bedrooms untouched: “**These rooms better look the same when we return!**”
- 2) Child decides to throw a wild party (*computation*), spanning the entire house
 - To avoid being disowned, child moves all of the stuff from the bedrooms to the backyard shed (*callee-saved*) before the guests trash the house
 - Child cleans up house after the party and moves stuff back to bedrooms
- 3) Parents return home and are satisfied with the state of the house
 - Move valuables back and continue with their lives

x86-64 Linux Register Usage (Review)

❖ %rax

- Return value
- Also **caller-saved** & restored
- Can be modified by procedure

❖ %rdi, ..., %r9

- Arguments
- Also **caller-saved** & restored
- Can be modified by procedure

❖ %r10, %r11

- **Caller**-saved & restored
- Can be modified by procedure

Return value

%rax

Arguments

%rdi

%rsi

%rdx

%rcx

%r8

%r9


Caller-saved
temporaries

%r10

%r11

x86-64 Linux Register Usage (Review)

- ❖ **%rbx, %r12, %r13, %r14, %r15**
 - Callee-saved
 - Callee must save & restore
- ❖ **%rbp**
 - Callee-saved
 - Callee must save & restore
 - May be used as frame pointer
 - Can mix & match
- ❖ **%rsp**
 - Special form of callee save
 - Restored to original value upon exit from procedure



x86-64 Linux Register Usage (Review)


%rax	Return value - Caller saved	%r8	Argument #5 - Caller saved
%rbx	Callee saved	%r9	Argument #6 - Caller saved
%rcx	Argument #4 - Caller saved	%r10	Caller saved
%rdx	Argument #3 - Caller saved	%r11	Caller Saved
%rsi	Argument #2 - Caller saved	%r12	Callee saved
%rdi	Argument #1 - Caller saved	%r13	Callee saved
%rsp	Stack pointer	%r14	Callee saved
%rbp	Callee saved	%r15	Callee saved

Callee-Saved Example (step 1)


```
long call_incr2(long x) {  
    long v1 = 351;  
    long v2 = increment(&v1, 100);  
    return x + v2;  
}
```

```
call_incr2:  
    pushq    %rbx  
    subq    $16, %rsp  
    movq    %rdi, %rbx  
    movq    $351, 8(%rsp)  
    movl    $100, %esi  
    leaq    8(%rsp), %rdi  
    call    increment  
    addq    %rbx, %rax  
    addq    $16, %rsp  
    popq    %rbx  
    ret
```

Initial Stack Structure



Resulting Stack Structure




Callee-Saved Example (step 2)


```
long call_incr2(long x) {  
    long v1 = 351;  
    long v2 = increment(&v1, 100);  
    return x + v2;  
}
```

```
call_incr2:  
    pushq    %rbx  
    subq    $16, %rsp  
    movq    %rdi, %rbx  
    movq    $351, 8(%rsp)  
    movl    $100, %esi  
    leaq    8(%rsp), %rdi  
    call    increment  
    addq    %rbx, %rax  
    addq    $16, %rsp  
    popq    %rbx  
    ret
```

Stack Structure



Pre-return Stack Structure



Why Caller *and* Callee Saved?

- ❖ We want *one* calling convention to simply separate implementation details between caller and callee
- ❖ In general, neither caller-save nor callee-save is “best”:
 - If caller isn’t using a register, caller-save is better
 - If callee doesn’t need a register, callee-save is better
 - If “do need to save”, callee-save generally makes smaller programs
 - Functions are called from multiple places
- ❖ So... “some of each” and compiler tries to “pick registers” that minimize amount of saving/restoring

Register Conventions Summary

- ❖ **Caller**-saved register values need to be pushed onto the stack before making a procedure call *only if the Caller needs that value later*
 - **Callee** may change those register values
- ❖ **Callee**-saved register values need to be pushed onto the stack *only if the Callee intends to use those registers*
 - **Caller** expects unchanged values in those registers
- ❖ Don't forget to restore/pop the values later!

Procedures

- ❖ Stack Structure
- ❖ Calling Conventions
 - Passing control
 - Passing data
 - Managing local data
- ❖ Register Saving Conventions
- ❖ Illustration of Recursion

Recursive Function

```
/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
```

Counts the number of 1's in the binary representation of x.

Compiler Explorer:

<https://godbolt.org/z/E943Gz3M5>

Compiled with `-O1` instead of `-Og` for more natural instruction ordering

```
pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne     .L8
    ret

.L8:
    pushq   %rbx
    movq    %rdi, %rbx
    shrq    %rdi
    call    pcount_r
    andl    $1, %ebx
    addq    %rbx, %rax
    popq    %rbx
    ret
```

Recursive Function: Base Case

```
/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
```

Register	Use(s)	Type
%rdi	x	Argument
%rax	Return value	Return value


```
pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne     .L8
    ret

.L8:
    pushq   %rbx
    movq   %rdi, %rbx
    shrq   %rdi
    call    pcount_r
    andl    $1, %ebx
    addq   %rbx, %rax
    popq   %rbx
    ret
```

Recursive Function: **Callee** Register Save

```
/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
```

The Stack



Need original value of `x` *after* recursive call to `pcount_r`.

“Save” by putting in `%rbx` (**callee** saved), but need to save old value of `%rbx` before you change it.

Register	Use(s)	Type
<code>%rdi</code>	<code>x</code>	Argument

`pcount_r:`

<code>movl</code>	<code>\$0, %eax</code>
<code>testq</code>	<code>%rdi, %rdi</code>
<code>jne</code>	<code>.L8</code>
<code>ret</code>	

`.L8:`


<code>pushq</code>	<code>%rbx</code>
<code>movq</code>	<code>%rdi, %rbx</code>
<code>shrq</code>	<code>%rdi</code>
<code>call</code>	<code>pcount_r</code>
<code>andl</code>	<code>\$1, %ebx</code>
<code>addq</code>	<code>%rbx, %rax</code>
<code>popq</code>	<code>%rbx</code>
<code>ret</code>	

Recursive Function: Call Setup

```
/* Recursive popcorn */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
```

Register	Use(s)	Type
%rdi	x (new)	Argument
%rbx	x (old)	Callee saved

The Stack



```
pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne     .L8
    ret


.L8:
    pushq   %rbx
    movq    %rdi, %rbx
    shrq    %rdi
    call    pcount_r
    andl    $1, %ebx
    addq    %rbx, %rax
    popq    %rbx
    ret
```

Recursive Function: Call

```
/* Recursive popcorn */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
```

Register	Use(s)	Type
%rax	Recursive call return value	Return value
%rbx	x (old)	Callee saved

The Stack




```
pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne     .L8
    ret

.L8:
    pushq   %rbx
    movq    %rdi, %rbx
    shrq    %rdi
    call    pcount_r
    andl    $1, %ebx
    addq    %rbx, %rax
    popq    %rbx
    ret
```

Recursive Function: Result

```
/* Recursive popcorn */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
```

The Stack



Register	Use(s)	Type
<code>%rax</code>	Return value	Return value
<code>%rbx</code>	<code>x&1</code>	Callee saved

```
pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne     .L8
    ret


.L8:
    pushq   %rbx
    movq    %rdi, %rbx
    shrq    %rdi
    call    pcount_r
    andl    $1, %ebx
    addq    %rbx, %rax
    popq    %rbx
    ret
```

Recursive Function: Completion

```
/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
```

Register	Use(s)	Type
%rax	Return value	Return value
%rbx	Previous %rbx value	Callee restored

The Stack



```
pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne     .L8
    ret

.L8:
    pushq   %rbx
    movq    %rdi, %rbx
    shrq    %rdi
    call    pcount_r
    andl    $1, %ebx
    addq    %rbx, %rax
    popq    %rbx
    ret
```

Observations About Recursion

- ❖ Works without any special consideration
 - Stack frames mean that each function call has private storage
 - Saved registers & local variables
 - Saved return address
 - Register saving conventions prevent one function call from corrupting another's data
 - Unless the code explicitly does so (e.g. buffer overflow)
 - Stack discipline follows call / return pattern
 - If P calls Q, then Q returns before P
 - Last-In, First-Out (LIFO)
- ❖ Also works for mutual recursion (P calls Q; Q calls P)

x86-64 Stack Frames

- ❖ Many x86-64 procedures have a minimal stack frame
 - Only return address is pushed onto the stack when procedure is called
- ❖ A procedure *needs* to grow its stack frame when it:
 - Has too many local variables to hold in **caller**-saved registers
 - Has local variables that are arrays or structs
 - Uses & to compute the address of a local variable
 - Calls another function that takes more than six arguments
 - Is using **caller**-saved registers and then calls a procedure
 - Modifies/uses **callee**-saved registers

x86-64 Procedure Summary

- ❖ Important Points
 - Procedures are a **combination of *instructions* and *conventions***
 - Conventions prevent functions from disrupting each other
 - Stack is the right data structure for procedure call/return
 - If P calls Q, then Q returns before P
 - Recursion handled by normal calling conventions
- ❖ Heavy use of registers
 - Faster than using memory
 - Use limited by data size and conventions
- ❖ Minimize use of the Stack

