

# Java and C (condensed)

CSE 351 Autumn 2022

## Instructor:

Justin Hsia

## Teaching Assistants:

Angela Xu

Assaf Vayner

David Dai

James Froelich

Paul Stevans

Arjun Narendra

Carrie Hu

Dominick Ta

Jenny Peng

Renee Ruan


Armin Magness

Clare Edmonds

Effie Zheng

Kristina Lansang

Vincent Xiao



# Relevant Course Information


- ❖ hw26 due Wednesday (12/7)
- ❖ Lab 5 due Friday (12/9)
  
- ❖ Course evaluations now open
  - See Ed Discussion post for links (separate for Lec and Sec)
  
- ❖ **Final Exam: 12/12-14**
  - Review Session: Friday 12/9 on Zoom, 2 hours TBD
  - Final review section on 12/8
  - Will be structured similarly to the Midterm

# Java vs. C

- ❖ Reconnecting to Java (hello, CSE143!)
  - But now you know a lot more about what really happens when we execute programs
- ❖ We've learned about the following items in C; now we'll see what they look like for Java:
  - Representation of data
  - Pointers / references
  - Casting
  - Function / method calls including dynamic dispatch

# The Hardware/Software Interface

- ❖ Topic Group 1: **Data**
  - **Memory, Data**, Integers, Floating Point, **Arrays, Objects**
- ❖ Topic Group 2: **Programs**
  - x86-64 Assembly, **Procedures, Stacks, Executables**
- ❖ Topic Group 3: **Scale & Coherence**
  - Caches, Processes, Virtual Memory, Memory Allocation



← These apply to execution regardless of source language

Apply more generally than just C!!!

# Worlds Colliding

- ❖ CSE351 has given you a “really different feeling” about what computers do and how programs execute
- ❖ We have occasionally contrasted to Java, but CSE143 may still feel like “a different world”
  - It’s not – it’s just a higher-level of abstraction
  - Connect these levels via how-one-could-implement-Java in 351 terms

# Meta-point to this lecture


- ❖ None of the data representations we are going to talk about are guaranteed by Java
- ❖ In fact, the language simply provides an abstraction (Java language specification)
  - Tells us how code should behave for different language constructs, but we can't easily tell how things are really represented
  - But it is important to understand an implementation of the lower levels – useful in thinking about your program

# Data in Java

- ❖ Integers, floats, doubles, pointers – same as C
  - “Pointers” are called “references” in Java, but are much more constrained than C’s general pointers
  - Java’s portability-guarantee fixes the sizes of all types
    - Example: `int` is 4 bytes in Java regardless of machine
  - No unsigned types to avoid conversion pitfalls
    - Added some useful methods in Java 8 (also use bigger signed types)
- ❖ `null` is typically represented as 0 but “you can’t tell”
- ❖ Much more interesting:
  - **Arrays**
  - **Characters and strings**
  - **Objects**

# Data in Java: Arrays


- ❖ Every element initialized to 0 or `null`
- ❖ Length specified in immutable field at start of array (`int`: 4B)
  - `array.length` returns value of this field
- ❖ *Since it has this info, what can it do?*





# Data in Java: Arrays

- ❖ Every element initialized to `0` or `null`
- ❖ Length specified in immutable field at start of array (`int`: 4B)
  - `array.length` returns value of this field
- ❖ Every access triggers a bounds-check
  - Code is added to ensure the index is within bounds
  - Exception if out-of-bounds



## To speed up bounds-checking:


- Length field is likely in cache
- Compiler may store length field in register for loops
- Compiler may prove that some checks are redundant

# Data in Java: Characters & Strings


- ❖ Two-byte Unicode instead of ASCII
  - Represents most of the world's alphabets
- ❖ String not bounded by a ' \0 ' (null character)
  - Bounded by hidden length field at beginning of string
- ❖ All String objects read-only (vs. StringBuffer)

Example: the string "CSE351"

**C:**  
(ASCII)



**Java:**  
(Unicode)




# Data in Java: Objects

- ❖ Data structures (objects) are always stored by reference, never stored “inline”
  - Include complex data types (arrays, other objects, etc.) using references

## C:

```
struct rec {
    int i;
    int a[3];
    struct rec *p;
};
```


- a[] stored “inline” as part of struct



## Java:

```
class Rec {
    int i;
    int[] a = new int[3];
    Rec p;
    ...
}
```

- a stored by reference in object



# Pointer/reference fields and variables

- ❖ In C, we have “->” and “.” for field selection depending on whether we have a pointer to a struct or a struct
  - (`*r`).`a` is so common it becomes `r->a`
- ❖ In Java, *all non-primitive variables are references to objects*
  - We always use `r.a` notation
  - But really follow reference to `r` with offset to `a`, just like `r->a` in C
  - So no Java field needs more than 8 bytes !

**C:**

```
struct rec *r = malloc(...);
struct rec r2;
r->i = val;
r->a[2] = val;
r->p = &r2;
```

**Java:**

```
r = new Rec();
r2 = new Rec();
r.i = val;
r.a[2] = val;
r.p = r2;
```

references


# Pointers/References

- ❖ *Pointers* in C can point to any memory address
- ❖ *References* in Java can only point to [the starts of] objects
  - Can only be dereferenced to access a field or element of that object

## C:

```


struct rec {
    int i;
    int a[3];
    struct rec* p;
};
struct rec* r = malloc(...);
some_fn(&(r->a[1])); // ptr
    
```



## Java:

```

class Rec {
    int i;
    int[] a = new int[3];
    Rec p;
}
Rec r = new Rec();
some_fn(r.a, 1); // ref, index
    
```



# Casting in C (example from Lab 5)

- ❖ Can cast any pointer into any other pointer
  - Changes dereference and arithmetic behavior

```


struct block_info {
    size_t size_and_tags;
    struct block_info* next;
    struct block_info* prev;
};
typedef struct block_info block_info;
...
int x;
block_info* b;
block_info* new_block;
...
new_block = (block_info*) ( (char*) b + x );
...

```

Cast b into char\* to do unscaled addition

Cast back into block\_info\* to use as block\_info struct


move by x bytes



# Type-safe casting in Java

## ❖ Can only cast compatible object references

- Based on class hierarchy



```

references!
Vehicle v = actual objects new Vehicle(); // super class of Boat and Car
Boat b1 = new Boat(); // |--> sibling
Car c1 = new Car(); // |--> sibling
  
```

```
Vehicle v1 = new Car();
```

```
Vehicle v2 = v1;
```

```
Car c2 = new Boat();
```

```
Car c3 = new Vehicle();
```

```
Boat b2 = (Boat) v;
```


```
Car c4 = (Car) v2;
```

```
Car c5 = (Car) b1;
```

# Type-safe casting in Java

❖ Can only cast compatible object references

▪ Based on class hierarchy



```

Vehicle v = new Vehicle(); // super class of Boat and Car
Boat b1 = new Boat(); // |--> sibling
Car c1 = new Car(); // |--> sibling
    
```

Vehicle	v1 = new Car();	← ✓	Everything needed for Vehicle also in Car
Vehicle	v2 = v1;	← ✓	v1 is declared as type Vehicle
Car	c2 = new Boat();	← ✗	<b>Compiler error: Incompatible type</b> – elements in Car that are not in Boat (siblings)
Car	c3 = new Vehicle();	← ✗	<b>Compiler error: Wrong direction</b> – elements Car not in Vehicle (wheels)
what if:	v = new Boat();		
Boat	b2 = (Boat) v;	← ✗	<b>Runtime error: Vehicle does not contain all elements in Boat</b> (propellers)
Car	c4 = (Car) v2;	← ✓	v2 refers to a Car at runtime
Car	c5 = (Car) b1;	← ✗	<b>Compiler error: Unconvertable types</b> – b1 is declared as type Boat



# Java Object Definitions

```
class Point {  
    double x; }  
    double y; }  
  
    Point() {  
        x = 0;  
        y = 0;  
    }  
  
    boolean samePlace(Point p) {  
        return (x == p.x) && (y == p.y);  
    }  
}  
...  
Point p = new Point();  
...
```

fields


constructor

method(s)

creation

- How might we represent Java objects in memory based on what we've learned in C?

# Java Objects and Method Dispatch



- ❖ *Object header* : GC info, hashing info, lock info, etc.
- ❖ *Virtual method table (vtable)*
  - Like a jump table for instance (“virtual”) methods plus other class info
  - One table per class
  - Each object instance contains a *vtable pointer (vptr)*

# Java Constructors

- ❖ When we call **new**: allocate space for object (data fields and references), initialize to zero/null, and run constructor method

Java:


```
Point p = new Point();
```

C pseudo-translation:

```
Point* p = calloc(1, sizeof(Point));
p->header = ...; // set up header (somehow)
p->vptr = &Point_vtable;
p->vptr[0](p);
```

*Zero out object data*

*run the constructor*



# Java Methods

- ❖ Static methods are just like functions
- ❖ Instance methods:
  - Can refer to *this;* *reference to particular instance of class*
  - Have an implicit first parameter for *this;* and
  - Can be overridden in subclasses
- ❖ The code to run when calling an instance method is chosen *at runtime* by lookup in the vtable *(i.e. dispatch)*


**Java:**

```
p.samePlace(q);
```

**C pseudo-translation:**

```
p->vptr[1](p, q);
```

*implicit object self-reference*



vtable for class Point:



```
code for Point()
```

```
code for samePlace()
```

# Subclassing

```
class ThreeDPoint extends Point {  
    double z;  
    boolean samePlace(Point p2) {  
        return false;  
    }  
    void sayHi() {  
        System.out.println("hello");  
    }  
}
```

← new field  
} override method  
} new method

- ❖ Where does “z” go? At end of fields of `Point`
  - `Point` fields are always in the same place, so `Point` code can run on `ThreeDPoint` objects without modification
- ❖ Where does pointer to code for two new methods go?
  - No constructor, so use default `Point` constructor
  - To override “`samePlace`”, use same vtable position
  - Add new pointer at end of vtable for new method “`sayHi`”

# Subclassing

```

class ThreeDPoint extends Point {
    double z;
    boolean samePlace(Point p2) {
        return false;
    }
    void sayHi() {
        System.out.println("hello");
    }
}
    
```

ThreeDPoint object



z tacked on at end



sayHi tacked on at end



Code for sayHi

vtable for ThreeDPoint:  
(not Point)




different

new

Old code for constructor

New code for samePlace

# Dynamic Dispatch



*different code executed at runtime based what object p points to.*

## Java:

```
Point p = ???;
return p.samePlace(q);
```

## C pseudo-translation:

```
// works regardless of what p is
return p->vptr[1](p, q);
```


# Ta-da!

- ❖ In CSE143, it may have seemed “magic” that an *inherited* method could call an *overridden* method
  - You were tested on this endlessly
- ❖ The “trick” in the implementation is this part:
  - $$p \rightarrow vptr[i](p, q)$$
  - In the body of the pointed-to code, any calls to (other) methods of `this` will use `p->vptr`
  - Dispatch determined by `p`, not the class that defined a method




# Implementing Programming Languages

- ❖ Many choices in programming model implementation
  - We've previously discussed compilation
  - One can also *interpret*
- ❖ **Interpreters** have a long history and are still in use
  - e.g., Lisp, an early programming language, was interpreted
  - e.g., Python, Javascript, Ruby, Matlab, PHP, Perl, ...




# Interpreters

- ❖ Execute (something close to) the *source code* directly, meaning there is less translation required
  - This makes it a simpler program than a compiler and often provides more transparent error messages
- ❖ Easier to run on different architectures – runs in a simulated environment that exists only inside the *interpreter* process
  - Just port the interpreter (program), and then interpreting the source code is the same
- ❖ Interpreted programs tend to be slower to execute and harder to optimize



# Interpreters vs. Compilers

- ❖ Programs that are designed for use with particular language implementations
  - You can choose to execute code written in a particular language via either a compiler or an interpreter, if they exist
- ❖ “Compiled languages” vs. “interpreted languages” a misuse of terminology 
  - But very common to hear this
  - And has *some* validation in the real world (*e.g.*, JavaScript vs. C)
- ❖ Some modern language implementations are a mix
  - *e.g.*, Java compiles to bytecode that is then interpreted
  - Doing just-in-time (JIT) compilation of parts to assembly for performance

# Compiling and Running Java

1. Save your Java code in a `.java` file

2. To run the Java compiler:

- `javac Foo.java`
- The Java compiler converts Java into *Java bytecodes*
  - Stored in a `.class` file

3. To execute the program stored in the bytecodes, these can be interpreted by the Java Virtual Machine (JVM)


- Running the virtual machine: `java Foo`
- Loads `Foo.class` and interprets the bytecodes

# “The JVM”

**Note:** The JVM is different than the CSE VM running on VMWare. Yet *another* use of the word “virtual”!

- ❖ Java programs are usually run by a  
Java *virtual machine* (JVM)
  - JVMs interpret an intermediate language called *Java bytecode*
  - Many JVMs compile bytecode to native machine code
    - **Just-in-time (JIT) compilation**
    - [http://en.wikipedia.org/wiki/Just-in-time\\_compilation](http://en.wikipedia.org/wiki/Just-in-time_compilation)
  - Java is sometimes compiled ahead of time (AOT) like C


# Virtual Machine Model





# Java Bytecode

- ❖ Like assembly code for JVM, but works on *all* JVMs
  - Hardware-independent!
- ❖ Typed (unlike x86 assembly)
- ❖ Strong JVM protections

the JVM model:  
(not real hardware - virtual!)



# JVM Operand Stack



**Bytecode:**

```

① iload 1 // push 1st argument from table onto stack
② iload 2 // push 2nd argument from table onto stack
③ iadd // pop top 2 elements from stack, add together, and
           // push result back onto stack
④ istore 3 // pop result and put it into 3rd slot in table
    
```

*c = a + b*

No registers or stack locations!  
All operations use operand stack

**Compiled to (IA32) x86:**

```

mov 8(%ebp), %eax
mov 12(%ebp), %edx
add %edx, %eax
mov %eax, -8(%ebp)
    
```



# Disassembled Java Bytecode

```
> javac Employee.java  
> javap -c Employee
```

[http://en.wikipedia.org/wiki/Java\\_bytecode\\_instruction\\_listings](http://en.wikipedia.org/wiki/Java_bytecode_instruction_listings)

```
Compiled from Employee.java  
class Employee extends java.lang.Object {  
    public Employee(java.lang.String,int);  
    public java.lang.String getEmployeeName();  
    public int getEmployeeNumber();  
}  
  
Method Employee(java.lang.String,int)  
0  aload_0  
1  invokespecial #3 <Method java.lang.Object()>  
4  aload_0  
5  aload_1  
6  putfield #5 <Field java.lang.String name>  
9  aload_0  
10 iload_2  
11 putfield #4 <Field int idNumber>  
14 aload_0  
15 aload_1  
16 iload_2  
17 invokespecial #6 <Method void  
    storeData(java.lang.String, int)>  
20 return  
  
Method java.lang.String getEmployeeName()  
0  aload_0  
1  getfield #5 <Field java.lang.String name>  
4  areturn  
  
Method int getEmployeeNumber()  
0  aload_0  
1  getfield #4 <Field int idNumber>  
4  ireturn  
  
Method void storeData(java.lang.String, int)  
...  
...
```


# Other languages for JVMs

- ❖ JVMs run on so many computers that compilers have been built to translate many other languages to Java bytecode:
  - **AspectJ**, an aspect-oriented extension of Java
  - **ColdFusion**, a scripting language compiled to Java
  - **Clojure**, a functional Lisp dialect
  - **Groovy**, a scripting language
  - **JavaFX Script**, a scripting language for web apps
  - **JRuby**, an implementation of Ruby
  - **Jython**, an implementation of Python
  - **Rhino**, an implementation of JavaScript
  - **Scala**, an object-oriented and functional programming language
  - And many others, even including C!
- ❖ Originally, JVMs were designed and built for Java (still the major use) but JVMs are also viewed as a safe, GC'ed platform

# Microsoft's C# and .NET Framework

## ❖ C# has similar motivations as Java

- Virtual machine is called the Common Language Runtime
- Common Intermediate Language is the bytecode for C# and other languages in the .NET framework



# We made it! 🤔 😎 🤩

- ❖ Topic Group 1: **Data**
  - Memory, Data, Integers, Floating Point, Arrays, Structs
- ❖ Topic Group 2: **Programs**
  - x86-64 Assembly, Procedures, Stacks, Executables
- ❖ Topic Group 3: **Scale & Coherence**
  - Caches, Processes, Virtual Memory, Memory Allocation

