

Graphs: Shortest Paths (Chapter 9)

CSE 373
Data Structures and Algorithms

11/07/2012

1

Today's Outline

- **Admin:**
 - Homework #4 - due Thurs, Nov 8th at 11pm
 - Midterm 2, Fri Nov 16
- **Graphs**
 - Graph Traversals
 - Shortest Paths

11/07/2012

2

Single source shortest paths

- Done: BFS to find the minimum path length from v to u in $O(|E|+(|V|))$
- Actually, can find the minimum path length from v to *every node*
 - Still $O(|E|+(|V|))$
 - No faster way for a "distinguished" destination in the worst-case
- Now: Weighted graphs
 - Given a weighted graph and node v ,
 - find the minimum-cost path from v to every node
- As before, asymptotically no harder than for one destination
- Unlike before, BFS will not work



11/07/2012

3

Applications

- Network routing
- Driving directions
- Cheap flight tickets
- Critical paths in project management (see textbook)
- ...

Not as easy



Why BFS won't work: Shortest path may not have the fewest edges

- Annoying when this happens with costs of flights

We will assume there are no negative weights

- Problem is ill-defined if there are negative-cost *cycles*
- Next algorithm we will learn is wrong if *edges* can be negative

11/07/2012

5

Edsger Wybe Dijkstra (1930-2002)



- Legendary figure in computer science; was a professor at University of Texas.
- Invented concepts of structured programming, synchronization, and "semaphores" for controlling computer processes.
- Supported teaching programming without computers (pencil and paper)
- 1972 Turing Award
- "computer science is no more about computers than astronomy is about telescopes"

11/07/2012

6


Dijkstra's Algorithm

- The idea: reminiscent of BFS, but adapted to handle weights
- A priority queue will prove useful for efficiency (later)
 - Will grow the set of nodes whose shortest distance has been computed
 - Nodes not in the set will have a "best distance so far"

11/07/2012

7

Dijkstra's Algorithm: Idea



- Initially, start node (A in this case) has "cost" 0 and all other nodes have "cost" ∞
- At each step:
 - Pick closest unknown vertex v
 - Add it to the "cloud" of known vertices
 - Update "costs" for nodes with edges from v
- That's it! (Have to prove it produces correct answers)

11/07/2012

8

The Algorithm

1. For each node v , set $v.cost = \infty$ and $v.known = false$
2. Set $source.cost = 0$
3. While there are unknown nodes in the graph
 - a) Select the unknown node v with lowest cost
 - b) Mark v as known
 - c) For each edge (v,u) with weight w ,


```

                    c1 = v.cost + w // cost of best path through v to u
                    c2 = u.cost // cost of best path to u previously known
                    if (c1 < c2) { // if the path through v is better
                        u.cost = c1
                        u.path = v // for computing actual paths
                    }
                    
```

11/07/2012

9


Important features

- Once a vertex is marked known, the cost of the shortest path to that node is known
 - As is the path itself
- While a vertex is still not known, another shorter path to it might still be found

11/07/2012

10

Find the shortest path to each vertex from v_0




Order declared Known:

v	Known	Dist from s	Path
v0			
v1			
v2			
v3			
v4			
v5			
v6			

11/07/2012

11

Example #1



vertex	known?	cost	path
A			
B			
C			
D			
E			
F			
G			
H			

11/07/2012

12

Example #1

vertex	known?	cost	path
A		0	
B		??	
C		??	
D		??	
E		??	
F		??	
G		??	
H		??	

11/07/2012 13

Example #1

vertex	known?	cost	path
A	Y	0	
B		≤ 2	A
C		≤ 1	A
D		≤ 4	A
E		??	
F		??	
G		??	
H		??	

11/07/2012 14

Example #1

vertex	known?	cost	path
A	Y	0	
B		≤ 2	A
C	Y	1	A
D		≤ 4	A
E		≤ 12	C
F		??	
G		??	
H		??	

11/07/2012 15

Example #1

vertex	known?	cost	path
A	Y	0	
B	Y	2	A
C	Y	1	A
D		≤ 4	A
E		≤ 12	C
F		≤ 4	B
G		??	
H		??	

11/07/2012 16

Example #1

vertex	known?	cost	path
A	Y	0	
B	Y	2	A
C	Y	1	A
D	Y	4	A
E		≤ 12	C
F		≤ 4	B
G		??	
H		??	

11/07/2012 17

Example #1

vertex	known?	cost	path
A	Y	0	
B	Y	2	A
C	Y	1	A
D	Y	4	A
E		≤ 12	C
F	Y	4	B
G		??	
H		≤ 7	F

11/07/2012 18

Example #1

vertex	known?	cost	path
A	Y	0	
B	Y	2	A
C	Y	1	A
D	Y	4	A
E		≤ 12	C
F	Y	4	B
G		≤ 8	H
H	Y	7	F

11/07/2012 19

Example #1

vertex	known?	cost	path
A	Y	0	
B	Y	2	A
C	Y	1	A
D	Y	4	A
E		≤ 11	G
F	Y	4	B
G	Y	8	H
H	Y	7	F

11/07/2012 20

Example #1

vertex	known?	cost	path
A	Y	0	
B	Y	2	A
C	Y	1	A
D	Y	4	A
E	Y	11	G
F	Y	4	B
G	Y	8	H
H	Y	7	F

11/07/2012 21

Important features

- Once a vertex is marked 'known', the cost of the shortest path to that node is known
 - As is the path itself
- While a vertex is still not known, another shorter path to it might still be found

11/07/2012 22

Interpreting the results

- Now that we're done, how do we get the path from, say, A to E?

vertex	known?	cost	path
A	Y	0	
B	Y	2	A
C	Y	1	A
D	Y	4	A
E	Y	11	G
F	Y	4	B
G	Y	8	H
H	Y	7	F

11/07/2012 23

Stopping Short

- How would this have worked differently if we were only interested in the path from A to G?
 - A to E?

vertex	known?	cost	path
A	Y	0	
B	Y	2	A
C	Y	1	A
D	Y	4	A
E	Y	11	G
F	Y	4	B
G	Y	8	H
H	Y	7	F

11/07/2012 24

Example #2

vertex	known?	cost	path
A		0	
B		??	
C		??	
D		??	
E		??	
F		??	
G		??	

11/07/2012 25

Example #2

vertex	known?	cost	path
A	Y	0	
B		??	
C		≤ 2	A
D		≤ 1	A
E		??	
F		??	
G		??	

11/07/2012 26

Example #2

vertex	known?	cost	path
A	Y	0	
B		≤ 6	D
C		≤ 2	A
D	Y	1	A
E		≤ 2	D
F		≤ 7	D
G		≤ 6	D

11/07/2012 27

Example #2

vertex	known?	cost	path
A	Y	0	
B		≤ 6	D
C	Y	2	A
D	Y	1	A
E		≤ 2	D
F		≤ 4	C
G		≤ 6	D

11/07/2012 28

Example #2

vertex	known?	cost	path
A	Y	0	
B		≤ 3	E
C	Y	2	A
D	Y	1	A
E	Y	2	D
F		≤ 4	C
G		≤ 6	D

11/07/2012 29

Example #2

vertex	known?	cost	path
A	Y	0	
B	Y	3	E
C	Y	2	A
D	Y	1	A
E	Y	2	D
F		≤ 4	C
G		≤ 6	D

11/07/2012 30

Example #2

vertex	known?	cost	path
A	Y	0	
B	Y	3	E
C	Y	2	A
D	Y	1	A
E	Y	2	D
F	Y	4	C
G		≤ 6	D

11/07/2012 31

Example #2

vertex	known?	cost	path
A	Y	0	
B	Y	3	E
C	Y	2	A
D	Y	1	A
E	Y	2	D
F	Y	4	C
G	Y	6	D

11/07/2012 32

Example #3

How will the best-cost-so-far for Y proceed?
Is this expensive?

11/07/2012 33

Example #3

How will the best-cost-so-far for Y proceed? 90, 81, 72, 63, 54, ...
Is this expensive? No, each edge is processed only once

11/07/2012 34

A Greedy Algorithm

- Dijkstra's algorithm
 - For single-source shortest paths in a weighted graph (directed or undirected) with no negative-weight edges
 - An example of a *greedy algorithm*:
 - at each step, irrevocably does what seems best at that step (once a vertex is in the known set, does not go back and readjust its decision)
 - Locally optimal – does not always mean globally optimal

11/07/2012 35

Where are we?

- Have described Dijkstra's algorithm
 - For single-source shortest paths in a weighted graph (directed or undirected) with no negative-weight edges
- What should we do after learning an algorithm?
 - Prove it is correct
 - Not obvious!
 - We will sketch the key ideas
 - Analyze its efficiency
 - Will do better by using a data structure we learned earlier!

11/07/2012 36

Correctness: Intuition

Rough intuition:


- All the "known" vertices have the correct shortest path
 - True initially: shortest path to start node has cost 0
 - If it stays true every time we mark a node "known", then by induction this holds and eventually everything is "known"

- Key fact we need: When we mark a vertex "known" we won't discover a shorter path later!
 - This holds only because Dijkstra's algorithm picks the node with the next shortest path-so-far
 - The proof is by contradiction...

11/07/2012

37

Correctness: The Cloud (Rough Idea)



- Suppose v is the next node to be marked known ("added to the cloud")
 - The **best-known** path to v must have only nodes "in the cloud"
 - Since we've selected it, and we only know about paths through the cloud to a node right outside the cloud
 - Assume the **actual shortest** path to v is different
 - It won't use only cloud nodes, (or we would know about it), so it must use non-cloud nodes
 - Let w be the *first* non-cloud node on this path.
 - The part of the path up to w is *already known* and must be shorter than the best-known path to v . So v would not have been picked. Contradiction.

11/07/2012

38

Efficiency, first approach

- Use pseudocode to determine asymptotic run-time
 - Notice each edge is processed only once

```

dijkstra(Graph G, Node start) {
  for each node: x.cost=infinity, x.known=false
  start.cost = 0
  while(not all nodes are known) {
    b = find unknown node with smallest cost
    b.known = true
    for each edge (b,a) in G
      if(!a.known)
        if(b.cost + weight((b,a)) < a.cost){
          a.cost = b.cost + weight((b,a))
          a.path = b
        }
  }
}
    
```

11/07/2012

39

Efficiency, first approach

- Use pseudocode to determine asymptotic run-time
 - Notice each edge is processed only once

```

dijkstra(Graph G, Node start) {
  for each node: x.cost=infinity, x.known=false
  start.cost = 0
  while(not all nodes are known) {
    b = find unknown node with smallest cost
    b.known = true
    for each edge (b,a) in G
      if(!a.known)
        if(b.cost + weight((b,a)) < a.cost){
          a.cost = b.cost + weight((b,a))
          a.path = b
        }
  }
}
    
```

$O(|V|)$

$O(|V|^2)$

$O(|E|)$

$O(|V|^2)$

11/07/2012

40

Improving asymptotic running time

- So far: $O(|V|^2)$
- We had a similar "problem" with topological sort being $O(|V|^2)$ due to each iteration looking for the node to process next
 - We solved it with a queue of zero-degree nodes
 - But here we need the lowest-cost node and costs can change as we process edges
- Solution?

11/07/2012

41

Improving (?) asymptotic running time

- So far: $O(|V|^2)$
- We had a similar "problem" with topological sort being $O(|V|^2)$ due to each iteration looking for the node to process next
 - We solved it with a queue of zero-degree nodes
 - But here we need the lowest-cost node and costs can change as we process edges
- Solution?
 - A priority queue holding all unknown nodes, sorted by cost
 - But must support **decreaseKey** operation
 - Must maintain a reference from each node to its position in the priority queue
 - Conceptually simple, but can be a pain to code up

11/07/2012

42

Efficiency, second approach

Use pseudocode to determine asymptotic run-time

```
dijkstra(Graph G, Node start) {
  for each node: x.cost=infinity, x.known=false }
  start.cost = 0
  build-heap with all nodes
  while(heap is not empty) {
    b = deleteMin()
    b.known = true
    for each edge (b,a) in G
      if(!a.known)
        if(b.cost + weight((b,a)) < a.cost){
          decreaseKey(a, "new cost - old cost")
          a.path = b
        }
  }
}
```

11/07/2012

43

Efficiency, second approach

Use pseudocode to determine asymptotic run-time

```
dijkstra(Graph G, Node start) {
  for each node: x.cost=infinity, x.known=false } O(|V|)
  start.cost = 0
  build-heap with all nodes
  while(heap is not empty) {
    b = deleteMin()
    b.known = true
    for each edge (b,a) in G
      if(!a.known)
        if(b.cost + weight((b,a)) < a.cost){
          decreaseKey(a, "new cost - old cost")
          a.path = b
        }
  }
}
```

$O(|V| \log |V|)$

$O(|E| \log |V|)$

$O(|V| \log |V| + |E| \log |V|)$

11/07/2012

44

Dense vs. sparse again

- First approach: $O(|V|^2)$
- Second approach: $O(|V| \log |V| + |E| \log |V|)$
- So which is better?
 - Sparse: $O(|V| \log |V| + |E| \log |V|)$ (if $|E| > |V|$, then $O(|E| \log |V|)$)
 - Dense: $O(|V|^2)$
- But, remember these are worst-case and asymptotic
 - Priority queue might have slightly worse constant factors
 - On the other hand, for "normal graphs", we might call `decreaseKey` rarely (or not percolate far), making $|E| \log |V|$ more like $|E|$

11/07/2012

45