Intro to Operating Systems

CSE 410, Spring 2007

Computer Systems

http://www.cs.washington.edu/410

Readings and References

- Reading
  - *Operating System Concepts*, Silberschatz, Galvin, and Gagne
    - Chapter 1 Introduction

What is an Operating System?

- Makes using the computer <u>convenient</u>
  - does a lot of the dirty work for you
  - hides details about the system behind a clean interface
- Makes using the computer <u>efficient</u>
  - expertly manages and allocates resources
- These goals are often contradictory

Views of the OS

- The OS is a context
  - An environment for user applications to run in
  - Provides the services that applications need
  - All programs on the system use this context
- The OS is a controller
  - Controls the I/O devices and user programs
  - Prevents and handles errors

Views of the OS (continued)

- The OS is a resource allocator
  - » A system has many resources: CPU time, memory, disk space, access to I/O devices
  - » The OS allocates these resources
  - » Policies are generally configurable
    - allocate evenly among all uses, *or*
    - give more to those who pay more, *or*
    - prefer to give it to uses with high priority, *or* ...

What makes up the OS?

- "Just the kernel"
  - » the program that starts running at boot time, manages all user programs, and runs until shutdown
- *or* "All the code you didn't write"
  - » all system libraries, compilers, assemblers
  - » all the software shipped with the machine

OS issues for the user

- how are resources shared among users?
- what level of performance is available?
- how are failures prevented and dealt with?
- how are resources named and assigned?
- how is the flow of information restricted?
- how do we control and charge for resource usage?

OS issues for the sysadmin

- how are programs protected from others?
- how are new features added?
- what happens as resource needs increase?
- are new versions always compatible with old?
- can the components of the system be geographically separated?

OS issues for the programmer

- how can the data for a program persist?
  - » from one execution to the next
  - » from one generation to the next
- how is information exchanged?
  - » between systems, applications, users, ...
- how are parallel activities controlled?
- how is the OS organized?

In Olden Times...

- The first operating systems were known as *batch systems*
  - » OS was loaded once into a portion of memory
  - » Programs stored on punch cards or paper tape
  - » One by one, programs were loaded and run
  - » Each program came with *control cards* telling the OS what to do

Multiprogramming

- » Increase utilization of the processor

- Enabling technology
  - » decrease in memory prices
- Keep multiple jobs loaded in memory
- While one program waits for I/O, run another one for a while

Timesharing

- » Allow multiple users/programs to share a single system concurrently

- Based on time-slicing (1960s)
  - » divide the CPU equally among the users
- For the first time, users could view, edit, and debug programs "on-line"
- Multics was first large timesharing system

Minicomputers

- Enable "small scale" applications
- Low cost hardware could run sophisticated applications (1970s)
  - » didn't need all the overhead of large mainframe system installations
  - » small businesses, science and engineering
  - » still focussed on efficient multi-user services
- One computer per department
  - » See the VAX/780 in the Allen Center Atrium

Microcomputers

- » Enable "small scale" applications

- Low cost hardware could run sophisticated applications (1980s)
  - » didn't need all the overhead of minicomputer systems
  - » very small businesses, scientists and engineers
  - » very focussed on the individual user

Networked Workstations

- » Enable enterprise and web applications

- Individual workstation is only part of the system
- Connectivity and security very important
- Rebirth of sophisticated operating systems for the end user

Windows XP / Mac OSX / Linux are "real" operating systems

Real-Time Operating Systems

- Specialized operations: subway systems, flight control, factories, nuclear power plants, ...
- RTOS must guarantee response to physical events in a fixed time interval
  - » Problem is to schedule all activities in order to meet all of the critical requirements
  - » Solution is over-capacity and careful design

Tightly-coupled Systems

- Support parallel applications wishing to get speedup of computationally complex tasks
- Needs basic primitives for dividing one task into multiple parallel activities
- Supports efficient communication between those activities
- Supports synchronization of activities to coordinate sharing of information

Loosely-coupled Systems

- Sharing of distributed resources, hardware, and software to improve utilization and performance
  - » speedup through parallelism
  - » improved reliability
- Supports communication between parts of a job or different jobs
- Incorporate commodity processors
- Potentially huge clusters (Google, others)