

Database Systems

CSE 414

Lecture 27: Final Review

Announcements

- HW8 due tonight
- Please complete course evaluations!

Final Exam

- Thursday, June 8th, 2:30-4:20
- This room
- Closed books, no phones, no computers
- Allowed 2 pages of notes (both sides, 8+pt font)
 - but focus of the test will not be memorization

Course Topics

1. Relational Data
2. DB Applications: Design & Implementation
3. Semistructured Data
4. DBMS Implementation
5. Big Data Systems


Relational Data

1a. Relational Data Model

- tables with schemas
 - types for attributes
 - primary, secondary, and foreign keys
 - other constraints
- set semantics
 - each tuple is either in the table or not

1b. Relational Queries

- relational query = expressible in standard RA
 - RA = datalog+neg, also expressible with SQL
- simple SELECT-FROM-WHERE is a subset
 - includes joins but not subqueries
 - always monotone while RA isn't (e.g. set difference)
- extended RA adds grouping & aggregation
 - (also uses bag semantics)
- datalog adds recursion




1c. Datalog

- data comes from **facts** and **rules**
 - $P(a_1, \dots, a_n)$.
 - $Q(a_1, \dots, a_n) :- R1(a_i, b_k, \dots), R2(a_j, b_l, \dots), \dots$
- head is a fact iff there is *some way* to set b_k 's so that all terms in the body are facts
 - variables only appearing in body (b_k 's) are *existential*
- can be translated to SQL
 - must be possible since datalog equivalent to RA
 - but we didn't discuss the details...


DB Applications: Design & Implementation

2a. DB Design Process


Conceptual Model:



Relational Model:
Tables + constraints
And also functional dep.




Normalization:
Eliminates anomalies



Conceptual Schema

Physical storage details

Physical Schema



2a. DB Design Process

- E/R Diagrams
 - (weak) entity sets, relations, & subclasses
 - map each to relations
 - multiple ways to do this...
only need to know the approach from class
 - design principles:
 - model accurately
 - neither too few nor too many entities


2a. DB Design Process

- Constraints
 - key, single-value, referential & other constraints
 - other includes, e.g., positivity and non-null constraints
- Normalization
 - eliminates anomalies
 - redundancy, update, and deletion anomalies
 - are indicated by “bad” functional dependencies
 - apply BCNF decomposition to remove them
 - these decompositions are never lossy (others can be)

2b. DB Application Implementation

- JDBC
 - connect to DB from Java
 - send SQL statements
 - use transactions
- 3-tiered architecture for web applications

3-Tiered Architecture



2b. DB Application Implementation

- JDBC
 - connect to DB from Java
 - send SQL statements
 - use transactions
- 3-tiered architecture for web applications
 - usually JSON data btw web server & browser/phone
 - why not use JSON to the DB too?
 - otherwise, we need to translate JSON to relational

Semistructured Data

3a. Semistructured Data Model

- tree structured data: JSON, XML, etc.
- data is self-describing
 - so schema is not necessary
- can choose amount of structure (in AsterixDB)
 - partial constraints on shape of data
 - open vs closed types
- NFNF data
 - could put entire data in one row (mondial)
- easy to map relation to JSON but not opposite

3b. Semistructured Queries


- new concepts
 - **unnesting**: join with contents of list-valued column
 - **nesting**: make list from results of subquery
 - each is a new operators for logical query plans
- dealing with heterogeneous data is work
 - often CASE WHEN ... for different types
 - requiring more structure makes queries easier but adding data becomes harder
 - (this work has to be done somewhere)

DBMS Implementation

4a. Storage & Indexing

- B+ tree & hash indexes
 - B+ tree index allows searching by key prefixes also
- understand when an index can be used
 - (separate question from whether it improves perf)
- clustered vs unclustered
 - clustered always speeds up query
but only one index per table can be clustered
 - unclustered only speeds up if $<1\%$ tuples match

Query Evaluation Steps



4b. Query Optimization

- main cost is disk access
- many logical plans, many physical plans
 - logical plans are RA expressions with desired result
 - physical plans include e.g. choice of join algorithm
 - hash, sorted merge, and (block refined) nested loop joins
- cost of many operations depends on selectivity
- optimization problem is hard
 - saw SQL Server do poorly in homework problems
- realistic goal is to avoid really bad plans

4c. Transactions

- goal to allow many clients to run simultaneously
 - OLTP workload: lots of clients with small read/writes
- need to provide ACID properties
 - atomic: execute all SQL statements or none
 - consistent: finish with all constraints satisfied
 - isolation: behavior same as if one-at-a-time use
 - durable: committed result are permanent ('til changed)
- consistency maintained by checking constraints
- durability maintained by writing to disk(s)

4c. Transactions II

- isolation achieved through serializable schedules
 - serializable means same behavior as a serial schedule
 - conflict serializable means non-conflicting read/writes can be swapped to make schedule serial
 - stronger than (so implies) serializable
- locks ensure conflict serializability if 2PL used
 - multiple read locks, only one write lock
 - becomes 4 types in SQLite (a good design)
 - lock granularity from (parts of) rows to tables to DB
 - ...

4c. Transactions III

- strict 2PL: no unlocks before commit/rollback
 - needed for isolation if txns can roll back
- can produce deadlocks (as seen in homework)
- need more to prevent phantom rows
 - phantom is a new row that shows up in a table
 - predicate locks are one solution (but expensive)
- multi-version concurrency control is alternative
- default isolation level is usually not serializable
 - faster perf but harder to write app (i.e., bugs likely)

Systems for Big Data

5a. NoSQL Systems

- goal to support heavy OLTP workloads
- provides simplified data model
 - key-value pairs, documents, or extensible records
- limited support for transactions
 - usually pair/document/record level
 - (some support for record groups... all on one node)
- partition data across nodes for scale
- replicate data to survive node failures

5b. Parallel Processing Systems

- for OLAP workloads (big reads, no txns)
- MapReduce
 - programming model is one-to-many *map* function, shuffle sort (grouping), one-to-many *reduce* function
 - no built-in RA operators
 - but easy to implement since since shuffle sort is provided
 - stores intermediate data on disk
 - reasonable if input/output is also to disk (otherwise too slow)
 - deals with stragglers by running backup map tasks

5b. Parallel Processing Systems II

- Spark/Scala
 - executes a dataflow pipeline using many nodes
 - Google Dataflow & Hyracks (AsterixDB) do same
 - each provides extended RA operators
 - Spark handles failure by recomputing not replicating
- Spark SQL
 - map SQL ~> extended RA ~> dataflow pipeline
 - same approach can be used on any dataflow engine

5b. Parallel Processing Systems III

- existing systems do not optimize well
 - none do real cost-based optimization
 - Spark only performs small, syntactic optimizations
 - one exception: choice of parallel vs broadcast join
 - Spark has no indexes
 - AsterixDB has indexes but no statistics
 - all require manual tuning
 - saw this with AsterixDB on homework

5c. Parallel Databases

- support both OLTP and OLAP
- goal: more nodes => faster or allow more data
 - speed up or scale up
- different architectures
 - shared memory (SQL Server etc.): limited scale
 - shared disk (mostly Oracle): limited scale
 - shared nothing: really scales (so our focus)
 - won out in academic research (started in 1980s)
 - basis for parallel processing systems (see previous slides)

5c. Parallel Databases II

- Partition data across nodes (hash, range, etc.)
- Query evaluation
 - only one new element: reshuffle
 - move tuples to nodes based on values in certain columns
 - basically same as shuffle sort of MapReduce
 - use to implement all extended RA operations
 - linear speed up or scale up in principle
 - in practice, stragglers are a problem (though see MapReduce)
 - new problem: skewed data
 - may not all fit in memory of one node

5c. Parallel Databases III

- AsterixDB is the closest we have seen to this
 - came out of parallel DB community
 - executes OLAP queries as in parallel processing
 - but only has record-level transactions as in NoSQL
 - (more OLTP than parallel processing systems though)
- More complete systems in the near future
 - see also Google Spanner, Microsoft Cloud DB

SQL (Everywhere)

5. SQL

- CREATE TABLE ...
 - PRIMARY KEY, UNIQUE, FOREIGN KEY
 - CHECK (constraints) on columns or tuples
- CREATE [CLUSTERED] INDEX ... ON ...
- INSERT INTO ...
- UPDATE ... SET ... WHERE ...
- DELETE FROM ... WHERE ...

5. SQL (cont.)

- SELECT ...
 - JOINS: inner vs outer, natural
 - GROUP BY, sum, count, avg, etc.
 - ORDER BY
- SET ISOLATION LEVEL ...
- BEGIN TRANSACTION
- COMMIT / ROLLBACK