


# CSE 421 Algorithms

Richard Anderson  
Lecture 16  
Dynamic Programming

## Dynamic Programming

- Weighted Interval Scheduling
- Given a collection of intervals  $I_1, \dots, I_n$  with weights  $w_1, \dots, w_n$ , choose a maximum weight set of non-overlapping intervals



## Optimality Condition

- $Opt[j]$  is the maximum weight independent set of intervals  $I_1, I_2, \dots, I_j$
- $Opt[j] = \max(Opt[j-1], w_j + Opt[p[j]])$ 
  - Where  $p[j]$  is the index of the last interval which finishes before  $I_j$  starts

## Algorithm

```
MaxValue(j) =  
if j = 0 return 0  
else  
    return max( MaxValue(j-1),  
                wj + MaxValue(p[j]) )
```

Worst case run time:  $2^n$

## A better algorithm

$M[j]$  initialized to -1 before the first recursive call for all  $j$

```
MaxValue(j) =  
if j = 0 return 0;  
else if  $M[j] \neq -1$  return  $M[j]$ ;  
else  
     $M[j] = \max(\text{MaxValue}(j-1), w_j + \text{MaxValue}(p[j]));$   
    return  $M[j]$ ;
```

## Iterative Algorithm

Express the MaxValue algorithm as an iterative algorithm


```
MaxValue {
```

```
}
```



### Fill in the array with the Opt values


$$\text{Opt}[j] = \max(\text{Opt}[j - 1], w_j + \text{Opt}[p[j]])$$



### Computing the solution

$$\text{Opt}[j] = \max(\text{Opt}[j - 1], w_j + \text{Opt}[p[j]])$$


Record which case is used in Opt computation




### Dynamic Programming

- The most important algorithmic technique covered in CSE 421
- Key ideas
  - Express solution in terms of a polynomial number of sub problems
  - Order sub problems to avoid recomputation


### Optimal linear interpolation




### What is the optimal linear interpolation with three line segments



### What is the optimal linear interpolation with two line segments




## What is the optimal linear interpolation with n line segments



## Notation

- Points  $p_1, p_2, \dots, p_n$  ordered by x-coordinate ( $p_i = (x_i, y_i)$ )
- $E_{i,j}$  is the least squares error for the optimal line interpolating  $p_i, \dots, p_j$



## Optimal interpolation with two segments

- Give an equation for the optimal interpolation of  $p_1, \dots, p_n$  with two line segments

- $E_{i,j}$  is the least squares error for the optimal line interpolating  $p_i, \dots, p_j$



## Optimal interpolation with k segments

- Optimal segmentation with three segments
  - $\text{Min}_{i,j} \{E_{1,i} + E_{i,j} + E_{j,n}\}$
  - $O(n^2)$  combinations considered
- Generalization to k segments leads to considering  $O(n^{k-1})$  combinations


## $\text{Opt}_k[j]$ : Minimum error approximating $p_1 \dots p_j$ with k segments

How do you express  $\text{Opt}_k[j]$  in terms of  $\text{Opt}_{k-1}[1], \dots, \text{Opt}_{k-1}[j]$ ?



## Optimal sub-solution property

Optimal solution with k segments extends an optimal solution of k-1 segments on a smaller problem



### Optimal multi-segment interpolation

Compute  $\text{Opt}[k, j]$  for  $0 < k < j < n$


```
for j := 1 to n
   $\text{Opt}[1, j] = E_{1,j}$ ;
for k := 2 to n-1
  for j := 2 to n
     $t := E_{1,j}$ 
    for i := 1 to j-1
       $t = \min(t, \text{Opt}[k-1, i] + E_{i,j})$ 
     $\text{Opt}[k, j] = t$ 
```

### Determining the solution

- When  $\text{Opt}[k,j]$  is computed, record the value of  $i$  that minimized the sum
- Store this value in a auxiliary array
- Use to reconstruct solution

### Variable number of segments

- Segments not specified in advance
- Penalty function associated with segments
- Cost = Interpolation error +  $C \times \text{\#Segments}$



### Penalty cost measure

- $\text{Opt}[j] = \min(E_{1,j}, \min_i(\text{Opt}[i] + E_{i,j} + P))$