

## Matching Residents to Hospitals

Goal. Given a set of preferences among hospitals and medical school students, design a self-reinforcing admissions process.

Unstable pair: applicant x and hospital y are unstable if:

- x prefers y to its assigned hospital.
- ullet y prefers x to one of its admitted students.

Stable assignment. Assignment with no unstable pairs.

- Natural and desirable condition.
- Individual self-interest will prevent any applicant/hospital deal from being made.

# 1.1 A First Problem: Stable Matching

## Stable Matching Problem

Goal. Given n men and n women, find a "suitable" matching.

- Participants rate members of opposite sex.
- Each man lists women in order of preference from best to worst.
- Each woman lists men in order of preference from best to worst.

	favorite ↓		least favorite	
	1 <sup>s†</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Xavier	Amy	Bertha	Clare	
Yancey	Bertha	Amy	Clare	
Zeus	Amy	Bertha	Clare	

Men's Preference Profile

	favorite ↓		least favorit	
	1 <sup>st</sup>	2 <sup>nd</sup>	3rd	
Amy	Yancey	Xavier	Zeus	
Bertha	Xavier	Yancey	Zeus	
Clare	Xavier	Yancey	Zeus	

Women's Preference Profile

## Stable Matching Problem

Perfect matching: everyone is matched monogamously.

- Each man gets exactly one woman.
- Each woman gets exactly one man.


Stability: no incentive for some pair of participants to undermine assignment by joint action.


- In matching M, an unmatched pair m-w is unstable if man m and woman w prefer each other to current partners.
- Unstable pair m-w could each improve by eloping.

Stable matching: perfect matching with no unstable pairs.

Stable matching problem. Given the preference lists of n men and n women, find a stable matching if one exists.

#### Stable Matching Problem Q. Is assignment X-C, Y-B, Z-A stable? A. No. Bertha and Xavier will hook up. favorite favorite least favorite least favorite 3<sup>rd</sup> 3rd Xavier Bertha Clare Yancey Xavier Zeus Amy Yancey Bertha Clare Bertha Xavier Yancey Zeus Zeus Bertha Clare Clare Xavier Yancey Amy Men's Preference Profile Women's Preference Profile





#### Stable Roommate Problem

- Q. Do stable matchings always exist?
- A. Not obvious a priori.

#### Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- . Assign roommate pairs so that no unstable pairs.

	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>
Adam	В	С	D
Bob	С	Α	D
Chris	Α	В	D
Doofus	Α	В	С

A-B, C-D ⇒ B-C unstable A-C, B-D ⇒ A-B unstable A-D, B-C ⇒ A-C unstable

Observation. Stable matchings do not always exist for stable roommate problem.

## Proof of Correctness: Termination

Observation 1. Men propose to women in decreasing order of preference.

Claim. Algorithm terminates after at most  $n^2$  iterations of while loop. Pf. Each time through the while loop a man proposes to a new woman. There are only  $n^2$  possible proposals.

	1st	2 <sup>nd</sup>	3rd	4 <sup>th</sup>	5 <sup>th</sup>
Victor	Α	В	С	D	Е
Wyatt	В	С	D	Α	Ε
Xavier	С	D	Α	В	Ε
Yancey	D	Α	В	С	Е
Zeus	Α	В	С	D	Ε

	1st	2 <sup>nd</sup>	3rd	4 <sup>th</sup>	5 <sup>th</sup>
Amy	W	X	У	Z	٧
Bertha	×	У	Z	V	W
Clare	У	Z	V	W	×
Diane	Z	V	W	×	У
Erika	٧	W	X	У	Z

n(n-1) + 1 proposals required

## Propose-And-Reject Algorithm

Propose-and-reject algorithm. [Gale-Shapley 1962] Intuitive method that guarantees to find a stable matching.

```
Initialize each person to be free.
while (some man is free and hasn't proposed to every woman) {
   Choose such a man m
   w = 1<sup>st</sup> woman on m's list to whom m has not yet proposed
   if (w is free)
      assign m and w to be engaged
   else if (w prefers m to her fiancé m')
      assign m and w to be engaged, and m' to be free
   else
      w rejects m
}
```

## Proof of Correctness: Perfection

Claim. All men and women get matched.

Pf. (by contradiction)

- Suppose, for sake of contradiction, that Zeus is not matched upon termination of algorithm.
- Then some woman, say Amy, is not matched upon termination.
- By Observation 2, Amy was never proposed to.
- But, Zeus proposes to everyone, since he ends up unmatched. •

## Proof of Correctness: Stability

## Claim. No unstable pairs.

#### Pf. (by contradiction)

- Suppose A-Z is an unstable pair: each prefers each other to partner in Gale-Shapley matching  $S^*$ .
- Case 1: Z never proposed to A.

men propose in decreasing , order of preference

⇒ Z prefers his GS partner to A.

5\*
Amy-Yancey
Bertha-Zeus

- $\Rightarrow$  A-Z is stable.
- Case 2: Z proposed to A.
  - ⇒ A rejected Z (right away or later)
  - $\Rightarrow$  A prefers her GS partner to Z.  $\leftarrow$  women only trade up
  - ⇒ A-Z is stable.
- In either case A-Z is stable, a contradiction. •

13

## **Efficient Implementation**

Efficient implementation. We describe O(n2) time implementation.

#### Representing men and women.

- . Assume men are named 1, ..., n.
- Assume women are named 1', ..., n'.

#### Engagements.

- . Maintain a list of free men, e.g., in a queue.
- Maintain two arrays wife[m], and husband[w].
  - set entry to 0 if unmatched
  - if m matched to w then wife[m]=w and husband[w]=m

#### Men proposing.

- $\ . \$  For each man, maintain a list of women, ordered by preference.
- . Maintain an array  $\mathtt{count}\,[\,\mathfrak{m}\,]$  that counts the number of proposals made by man  $\mathfrak{m},$

## Summary

Stable matching problem. Given n men and n women, and their preferences, find a stable matching if one exists.

Gale-Shapley algorithm. Guarantees to find a stable matching for any problem instance.

- Q. How to implement GS algorithm efficiently?
- Q. If there are multiple stable matchings, which one does GS find?

#### Efficient Implementation

#### Women rejecting/accepting.

- . Does woman w prefer man m to man m'?
- For each woman, create inverse of preference list of men.
- Constant time access for each query after O(n) preprocessing.



for i = 1 to n
 inverse[pref[i]] = i

Amy prefers man 3 to 6 since inverse[6]

2

15

## Understanding the Solution

Q. For a given problem instance, there may be several stable matchings. Do all executions of Gale-Shapley yield the same stable matching? If so, which one?

An instance with two stable matchings.

- . A-X, B-Y, C-Z.
- . A-Y, B-X, C-Z.

	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>
Xavier	Α	В	С
Yancey	В	Α	С
Zeus	Α	В	С

	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>
Amy	У	X	Z
Bertha	X	У	Z
Clare	X	У	Z

Man Optimality

Claim. GS matching S\* is man-optimal.

Pf. (by contradiction)

- Suppose some man is paired with someone other than best partner.
   Men propose in decreasing order of preference ⇒ some man is rejected by valid partner.
- Let Y be first such man, and let A be first valid woman that rejects him.
- Let S be a stable matching where A and Y are matched.
- When Y is rejected, A forms (or reaffirms) engagement with a man, say Z, whom she prefers to Y.
- Let B be Z's partner in S.
- Z not rejected by any valid partner at the point when Y is rejected by A. Thus, Z prefers A to B.
- But A prefers Z to Y.

since this is first rejection by a valid partner

■ Thus A-Z is unstable in S. ■

Understanding the Solution

Q. For a given problem instance, there may be several stable matchings. Do all executions of Gale-Shapley yield the same stable matching? If so, which one?

Def. Man m is a valid partner of woman w if there exists some stable matching in which they are matched.

Man-optimal assignment. Each man receives best valid partner.

Claim. All executions of GS yield man-optimal assignment, which is a stable matching!

- No reason a priori to believe that man-optimal assignment is perfect, let alone stable.
- . Simultaneously best for each and every man.

Stable Matching Summary

Stable matching problem. Given preference profiles of n men and n women, find a stable matching.

no man and woman prefer to be with each other than assigned partner

Gale-Shapley algorithm. Finds a stable matching in  $O(n^2)$  time.

Man-optimality. In version of GS where men propose, each man receives best valid partner.

w is a valid partner of m if there exist some stable matching where m and w are paired

Q. Does man-optimality come at the expense of the women?

19

Amy-Yancey

Bertha-Zeus

## Woman Pessimality

Woman-pessimal assignment. Each woman receives worst valid partner.

Claim. GS finds woman-pessimal stable matching S\*.

#### DΨ

- Suppose A-Z matched in S\*, but Z is not worst valid partner for A.
- There exists stable matching S in which A is paired with a man, say Y, whom she likes less than Z.
- Let B be Z's partner in S.
- Z prefers A to B. ← man-optimality
- Thus, A-Z is an unstable in S. ■

Amy-Yancey Bertha-Zeus

Application: Matching Residents to Hospitals

NRMP. (National Resident Matching Program)

- Original use just after WWII. ← predates computer usage
- Ides of March, 23,000+ residents.

#### Rural hospital dilemma.

- Certain hospitals (mainly in rural areas) were unpopular and declared unacceptable by many residents.
- Rural hospitals were under-subscribed in NRMP matching.
- . How can we find stable matching that benefits "rural hospitals"?

Rural Hospital Theorem. Rural hospitals get exactly same residents in every stable matching!

Extensions: Matching Residents to Hospitals

Ex: Men ≈ hospitals, Women ≈ med school residents.

Variant 1. Some participants declare others as unacceptable.

Variant 2. Unequal number of men and women.

resident A unwilling to work in Cleveland

Variant 3. Limited polygamy.

hospital X wants to hire 3 residents

Def. Matching S unstable if there is a hospital h and resident r such that:

- h and r are acceptable to each other; and
- either r is unmatched, or r prefers h to her assigned hospital; and
- either h does not have all its places filled, or h prefers r to at least one
  of its assigned residents.


Lessons Learned


Powerful ideas learned in course.


- Isolate underlying structure of problem.
- . Create useful and efficient algorithms.


Potentially deep social ramifications. [legal disclaimer]


23











# Five Representative Problems

Variations on a theme: independent set.

Interval scheduling: n log n greedy algorithm.

Weighted interval scheduling: n log n dynamic programming algorithm.

Bipartite matching: nk max-flow based algorithm.

Independent set: NP-complete.

Competitive facility location: PSPACE-complete.

## Competitive Facility Location

Input. Graph with weight on each each node.

Game. Two competing players alternate in selecting nodes. Not allowed to select a node if any of its neighbors have been selected.

Goal. Select a maximum weight subset of nodes.



Second player can guarantee 20, but not 25.