

Lecture 13: Midterm Review and Security

Monday, April 23, 2007

Midterm !

Wednesday, 12:30-1:20, in class.

- Problem 1: SQL
- Problem 2: E/R diagrams
- Problem 3: Conceptual design, BCNF

Open book exam

Problem 1: SQL

- Basic SELECT-FROM-WHERE
- Aggregates and GROUP BY
- Subqueries and non-monotone queries
 - NOT EXISTS
 - ALL
- INSERT/DELETE/UPDATE

Problem 2: E/R Diagrams

- E/R diagram basics
 - entity sets, relationships, IS-A, weak entity sets
 - Read all slides - including weak entity sets (for midterm and/or final)
- Conversion to relations
 - What are the keys ? The foreign keys ?
- Subtleties
 - Many-one or one-one relationships
 - IS-A
 - Weak entity sets

Problem 3: FDs and BCNF

- Anomalies
- Basic definition
 - What does $X \twoheadrightarrow Y$ mean, how do we check if it holds
- Inference
 - Armstrong's rules, X^+
- BCNF
 - Use the algorithm on the slides

Final Advice


- Open book
 - But don't plan on reading during the midterm !
- Some questions are easy, others are harder
 - Do the easier ones first
- Have fun !

Outline

SQL Security – 8.7

Two famous attacks

Two new trends



Optional material;
May not have time to cover
in class

Discretionary Access Control in SQL

GRANT privileges
ON object
TO users
[WITH GRANT OPTIONS]

privileges = SELECT |
INSERT(column-name) |
UPDATE(column-name) |
DELETE |
REFERENCES(column-name)
object = table | attribute

Examples

**GRANT INSERT, DELETE ON Customers
TO Yuppy WITH GRANT OPTIONS**

Queries allowed to Yuppy:

```
INSERT INTO Customers(cid, name, address)  
VALUES(32940, 'Joe Blow', 'Seattle')
```

```
DELETE Customers  
WHERE LastPurchaseDate < 1995
```

Queries denied to Yuppy:

```
SELECT Customer.address  
FROM Customer  
WHERE name = 'Joe Blow'
```

Examples

GRANT SELECT ON Customers TO Michael

Now **Michael** can SELECT, but not INSERT or DELETE

Examples

```
GRANT SELECT ON Customers  
TO Michael WITH GRANT OPTIONS
```

Michael can say this:

```
GRANT SELECT ON Customers TO Yuppi
```

Now **Yuppi** can SELECT on Customers

Examples

GRANT UPDATE (price) ON Product TO Leah

Leah can update, but only Product.price, but not Product.name

Examples

Customer(cid, name, address, balance)

Orders(oid, cid, amount) cid= foreign key

Bill has INSERT/UPDATE rights to Orders.
BUT HE CAN'T INSERT ! (why ?)

GRANT REFERENCES (cid) ON Customer TO Bill

Now **Bill** can INSERT tuples into Orders

Views and Security

David owns

Customers:

| Name | Address | Balance |
|------|----------|---------|
| Mary | Huston | 450.99 |
| Sue | Seattle | -240 |
| Joan | Seattle | 333.25 |
| Ann | Portland | -520 |

Fred is not allowed to see this

David says

```
CREATE VIEW PublicCustomers
  SELECT Name, Address
  FROM Customers
GRANT SELECT ON PublicCustomers TO Fred
```

David owns

Views and Security

Customers:

| Name | Address | Balance |
|------|----------|---------|
| Mary | Huston | 450.99 |
| Sue | Seattle | -240 |
| Joan | Seattle | 333.25 |
| Ann | Portland | -520 |

John is allowed to see only <0 balances

David says

```
CREATE VIEW BadCreditCustomers
  SELECT *
  FROM Customers
  WHERE Balance < 0
GRANT SELECT ON BadCreditCustomers TO John
```

David says

Views and Security

- Each customer should see only her/his record

| Name | Address | Balance |
|------|----------|---------|
| Mary | Huston | 450.99 |
| Sue | Seattle | -240 |
| Joan | Seattle | 333.25 |
| Ann | Portland | -520 |

```
CREATE VIEW CustomerMary
  SELECT * FROM Customers
  WHERE name = 'Mary'
GRANT SELECT
ON CustomerMary TO Mary
```

```
CREATE VIEW CustomerSue
  SELECT * FROM Customers
  WHERE name = 'Sue'
GRANT SELECT
ON CustomerSue TO Sue
```

Doesn't scale.

Need *row-level* access control !

• • •

Revocation

```
REVOKE [GRANT OPTION FOR] privileges  
      ON object FROM users { RESTRICT | CASCADE }
```


Administrator says:

```
REVOKE SELECT ON Customers FROM David CASCADE
```

John loses SELECT privileges on BadCreditCustomers

Revocation


```
Joe: GRANT [....] TO Art ...  
Art: GRANT [....] TO Bob ...  
Bob: GRANT [....] TO Art ...  
Joe: GRANT [....] TO Cal ...  
Cal: GRANT [....] TO Bob ...  
Joe: REVOKE [....] FROM Art CASCADE
```



Same privilege,
same object,
GRANT OPTION

What happens ??

Revocation



According to SQL everyone keeps the privilege

Summary of SQL Security

Limitations:

- No row level access control
- Table creator owns the data: that's unfair !

Access control = great success story of the DB community...

... or spectacular failure:

- Only 30% assign privileges to users/roles
 - And then to protect entire tables, not columns

Summary (cont)

- Most policies in middleware: slow, error prone:
 - SAP has 10**4 tables
 - GTE over 10**5 attributes
 - A brokerage house has 80,000 applications
 - A US government entity thinks that it has 350K
- Today the database is not at the center of the policy administration universe

Two Famous Attacks

- SQL injection
- Sweeney's example

SQL Injection

Your health insurance company lets you see the claims online:

First login:

User: fred
Password: *****

Now search through the claims :

Search claims by: Dr. Lee

```
SELECT...FROM...WHERE doctor='Dr. Lee' and patientID='fred'
```

SQL Injection

Now try this:

Search claims by: `Dr. Lee' OR patientID = 'suciu'; --`

`.....WHERE doctor='Dr. Lee' OR patientID='suciu'; --' and patientID='fred'`

Better:

Search claims by: `Dr. Lee' OR 1 = 1; --`

SQL Injection

When you're done, do this:

Search claims by:

SQL Injection

- The DBMS works perfectly. So why is SQL injection possible so often ?
- Quick answer:
 - Poor programming: use stored procedures !
- Deeper answer:
 - Move policy implementation from apps to DB

Latanya Sweeney's Finding

- In Massachusetts, the Group Insurance Commission (GIC) is responsible for purchasing health insurance for state employees
- GIC has to publish the data:

GIC(zip, dob, sex, diagnosis, procedure, ...)

Latanya Sweeney's Finding

- Sweeney paid \$20 and bought the voter registration list for Cambridge Massachusetts:

GIC(zip, dob, sex, diagnosis, procedure, ...)
VOTER(name, party, ..., zip, dob, sex)

Latanya Sweeney's Finding

zip, dob, sex

- William Weld (former governor) lives in Cambridge, hence is in VOTER
- 6 people in VOTER share his **dob**
- only 3 of them were man (same **sex**)
- Weld was the only one in that **zip**
- Sweeney learned Weld's medical records !

Latanya Sweeney's Finding

- All systems worked as specified, yet an important data has leaked
- How do we protect against that ?

Some of today's research in data security address breaches that happen even if all systems work correctly

Summary on Attacks

SQL injection:

- A correctness problem:
 - Security policy implemented poorly in the application

Sweeney's finding:

- Beyond correctness:
 - Leakage occurred when all systems work as specified

Two Novel Techniques

- K-anonymity, information leakage
- Row-level access control

Information Leakage: k-Anonymity

Definition: each tuple is equal to at least k-1 others

Anonymizing: through suppression and generalization

| First | Last | Age | Race | Disease |
|-------|-------|-------|--------|---------|
| * | Stone | 30-50 | Afr-Am | Flue |
| John | R* | 20-40 | * | Measels |
| * | Stone | 30-50 | Afr-am | Pain |
| John | R* | 20-40 | * | Fever |

Hard: NP-complete for suppression only

Approximations exists; but work poorly in practice

Information Leakage: Query-view Security

Have data: **TABLE Employee(name, dept, phone)**

| Secret Query | View(s) | Disclosure ? |
|----------------------------|---------------------------------|---------------------|
| S(name) | V(name,phone) | total |
| S(name,phone) | V1(name,dept) V2(dept,phone) | big |
| S(name) | V(dept) | tiny |
| S(name) where dept='HR' | V(name) where dept='RD' | none |

Fine-grained Access Control

Control access at the tuple level.

- Policy specification languages
- Implementation

Policy Specification Language

No standard, but usually based on parameterized views.

```
CREATE AUTHORIZATION VIEW PatientsForDoctors AS  
  SELECT Patient.*  
  FROM Patient, Doctor  
  WHERE Patient.doctorID = Doctor.ID  
         and   Doctor.login = %currentUser
```



Context
parameters

Implementation

```
SELECT Patient.name, Patient.age  
FROM Patient  
WHERE Patient.disease = 'flu'
```



```
SELECT Patient.name, Patient.age  
FROM Patient, Doctor  
WHERE Patient.disease = 'flu'  
      and Patient.doctorID = Doctor.ID  
      and Patient.login = %currentUser
```

e.g. Oracle

Two Semantics

- The Truman Model = filter semantics
 - transform reality
 - ACCEPT all queries
 - REWRITE queries
 - Sometimes misleading results
- The non-Truman model = deny semantics
 - reject queries
 - ACCEPT or REJECT queries
 - Execute query UNCHANGED
 - May define multiple security views for a user

```
SELECT count(*)  
FROM Patients  
WHERE disease='flu'
```

Summary on Information Disclosure

- The theoretical research:
 - Exciting new connections between databases and information theory, probability theory, cryptography

[Abadi&Warinschi'05]

- The applications:
 - many years away

Summary of Fine Grained Access Control

- Trend in industry: label-based security
- Killer app: application hosting
 - Independent franchises share a single table at headquarters (e.g., Holiday Inn)
 - Application runs under requester's label, cannot see other labels
 - Headquarters runs Read queries over them
- Oracle's Virtual Private Database