Introduction to Database Systems CSE 444

Lecture 19: Query Processing Overview

Magda Balazinska - CSE 444, Fall 2010

Where We Are

- We are learning how a DBMS executes a query
 - How come a DBMS can execute a query so fast?
- Lectures 16-17: Data storage, indexing, physical tuning
- Lecture 18: Relational algebra
- Lecture 19: Overview of query processing steps
- Includes a description of how queries are executed
- Lecture 20: Operator algorithms
- · Lectures 21-23: Overview of guery optimization


Magda Balazinska - CSE 444, Fall 2010

inaka CSE 444 Fall 2010

Outline for Today

- · Steps involved in processing a query
 - Logical query plan
 - Physical query plan
 - Query execution overview
- Readings: Section 15.1 of the book
 - Query processing steps
 - Query execution using the iterator model
 - An introduction to next lecture on operator algos

Magda Balazinska - CSE 444, Fall 2010



Example Database Schema

Supplier(sno, sname, scity, sstate)
Part(pno, pname, psize, pcolor)
Supply(sno, pno, price)

View: Suppliers in Seattle

CREATE VIEW NearbySupp AS
SELECT sno, sname
FROM Supplier
WHERE scity='Seattle' AND sstate='WA'

Magda Balazinska - CSE 444, Fall 2010

Example Query

Find the names of all suppliers in Seattle who supply part number 2

SELECT sname FROM NearbySupp
WHERE sno IN (SELECT sno
FROM Supplies
WHERE pno = 2)

Steps in Query Evaluation

- · Step 0: Admission control
 - User connects to the db with username, password
 - User sends query in text format
- Step 1: Query parsing
 - Parses query into an internal format
 - Performs various checks using catalog
 - Correctness, authorization, integrity constraints
- · Step 2: Query rewrite
 - View rewriting, flattening, etc.

Magda Balazinska - CSE 444, Fall 2010

Rewritten Version of Our Query

Original query:

SELECT sname
FROM NearbySupp
WHERE sno IN (SELECT sno
FROM Supplies
WHERE pno = 2)

Rewritten query:

SELECT S.sname FROM Supplier S, Supplies U WHERE S.scity='Seattle' AND S.sstate='WA' AND S.sno = U.sno AND U.pno = 2;

Magda Balazinska - CSE 444, Fall 2010

Continue with Query Evaluation

- · Step 3: Query optimization
 - Find an efficient query plan for executing the query
 - We will spend three lectures on this topic
- A guery plan is
 - Logical query plan: an extended relational algebra tree
 - Physical query plan: with additional annotations at each node
 - · Access method to use for each relation
 - Implementation to use for each relational operator

Magda Balazinska - CSE 444, Fall 2010

Extended Algebra Operators

- Union ∪, intersection ∩, difference -
- Selection o
- Projection π
- Join ⋈
- Duplicate elimination δ
- Grouping and aggregation γ
- Sorting τ
- Rename ρ


Magda Balazinska - CSE 444, Fall 2010


10

Logical Query Plan To sname Suppliers Suppliers Supplies Magda Balazinska - CSE 444, Fall 2010 11


Query Block

- Most optimizers operate on individual query blocks
- A query block is an SQL query with **no nesting**
 - Exactly one
 - SELECT clause
 - FROM clause
 - At most oneWHERE clause
 - GROUP BY clause
 - HAVING clause






How about Subqueries? SELECT Q.name FROM Person Q WHERE Q.age > 25 and not exists SELECT * FROM Purchase P WHERE P.buyer = Q.name and P.price > 100



Physical Query Plan

- · Logical query plan with extra annotations
- Access path selection for each relation
 Use a file scan or use an index
- Implementation choice for each operator
- · Scheduling decisions for operators



Final Step in Query Processing

- · Step 4: Query execution
 - How to synchronize operators?
 - How to pass data between operators?
- · Approach:
 - Iterator interface with
 - Pipelined execution or
 - Intermediate result materialization

Magda Balazinska - CSE 444, Fall 2010

Iterator Interface


- · Each operator implements iterator interface
- · Interface has only three methods
- open()
 - Initializes operator state
 - Sets parameters such as selection condition
- get next()
 - Operator invokes get_next() recursively on its inputs
 - Performs processing and produces an output tuple
- close(): cleans-up state

Magda Balazinska - CSE 444, Fall 2010

Pipelined Execution


- Applies parent operator to tuples directly as they are produced by child operators
- Benefits
 - No operator synchronization issues
 - Saves cost of writing intermediate data to disk
 - Saves cost of reading intermediate data from disk
 - Good resource utilizations on single processor
- · This approach is used whenever possible

Magda Balazinska - CSE 444, Fall 2010



Intermediate Tuple Materialization

- Writes the results of an operator to an intermediate table on disk
- · No direct benefit but
- · Necessary for some operator implementations
- When operator needs to examine the same tuples multiple times



Next Time

- Algorithms for physical op. implementations
- How to find a good query plan?

Magda Balazinska - CSE 444, Fall 2010

25