

CSE/EE 461 – Lecture 9

Distance Vector Routing

David Wetherall
djw@cs.washington.edu

Last Time

- Introduction to the Network layer
 - Internetworks
 - Datagram and virtual circuit services
 - Internet Protocol (IP) packet format
- The Network layer
 - Provides end-to-end data delivery between networks
 - Issues of scale and heterogeneity

| |
|----------------|
| Application |
| Presentation |
| Session |
| Transport |
| Network |
| Data Link |
| Physical |

This Time

- Focus
 - How do we calculate routes for packets?
 - Routing is a network layer function
- Routing Algorithms
 - Distance Vector routing (RIP)

| |
|--------------|
| Application |
| Presentation |
| Session |
| Transport |
| Network |
| Data Link |
| Physical |


Forwarding and Routing

- Forwarding is the process that each router goes through for every packet to send it on its way
 - Involves local decisions
- Routing is the process that all routers go through to calculate the routing tables
 - Involves global decisions

What's in a Routing Table?

- The routing table at A, for example, lists at a minimum the next hops for the different destinations

| Dest | Next Hop |
|------|----------|
| B | B |
| C | C |
| D | C |
| E | E |
| F | E |
| G | F |



djw // CSE/EE 461, Winter 2003

L9.5

Kinds of Routing Schemes

- Many routing schemes have been proposed/explored!
- Distributed or centralized
- Hop-by-hop or source-based
- Deterministic or stochastic
- Single or multi-path
- Static or dynamic route selection
- Internet is to the left ☺

djw // CSE/EE 461, Winter 2003

L9.6

Routing Questions


- How to choose best path?
 - Defining “best” is slippery
- How to scale to millions of users?
 - Minimize control messages and routing table size
- How to adapt to failures or changes?
 - Node and link failures, plus message loss
 - We will use distributed algorithms

Some Pitfalls

- Using global knowledge is challenging
 - Hard to collect
 - Can be out-of-date
 - Needs to summarize in a locally-relevant way
- Inconsistencies in local/global knowledge can cause
 - Loops (black holes)
 - Oscillations, esp. when adapting to load

Network as a Graph

- Routing is essentially a problem in graph theory



djw // CSE/EE 461, Winter 2003

L9.9

Distance Vector Routing

- Assume:
 - Each router knows only address/cost of neighbors
- Goal:
 - Calculate routing table of next hop information for each destination at each router
- Idea:
 - Tell neighbors about learned distances to all destinations

djw // CSE/EE 461, Winter 2003

L9.10


DV Algorithm

- Each router maintains a vector of costs to all destinations as well as routing table
 - Initialize neighbors with known cost, others with infinity
- Periodically send copy of distance vector to neighbors
 - On reception of a vector, if neighbors path to a destination plus neighbor cost is better, then switch to better path
 - update cost in vector and next hop in routing table
- Assuming no changes, will converge to shortest paths
 - But what happens if there are changes?

djw // CSE/EE 461, Winter 2003

L9.11

DV Example – Initial Table at A




| Dest | Cost | Next |
|------|----------|------|
| B | 1 | B |
| C | 1 | C |
| D | ∞ | - |
| E | 1 | E |
| F | 1 | F |
| G | ∞ | - |

djw // CSE/EE 461, Winter 2003

L9.12

DV Example – Final Table at A

- Reached in a single iteration ... simple example




| Dest | Cost | Next |
|------|------|------|
| B | 1 | B |
| C | 1 | C |
| D | 2 | C |
| E | 1 | E |
| F | 1 | F |
| G | 2 | F |

djw // CSE/EE 461, Winter 2003

L9.13

What if there are changes?

- One scenario: Suppose link between F and G fails
 - F notices failure, sets its cost to G to infinity and tells A
 - A sets its cost to G to infinity too, since it learned it from F
 - A learns route from C with cost 2 and adopts it




| Dest | Cost | Next |
|------|------|------|
| B | 1 | B |
| C | 1 | C |
| D | 2 | C |
| E | 1 | E |
| F | 1 | F |
| G | 3 | C |

djw // CSE/EE 461, Winter 2003

L9.14

Count To Infinity Problem

- Simple example
 - Costs in nodes are to reach Internet




- Now link between B and Internet fails ...

djw // CSE/EE 461, Winter 2003

L9.15

Count To Infinity Problem

- B hears of a route to the Internet via A with cost 2
- So B switches to the “better” (but wrong!) route




djw // CSE/EE 461, Winter 2003

L9.16

Count To Infinity Problem

- A hears from B and increases its cost




djw // CSE/EE 461, Winter 2003

L9.17

Count To Infinity Problem

- B hears from A and (surprise) increases its cost
- Cycle continues and we “count to infinity”



- Packets caught in the crossfire loop between A and B

djw // CSE/EE 461, Winter 2003

L9.18

Split Horizon

- Solves trivial count-to-infinity problem
- Router never advertises the cost of a destination back to its next hop – that's where it learned it from!
- Poison reverse: go even further – advertise back infinity
- However, DV protocols still subject to the same problem with more complicated topologies
 - Many enhancements suggested

djw // CSE/EE 461, Winter 2003

L9.19

Routing Information Protocol (RIP)

- DV protocol with hop count as metric
 - Infinity value is 16 hops; limits network size
 - Includes split horizon with poison reverse
- Routers send vectors every 30 seconds
 - With triggered updates for link failures
 - Time-out in 180 seconds to detect failures
- RIPv1 specified in RFC1058
 - www.ietf.org/rfc/rfc1058.txt
- RIPv2 (adds authentication etc.) in RFC1388
 - www.ietf.org/rfc/rfc1388.txt

djw // CSE/EE 461, Winter 2003

L9.20

Key Concepts

- Routing is a global process, forwarding is local one
- The Distance Vector algorithm and RIP
 - Simple and distributed exchange of shortest paths.
 - Weak at adapting to changes (loops, count to infinity)