






CSE-473

**A Gentle Introduction to
Particle Filters**

Bayes Filters for Robot Localization



Bayes Filters: Framework

- **Given:**

- Stream of observations z and action data u :

$$d_t = \{u_1, z_2, \dots, u_{t-1}, z_t\}$$

- Sensor model $P(z|x)$.
- Dynamics model $P(x|u, x')$.
- Prior probability of the system state $P(x)$.

- **Wanted:**

- Estimate of the state X of a dynamical system.
- The posterior of the state is also called **Belief**:

$$Bel(x_t) = P(x_t | u_1, z_2, \dots, u_{t-1}, z_t)$$

z = observation
u = action
x = state

Bayes Filters

$$Bel(x_t) = P(x_t | u_1, z_1, \dots, u_t, z_t)$$

Bayes
$$= \eta P(z_t | x_t, u_1, z_1, \dots, u_t) P(x_t | u_1, z_1, \dots, u_t)$$

Markov
$$= \eta P(z_t | x_t) P(x_t | u_1, z_1, \dots, u_t)$$

Total prob.
$$= \eta P(z_t | x_t) \int P(x_t | u_1, z_1, \dots, u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$$

Markov
$$= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$$

$$= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

Bayes Filters are Familiar!

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$


- Kalman filters
- Particle filters
- Hidden Markov models
- Dynamic Bayesian networks
- Partially Observable Markov Decision Processes (POMDPs)

Gaussians

$$p(x) \sim N(\mu, \sigma^2):$$

$$p(x) = \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{1}{2} \frac{(x-\mu)^2}{\sigma^2}}$$


Univariate






$$p(\mathbf{x}) \sim N(\boldsymbol{\mu}, \boldsymbol{\Sigma}):$$

$$p(\mathbf{x}) = \frac{1}{(2\pi)^{d/2} |\boldsymbol{\Sigma}|^{1/2}} e^{-\frac{1}{2} (\mathbf{x}-\boldsymbol{\mu})' \boldsymbol{\Sigma}^{-1} (\mathbf{x}-\boldsymbol{\mu})}$$





Multivariate







Kalman Filter Updates in 1D




Kalman Filter Updates in 1D




Kalman Filter Updates



Sample-based Localization (sonar)





Particle Filters





Sensor Information: Importance Sampling

$$\begin{aligned} Bel(x) &\leftarrow \alpha p(z|x) Bel^-(x) \\ w &\leftarrow \frac{\alpha p(z|x) Bel^-(x)}{Bel^-(x)} = \alpha p(z|x) \end{aligned}$$





Robot Motion

$$Bel^-(x) \leftarrow \int p(x|u, x') Bel(x') dx'$$





Sensor Information: Importance Sampling

$$\begin{aligned} Bel(x) &\leftarrow \alpha p(z|x) Bel^-(x) \\ w &\leftarrow \frac{\alpha p(z|x) Bel^-(x)}{Bel^-(x)} = \alpha p(z|x) \end{aligned}$$



Robot Motion

$$Bel^-(x) \leftarrow \int p(x|u, x') Bel(x') dx'$$




Particle Filter Algorithm

1. Algorithm **particle_filter**(S_{t-1}, u_{t-1}, z_t):
2. $S_t = \emptyset, \eta = 0$
3. **For** $i = 1 \dots n$ *Generate new samples*
4. Sample index $j(i)$ from the discrete distribution given by w_{t-1}
5. Sample x_t^i from $p(x_t | x_{t-1}, u_{t-1})$ using $x_{t-1}^{j(i)}$ and u_{t-1}
6. $w_t^i = p(z_t | x_t^i)$ *Compute importance weight*
7. $\eta = \eta + w_t^i$ *Update normalization factor*
8. $S_t = S_t \cup \{ \langle x_t^i, w_t^i \rangle \}$ *Insert*
9. **For** $i = 1 \dots n$
10. $w_t^i = w_t^i / \eta$ *Normalize weights*

Particle Filter Algorithm

$$Bel(x_t) = \eta p(z_t | x_t) \int p(x_t | x_{t-1}, u_{t-1}) Bel(x_{t-1}) dx_{t-1}$$




$$\begin{aligned} w_t^i &= \frac{\text{target distribution}}{\text{proposal distribution}} \\ &= \frac{\eta p(z_t | x_t) p(x_t | x_{t-1}, u_{t-1}) Bel(x_{t-1})}{p(x_t | x_{t-1}, u_{t-1}) Bel(x_{t-1})} \\ &\propto p(z_t | x_t) \end{aligned}$$


Resampling

- **Given**: Set S of weighted samples.
- **Wanted** : Random sample, where the probability of drawing x_i is given by w_i .
- Typically done n times with replacement to generate new sample set S' .

Resampling



- Roulette wheel
- Binary search, $n \log n$



- Stochastic universal sampling
- Systematic resampling
- Linear time complexity
- Easy to implement, low variance

Resampling Algorithm

1. Algorithm **systematic_resampling**(S, n):

2. $S' = \emptyset, c_1 = w^1$

3. **For** $i = 2 \dots n$

Generate cdf

4. $c_i = c_{i-1} + w^i$

5. $u_1 \sim U[0, n^{-1}], i = 1$

Initialize threshold

6. **For** $j = 1 \dots n$

Draw samples ...

7. **While** ($u_j > c_i$)

Skip until next threshold reached

8. $i = i + 1$

9. $S' = S' \cup \{ \langle x^i, n^{-1} \rangle \}$

Insert

10. $u_j = u_j + n^{-1}$


Increment threshold


11. **Return** S'


Also called **stochastic universal sampling**


Museum Tour-Guide Minerva




















































Using Ceiling Maps for Localization





Vision-based Localization



Under a Light


Measurement z :

$P(z|x)$:




Next to a Light

Measurement z :




$P(z|x)$:




Elsewhere

Measurement z :

$P(z|x)$:



Global Localization Using Vision





Localization for AIBO robots








From Images to Objects







Approach: Extract relevant colors




Distributions for $P(z|x)$




Velocity Based Motion Model



Multi-Step Motion



Example



Representations for Bayes Filters

- Kalman Filter
 - Highly efficient, robust
 - Uni-modal, limited handling of nonlinearities
- Particle Filter
 - Less efficient, highly robust
 - Multi-modal, nonlinear, non-Gaussian
- Rao-Blackwellised Particle Filter, MHT
 - Combines PF with KF
 - Multi-modal, highly efficient

Ball Tracking

