

# CSE 505: Concepts of Programming Languages

Dan Grossman

Fall 2006

Lecture 5— Little Trusted-Languages; Equivalence

## Where are we

---

Today is IMP's last day (hooray!). Done:

- Abstract Syntax
- Operational Semantics (large-step and small-step)
- “Denotational” Semantics
- Semantic properties of (sets of) programs

Today:

- Packet-filter languages and other examples
- Equivalence of programs in a semantics
- Equivalence of different semantics

Next time: Local variables, lambda-calculus

# Packet Filters

---

Almost everything I know about packet filters:

- Some bits come in off the wire
- Some application(s) want the “packet” and some do not (e.g., port number)
- For safety, only the O/S can access the wire.
- For extensibility, only an application can accept/reject a packet.

Conventional solution goes to user-space for every packet and app that wants (any) packets.

Faster solution: Run app-written filters in kernel-space.

## What we need

---

Now the O/S writer is defining the packet-filter language!

Properties we wish of (untrusted) filters:

1. Don't corrupt kernel data structures
2. Terminate (within a time bound)
3. Run fast (the whole point)

Should we download some C/assembly code? (Get 1 of 3.)

Should we make up a language and “hope” it has these properties?

# Language-based approaches

---

1. Interpret a language.

+ clean operational semantics, + portable, - may be slow (+ filter-specific optimizations), - unusual interface

2. Translate a language into C/assembly.

+ clean denotational semantics, + employ existing optimizers, - upfront cost, - unusual interface

3. Require a conservative subset of C/assembly.

+ normal interface, - too conservative w/o help

IMP has taught us about (1) and (2) — we'll get to (3)

# A General Pattern

---

Packet filters move the code to the data rather than data to the code.

General reasons: performance, security, other?

Other examples:

- Query languages
- Active networks

# Equivalence motivation

---

- Program equivalence (change program): code optimizer, code maintainer
- Semantics equivalence (change language): interpreter optimizer, language designer (prove properties for equivalent semantics with easier proof)
- Both: Great practice for strengthening inductive hypothesis (you will do this again in grad school)

Warning: Proofs are easy with the right semantics and lemmas

Note: Small-step often has harder proofs but models more interesting things

# What is equivalence

---

Equivalence depends on *what is observable!*

- Partial I/O equivalence (if terminates, same *ans*)
  - **while 1 skip** equivalent to everything
  - not transitive
- Total I/O (same termination behavior, same *ans*)
- Total heap equivalence (at termination, all (almost all) variables have the same value)
- Equivalence plus complexity bounds
  - Is  $O(2^{n^n})$  really equivalent to  $O(n)$ ?
- Syntactic equivalence (perhaps with renaming)
  - too strict to be interesting



## Program Example: Strength Reduction

---

Motivation: Strength reduction a common compiler optimization due to architecture issues.

Theorem:  $H ; e * 2 \Downarrow c$  if and only if  $H ; e + e \Downarrow c$ .

Proof sketch: Just need “inversion of derivation” and math (hmm, no induction).

## Program Example: Nested Strength Reduction

---

Theorem: If  $e'$  has a subexpression of the form  $e * 2$ , then  $H ; e' \Downarrow c'$  if and only if  $H ; e'' \Downarrow c'$  where  $e''$  is  $e'$  with  $e * 2$  replaced with  $e + e$ .

First some useful metanotation:

$$C ::= [\cdot] \mid C + e \mid e + C \mid C * e \mid e * C$$

$C[e]$  is “ $C$  with  $e$  in the hole”.

So: If  $(e_1 = C[e * 2]$  and  $e_2 = C[e + e])$ ,  
then  $(H ; e_1 \Downarrow c'$  if and only if  $H ; e_2 \Downarrow c')$ .

Proof sketch: By induction on structure (“syntax height”) of  $C$ .

# Small-step program equivalence

---

Theorem and proof significantly simplified by:

- Determinism
- Termination
- Large-step semantics

IMP statements have only determinism.

Theorem: The statement-sequence operator is associative. That is,

- (a) For all  $n$ , if  $H ; s_1 ; (s_2 ; s_3) \rightarrow^n H' ; \mathbf{skip}$  then there exist  $H''$  and  $n'$  such that  $H ; (s_1 ; s_2) ; s_3 \rightarrow^{n'} H'' ; \mathbf{skip}$  and  $H''(ans) = H'(ans)$ .
- (b) If for all  $n$  there exist  $H'$  and  $s'$  such that  $H ; s_1 ; (s_2 ; s_3) \rightarrow^n H' ; s'$ , then for all  $n$  there exist  $H''$  and  $s''$  such that  $H ; (s_1 ; s_2) ; s_3 \rightarrow^n H'' ; s''$ .

## continued

---

Lemma: For all  $n$ , if  $H ; s_1 ; (s_2 ; s_3) \xrightarrow{n} H' ; s'$ , then either (1)  $s'$  has the form  $s'_1 ; (s_2 ; s_3)$  and

$H ; (s_1 ; s_2) ; s_3 \xrightarrow{n} H' ; (s'_1 ; s_2) ; s_3$  or (2)

$H ; (s_1 ; s_2) ; s_3 \xrightarrow{n} H' ; s'$ .

Lemma implies theorem: It's stronger because if  $s'$  is **skip**, then only (2) applies and we have  $H'' = H'$  and  $n' = n$ .

Proof of lemma: Tedious (will post for the curious).

# Language Equivalence Example

IMP w/o multiply:

<p>CONST</p> $\frac{}{H ; c \Downarrow c}$	<p>VAR</p> $\frac{}{H ; x \Downarrow H(x)}$	<p>ADD</p> $\frac{H ; e_1 \Downarrow c_1 \quad H ; e_2 \Downarrow c_2}{H ; e_1 + e_2 \Downarrow c_1 + c_2}$
--	---	---

IMP w/o multiply small-step:

<p>SVAR</p> $\frac{}{H ; x \rightarrow H(x)}$	<p>SADD</p> $\frac{}{H ; c_1 + c_2 \rightarrow c_1 + c_2}$
<p>SLEFT</p> $\frac{H ; e_1 \rightarrow e'_1}{H ; e_1 + e_2 \rightarrow e'_1 + e_2}$	<p>SRIGHT</p> $\frac{H ; e_2 \rightarrow e'_2}{H ; e_1 + e_2 \rightarrow e_1 + e'_2}$

Theorem: Semantics are equivalent,  
 i.e.,  $H ; e \Downarrow c$  if and only if  $H ; e \rightarrow^* c$ .

Proof: We prove the two directions separately.

## Proof, part 1:

---

First assume  $H ; e \Downarrow c$ ; show  $\exists n. H ; e \rightarrow^n c$ .

Lemma (prove it!): If  $H ; e \rightarrow^n e'$ , then  $H ; e_1 + e \rightarrow^n e_1 + e'$  and  $H ; e + e_2 \rightarrow^n e' + e_2$ . (Proof uses SLEFT and SRIGHT.)

Given the lemma, prove by induction on height  $h$  of derivation of  $H ; e \Downarrow c$ :

- $h = 1$ : Derivation is via CONST (so  $H ; e \rightarrow^0 c$ ) or VAR (so  $H ; e \rightarrow^1 c$ ).
- $h > 1$ : Derivation ends with ADD, so  $e$  has the form  $e_1 + e_2$ ,  $H ; e_1 \Downarrow c_1$ ,  $H ; e_2 \Downarrow c_2$ , and  $c$  is  $c_1 + c_2$ .  
By induction  $\exists n_1, n_2. H ; e_1 \rightarrow^{n_1} c_1$  and  $H ; e_2 \rightarrow^{n_2} c_2$ .  
So by our lemma  $H ; e_1 + e_2 \rightarrow^{n_1} c_1 + e_2$  and  $H ; c_1 + e_2 \rightarrow^{n_2} c_1 + c_2$ .  
So SADD lets us derive  $H ; e_1 + e_2 \rightarrow^{n_1 + n_2 + 1} c$ .

## Proof, part 2:

---

Now assume  $\exists n. H; e \rightarrow^n c$ ; show  $H; e \Downarrow c$ . By induction on  $n$ :

- $n = 0$ :  $e$  is  $c$  and CONST lets us derive  $H; c \Downarrow c$ .
- $n > 0$ :  $\exists e'. H; e \rightarrow e'$  and  $H; e' \rightarrow^{n-1} c$ .

By induction  $H; e' \Downarrow c$ .

So this lemma suffices: If  $H; e \rightarrow e'$  and  $H; e' \Downarrow c$ , then  $H; e \Downarrow c$ .

Prove the lemma by induction on height  $h$  of derivation of  $H; e \rightarrow e'$ :

- $h = 1$ : Derivation ends with SVAR (so  $e' = c = H(x)$  and VAR gives  $H; x \Downarrow H(x)$ ) or with SADD (so  $e$  is some  $c_1 + c_2$  and  $e' = c = c_1 + c_2$  and ADD gives  $H; c_1 + c_2 \Downarrow c_1 + c_2$ ).
- $h > 1$ : Derivation ends with SLEFT or SRIGHT ...

## Proof, part 2 continued:

---

If  $e$  has the form  $e_1 + e_2$  and  $e'$  has the form  $e'_1 + e_2$ , then the assumed derivations end like this:

$$\frac{H; e_1 \rightarrow e'_1}{H; e_1 + e_2 \rightarrow e'_1 + e_2} \qquad \frac{H; e'_1 \Downarrow c_1 \quad H; e_2 \Downarrow c_2}{H; e'_1 + e_2 \Downarrow c_1 + c_2}$$

Using  $H; e_1 \rightarrow e'_1$ ,  $H; e'_1 \Downarrow c_1$ , and the induction hypothesis,  $H; e_1 \Downarrow c_1$ . Using this fact,  $H; e_2 \Downarrow c_2$ , and ADD, we can derive  $H; e_1 + e_2 \Downarrow c_1 + c_2$ .

(If  $e$  has the form  $e_1 + e_2$  and  $e'$  has the form  $e_1 + e'_2$ , the argument is analogous to the previous case (prove it!).)



# Conclusions

- Equivalence is a subtle concept.
- Proofs “seem obvious” only when the definitions are right.
- Some other language-equivalence claims:

Replace WHILE rule with

$$\frac{H ; e \Downarrow c \quad c \leq 0}{H ; \text{while } e \text{ s} \rightarrow H ; \text{skip}} \quad \frac{H ; e \Downarrow c \quad c > 0}{H ; \text{while } e \text{ s} \rightarrow H ; s ; \text{while } e \text{ s}}$$

Theorem: Languages are equivalent. (True)

Change syntax of heap and replace ASSIGN and VAR rules with

$$\frac{}{H ; x := e \rightarrow H, x \mapsto e ; \text{skip}} \quad \frac{H ; H(x) \Downarrow c}{H ; x \Downarrow c}$$

Theorem: Languages are equivalent. (False)