

CSE 505, Fall 2007, Assignment 2

Due: Monday 29 October 2007, 4:00PM

Last updated: October 12

Ensure you understand the course policies on academic integrity (see the syllabus) and challenge problems. `hw2.tar`, available on the course website, contains several Caml files you will need.

This homework considers a small “language” for ML-style pattern matching with some twists. A “program” is a pattern p and a value v . If p “matches” v , then the result is a list of bindings b . Else there is no result.

Syntax definition:

$$\begin{aligned} v &::= c \mid (v, v) \mid s(v) \\ p &::= _ \mid x \mid c \mid (p, p) \mid s(p) \mid \dots(p) \\ b &::= \cdot \mid (x, v), b \\ (c &\in \{0, 1, 2, \dots\}) \\ (s &\text{ any nonempty string of English letters}) \\ (x &\text{ any nonempty string of English letters}) \end{aligned}$$

For values, we have constants, pairs, and tagged values. The tag is any string (unlike in ML where constructors must be in preceding type definitions). For patterns, we have wildcard, variables, constants, pairs, tagged patterns, and the “descendent” pattern $\dots(p)$.

Informal semantics:

- Pattern $_$ matches every value and produces the empty list of bindings (\cdot) .
- Pattern x matches every value and produces the one-element binding list $(x, v), \cdot$ when matched with v . Note x can be any variable.
- Pattern c matches only the value that is the same constant and produces the empty list of bindings.
- Pattern (p_1, p_2) matches only pairs of values and only if p_1 and p_2 match the corresponding components of the pair. The result is the two binding lists from the nested matches appended together.
- Pattern $s(p)$ matches only a tagged value where the tag is the same (i.e., the same string s) and p matches the corresponding value. The result is the result of the nested match.
- Pattern $\dots(p)$ matches a value v if p matches any descendent of v in the abstract syntax tree, *including* v *itself*. Put another (very useful) way, it matches if p matches v or $\dots(p)$ matches a child of v in the syntax tree. The result is the result of (any) match that leads to “success”.
- Assume a pattern does not have the same variable more than once; you do not need to check for this.

Example: using the concrete syntax for the parser provided to you (note parentheses are necessary, the pattern and value must be on separate lines, and there can be no line breaks within the pattern or value):

```
bar((x, (...((18,z)),_)))
bar((42, (foo((17, (18, (0,20))))), 19)))
```

The only match produces a binding list where x maps to 42 and z maps to $(0,20)$.

Note: You need to “pair up” with another student before starting the last problem.

1. (Formal large) Give a formal large-step operational semantics for pattern-matching. Your judgment should have the form $(p, v) \Downarrow b$, meaning p matches v producing b . If p does not match v there must be no derivation for any b . Hints:
 - Have 9 rules, 3 of which are axioms.
 - Exactly 1 of the axioms produces a non-empty binding list.
 - Of the 6 non-axioms, 4 should be for descendent patterns.
 - Write $b_1 @ b_2$ for the result of appending b_1 and b_2 . (This comes up only once; do not worry about formalizing append.)
2. Give a p and v where multiple b are possible. That is, show the large-step semantics is nondeterministic.
3. (ML warm-up) Implement `string_of_valu` of type `valu->string` for converting values to concrete syntax. Implement `string_of_binding_list` of type `(string * Ast.valu) list -> string` for converting a binding list to a string. The actual string is unimportant; we recommend putting each binding on a separate line and putting a “:” between the variable and the value. Note `print_ans` (provided) uses `string_of_binding_list`.
4. (ML large) Implement `large : Ast.pattern -> Ast.valu -> (string * Ast.valu) list option` to implement pattern-matching. Your code should largely correspond to your inference rules (hint: match on the pair (p, v)) with these differences:
 - Return `None` if there is no match and `Some b` if there is a match with binding-list `b`.
 - You may resolve the nondeterminism however you like, i.e., if there is more than one match your code should just “find one” and return it. You must always produce one if there is one.
5. (Formal small) Give a formal small-step operational semantics for pattern-matching. Your judgment should have the form $p; v; b \rightarrow p'; v'; b'$. We are “done” when p is `_`. Otherwise, if p matches v there should be a rule that simplifies p or v or both by turning them into p' and v' . The binding list b' is either b or something added onto b . A result for the “whole program” p and v is a b' where $p; v; \cdot \rightarrow^* _ ; v'; b'$. If p and v do not match, there must be no way to derive $p; v; \cdot \rightarrow^* _ ; v'; b'$. Hints:
 - Have 9 rules, 8 of which are axioms.
 - For the nonaxiom, “simplify” the “left side” of a pair-match. 1 axiom rule simplifies a pair-match whose left side is the `_` pattern.
 - 7 axioms produce the same b they start with. The 8th produces a binding list with 1 more entry.
 - 2 of the axioms turn a pattern into `_`. This is similar to IMP’s assign rule where we turn an assignment into a skip.
 - 1 axiom simplifies a tag-match (if the tags match) by just “stripping off the tags”.
 - 4 of the axioms are for descendent patterns.
6. (Pseudo-Denotational) In ML, implement `denote`, which takes a pattern and produces a `Ast.valu->(string * Ast.valu) list option`. This translation must always terminate and produce an ML function that when run does not use the `Ast.pattern` type. (It does use the `Ast.valu` type.) Hint: Descendent patterns are the most interesting.
7. (Equivalence Proofs) Find another student. Do *one* of the following *yourself* (as with other problems, getting help is fine but it is your work) while the other student does the *other*:
 - (a) Prove: If $p_1; v_1; b_1 \rightarrow^n _ ; v_2; b_2$, then there exists a b_3 such that $(p_1, v_1) \Downarrow b_3$.
 - (b) Prove: If $(p, v) \Downarrow b$, then for all b' , there exists a v' such that $p; v; b' \rightarrow^* _ ; v'; b' @ b$.

After the other student has a “full draft”, review their proof and provide useful feedback. Using the feedback you get, improve your proof. *Turn in two copies of your proof; before and after feedback.*

Important hints for the proofs are on the next page.

Hints for 7a:

- The proof structure is similar to a proof we did in lecture 5.
- Note you are *not* asked to prove that b_3 has any connection to b_1 or b_2 . Doing so appears much more difficult; it is a challenge problem.
- Use induction on n .
- Use this lemma, which you must prove: If $p; v; b_1 \rightarrow p'; v'; b_2$ and $(p', v') \Downarrow b_3$, then there exists a b'_3 such that $(p, v) \Downarrow b'_3$.
- The proof for the lemma will have cases for each rule in the small-step semantics and you will show a derivation exists using the large-step semantics.

Hints for 7b:

- The proof structure is similar to a proof we did in lecture 5.
- Note the theorem uses b twice; you are proving the small-step semantics produces the same binding list (plus b').
- Note the theorem is stronger than what we actually care about (namely that $p; v; \cdot \rightarrow^* _ ; v'; b$). You will need the stronger claim in (the most difficult) one case of the proof.
- Use induction on the assumed derivation.
- Use this easy lemma; you can skip the proof if you like: If $p; v; b \rightarrow^n p'; v'; b'$, then $(p, p_2); (v, v_2); b \rightarrow^n (p', p_2); (v', v_2); b'$.

Challenge Problems:

1. Complete the ML implementation of the small-step semantics by implementing:

```
small_step: Ast.pattern -> Ast.valu -> (string * Ast.valu) list ->
           (Ast.pattern * Ast.valu * (string * Ast.valu) list) list
```

What makes the ML version difficult is turning the nondeterministic choice of step-sequences into explicit search, but some of this is done for you: `iter` maintains a stack of program states left to consider; `small_step` takes one state and returns a list of states. Hint: This list could contain 0, 1, 2, or 3 states. Hint: Think about how recursion interacts with multiple next states.

2. Prove this stronger version of 7a, i.e., the real equivalence claim: If $p_1; v_1; \cdot \rightarrow^n _ ; v_2; b$, then $(p_1, v_1) \Downarrow b$. Warning: Your instructor simplified 7(a) after getting snarled up trying to do this! It should be doable, but strengthening the induction hypothesis probably requires some awkward statements about some binding lists being larger than others, and you may need a lemma that binding lists only grow in the small-step semantics. Do *not* turn something in unless you are confident you have the induction hypothesis right; it will not be a good use of your time or the TA's time.

What to turn in:

- Caml source code in a file called `hw2.ml`. Change only the functions you are asked to implement. More helper functions are fine, but the sample solution has none.
- Hard-copy (written or typed) answers to nonprogramming problems.
- The name of your “partner”.

Email your source code to Matthew as `firstname-lastname-hw2.tgz` or `firstname-lastname-hw2.zip`. The code should untar/unzip into a directory called `firstname-lastname-hw2`. Hard copy solutions should be put in Matthew's grad student mailbox or given to him directly.

Do not modify Caml files other than `hw2.ml`.