

# CSE-505: Programming Languages

## Lecture 15 — Subtyping

Zach Tatlock  
2015

### An overloaded PL word

Polymorphism means many things...

- ▶ *Ad hoc polymorphism*:  $e_1 + e_2$  in  $\text{SML} < \text{C} < \text{Java} < \text{C++}$
- ▶ *Ad hoc, cont'd*: Maybe  $e_1$  and  $e_2$  can have different *run-time* types and we choose the  $+$  based on them
- ▶ *Parametric polymorphism*: e.g.,  $\Gamma \vdash \lambda x. x : \forall \alpha. \alpha \rightarrow \alpha$  or with explicit types:  $\Gamma \vdash \Lambda \alpha. \lambda x : \alpha. x : \forall \alpha. \alpha \rightarrow \alpha$  (which “compiles” i.e. “erases” to  $\lambda x. x$ )
- ▶ *Subtype polymorphism*: `new Vector().add(new C())` is legal Java because `new C()` has types `Object` and `C`

... and nothing.

(More precise terms: “static overloading,” “dynamic dispatch,” “type abstraction,” and “subtyping”)

### Being Less Restrictive

“Will a  $\lambda$  term get stuck?” is undecidable, so a sound, decidable type system can *always* be made less restrictive

An “uninteresting” rule that is sound but not “admissible”:

$$\frac{\Gamma \vdash e_1 : \tau}{\Gamma \vdash \mathbf{if\ true\ } e_1\ e_2 : \tau}$$

We’ll study ways to give one term many types (“polymorphism”)

Fact: The version of STLC with explicit argument types

( $\lambda x : \tau. e$ ) has no polymorphism:

If  $\Gamma \vdash e : \tau_1$  and  $\Gamma \vdash e : \tau_2$ , then  $\tau_1 = \tau_2$

Fact: Even without explicit types, many “reuse patterns” do not

type-check. Example:  $(\lambda f. (f\ 0, f\ \mathbf{true}))(\lambda x. (x, x))$   
(evaluates to  $((0, 0), (\mathbf{true}, \mathbf{true}))$ )

### Today

This lecture is about *subtyping*

- ▶ Let more terms type-check without adding any new operational behavior
  - ▶ But at end consider *coercions*
- ▶ Continue using STLC as our core model
- ▶ Complementary to type variables which we will do later
  - ▶ Parametric polymorphism ( $\forall$ ), a.k.a. generics
  - ▶ First-class ADTs ( $\exists$ )
- ▶ Even later: OOP, dynamic dispatch, inheritance vs. subtyping

Motto: Subtyping is not a matter of opinion!

We'll use records to motivate subtyping:

$$\begin{aligned} e & ::= \dots \mid \{l_1 = e_1, \dots, l_n = e_n\} \mid e.l \\ \tau & ::= \dots \mid \{l_1 : \tau_1, \dots, l_n : \tau_n\} \\ v & ::= \dots \mid \{l_1 = v_1, \dots, l_n = v_n\} \end{aligned}$$

$$\frac{}{\{l_1 = v_1, \dots, l_n = v_n\}.l_i \rightarrow v_i}$$

$$\frac{e_i \rightarrow e'_i}{\{l_1 = v_1, \dots, l_{i-1} = v_{i-1}, l_i = e_i, \dots, l_n = e_n\} \rightarrow \{l_1 = v_1, \dots, l_{i-1} = v_{i-1}, l_i = e'_i, \dots, l_n = e_n\}} \quad \frac{e \rightarrow e'}{e.l \rightarrow e.l}$$

$$\frac{\Gamma \vdash e_1 : \tau_1 \quad \dots \quad \Gamma \vdash e_n : \tau_n \quad \text{labels distinct}}{\Gamma \vdash \{l_1 = e_1, \dots, l_n = e_n\} : \{l_1 : \tau_1, \dots, l_n : \tau_n\}}$$

$$\frac{\Gamma \vdash e : \{l_1 : \tau_1, \dots, l_n : \tau_n\} \quad 1 \leq i \leq n}{\Gamma \vdash e.l_i : \tau_i}$$

## Should this typecheck?

$$(\lambda x : \{l_1 : \text{int}, l_2 : \text{int}\}. x.l_1 + x.l_2)\{l_1=3, l_2=4, l_3=5\}$$

Right now, it doesn't, but it won't get stuck

## Should this typecheck?

$$(\lambda x : \{l_1 : \text{int}, l_2 : \text{int}\}. x.l_1 + x.l_2)\{l_1=3, l_2=4, l_3=5\}$$

Right now, it doesn't, but it won't get stuck

Suggests *width subtyping*:

$$\tau_1 \leq \tau_2$$

$$\frac{}{\{l_1 : \tau_1, \dots, l_n : \tau_n, l : \tau\} \leq \{l_1 : \tau_1, \dots, l_n : \tau_n\}}$$

And one new type-checking rule: *Subsumption*

$$\frac{\text{SUBSUMPTION} \quad \Gamma \vdash e : \tau' \quad \tau' \leq \tau}{\Gamma \vdash e : \tau}$$

## Now it type-checks

$$\frac{\frac{\vdots}{\cdot, x : \{l_1:\text{int}, l_2:\text{int}\} \vdash x.l_1 + x.l_2 : \text{int}}{\cdot \vdash \lambda x : \{l_1:\text{int}, l_2:\text{int}\}. x.l_1 + x.l_2 : \{l_1:\text{int}, l_2:\text{int}\} \rightarrow \text{int}} \quad \frac{\cdot \vdash 3 : \text{int} \quad \cdot \vdash 4 : \text{int} \quad \cdot \vdash 5 : \text{int}}{\cdot \vdash \{l_1=3, l_2=4, l_3=5\} : \{l_1:\text{int}, l_2:\text{int}, l_3:\text{int}\}}}{\cdot \vdash \{l_1:\text{int}, l_2:\text{int}, l_3:\text{int}\} \leq \{l_1:\text{int}, l_2:\text{int}\}}}{\cdot \vdash \{l_1=3, l_2=4, l_3=5\} : \{l_1:\text{int}, l_2:\text{int}\}}}$$

Instantiation of Subsumption is **highlighted** (pardon formatting)

The derivation of the *subtyping fact*

$\{l_1:\text{int}, l_2:\text{int}, l_3:\text{int}\} \leq \{l_1:\text{int}, l_2:\text{int}\}$  would continue, using rules for the  $\tau_1 \leq \tau_2$  judgment

- ▶ But here we just use the one axiom we have so far

Clean division of responsibility:

- ▶ Where to use subsumption
- ▶ How to show two types are subtypes

## Permutation

Does this program type-check? Does it get stuck?

$(\lambda x:\{l_1:\text{int}, l_2:\text{int}\}. x.l_1 + x.l_2)\{l_2=3; l_1=4\}$

## Permutation

Does this program type-check? Does it get stuck?

$(\lambda x:\{l_1:\text{int}, l_2:\text{int}\}. x.l_1 + x.l_2)\{l_2=3; l_1=4\}$

Suggests *permutation subtyping*:

$$\frac{}{\{l_1:\tau_1, \dots, l_{i-1}:\tau_{i-1}, l_i:\tau_i, \dots, l_n:\tau_n\} \leq \{l_1:\tau_1, \dots, l_i:\tau_i, l_{i-1}:\tau_{i-1}, \dots, l_n:\tau_n\}}$$

## Permutation

Does this program type-check? Does it get stuck?

$(\lambda x:\{l_1:\text{int}, l_2:\text{int}\}. x.l_1 + x.l_2)\{l_2=3; l_1=4\}$

Suggests *permutation subtyping*:

$$\frac{}{\{l_1:\tau_1, \dots, l_{i-1}:\tau_{i-1}, l_i:\tau_i, \dots, l_n:\tau_n\} \leq \{l_1:\tau_1, \dots, l_i:\tau_i, l_{i-1}:\tau_{i-1}, \dots, l_n:\tau_n\}}$$

Example with width and permutation: Show

$\cdot \vdash \{l_1=7, l_2=8, l_3=9\} : \{l_2:\text{int}, l_1:\text{int}\}$

## Permutation

Does this program type-check? Does it get stuck?

$$(\lambda x:\{l_1:\text{int}, l_2:\text{int}\}. x.l_1 + x.l_2)\{l_2=3; l_1=4\}$$

Suggests *permutation subtyping*:

$$\frac{\{l_1:\tau_1, \dots, l_{i-1}:\tau_{i-1}, l_i:\tau_i, \dots, l_n:\tau_n\} \leq \{l_1:\tau_1, \dots, l_i:\tau_i, l_{i-1}:\tau_{i-1}, \dots, l_n:\tau_n\}}$$

Example with width and permutation: Show

$\cdot \vdash \{l_1=7, l_2=8, l_3=9\} : \{l_2:\text{int}, l_1:\text{int}\}$

It's no longer clear there is an (efficient, sound, complete) type-checking algorithm

- ▶ They sometimes exist and sometimes don't
- ▶ Here they do

## Transitivity

Subtyping is always transitive, so add a rule for that:

$$\frac{\tau_1 \leq \tau_2 \quad \tau_2 \leq \tau_3}{\tau_1 \leq \tau_3}$$

Or just use the subsumption rule multiple times. Or both.

In any case, type-checking is no longer syntax-directed: There may be 0, 1, or *many* different derivations of  $\Gamma \vdash e : \tau$

- ▶ And also potentially many ways to show  $\tau_1 \leq \tau_2$

Hopefully we could define an algorithm and prove it “answers yes” if and only if there exists a derivation

## Digression: Efficiency

With our semantics, width and permutation subtyping make perfect sense

But it would be nice to compile  $e.l$  down to:

1. evaluate  $e$  to a record stored at an address  $a$
2. load  $a$  into a register  $r_1$
3. load field  $l$  from a fixed offset (e.g., 4) into  $r_2$

Many type systems are engineered to make this easy for compiler writers

Makes restrictions seem odd if you do not know techniques for implementing high-level languages

## Digression continued

With width subtyping alone, the strategy is easy

With permutation subtyping alone, it's easy but have to “alphabetize”

With both, it's not easy...

$$\begin{aligned}
 & f_1 : \{l_1 : \text{int}\} \rightarrow \text{int} \quad f_2 : \{l_2 : \text{int}\} \rightarrow \text{int} \\
 & x_1 = \{l_1 = 0, l_2 = 0\} \quad x_2 = \{l_2 = 0, l_3 = 0\} \\
 & f_1(x_1) \quad f_2(x_1) \quad f_2(x_2)
 \end{aligned}$$

Can use *dictionary-passing* (look up offset at run-time) and maybe *optimize away* (some) lookups

*Named types* can avoid this, but make code less flexible

## So far

- ▶ A new *subtyping judgement* and a new typing rule *subsumption*
- ▶ Width, permutation, and transitivity

$$\boxed{\tau_1 \leq \tau_2} \quad \frac{}{\{l_1:\tau_1, \dots, l_n:\tau_n, l:\tau\} \leq \{l_1:\tau_1, \dots, l_n:\tau_n\}}$$

$$\frac{}{\{l_1:\tau_1, \dots, l_{i-1}:\tau_{i-1}, l_i:\tau_i, \dots, l_n:\tau_n\} \leq \{l_1:\tau_1, \dots, l_i:\tau_i, l_{i-1}:\tau_{i-1}, \dots, l_n:\tau_n\}} \quad \frac{\tau_1 \leq \tau_2 \quad \tau_2 \leq \tau_3}{\tau_1 \leq \tau_3}$$

$$\boxed{\Gamma \vdash e : \tau} \quad \frac{\Gamma \vdash e : \tau' \quad \tau' \leq \tau}{\Gamma \vdash e : \tau}$$

Now: This is all much more useful if we extend subtyping so it can be used on “parts” of larger types:

- ▶ Example: Can't yet use subsumption on a record field's type
- ▶ Example: There are no supertypes yet of  $\tau_1 \rightarrow \tau_2$

## Depth

Does this program type-check? Does it get stuck?

$(\lambda x:\{l_1:\{l_3:\mathbf{int}\}, l_2:\mathbf{int}\}. x.l_1.l_3 + x.l_2)\{l_1=\{l_3=3, l_4=9\}, l_2=4\}$

Suggests *depth subtyping*

$$\frac{\tau_i \leq \tau'_i}{\{l_1:\tau_1, \dots, l_i:\tau_i, \dots, l_n:\tau_n\} \leq \{l_1:\tau_1, \dots, l_i:\tau'_i, \dots, l_n:\tau_n\}}$$

(With permutation subtyping, can just have depth on left-most field)

## Depth

Does this program type-check? Does it get stuck?

$(\lambda x:\{l_1:\{l_3:\mathbf{int}\}, l_2:\mathbf{int}\}. x.l_1.l_3 + x.l_2)\{l_1=\{l_3=3, l_4=9\}, l_2=4\}$

Suggests *depth subtyping*

$$\frac{\tau_i \leq \tau'_i}{\{l_1:\tau_1, \dots, l_i:\tau_i, \dots, l_n:\tau_n\} \leq \{l_1:\tau_1, \dots, l_i:\tau'_i, \dots, l_n:\tau_n\}}$$

(With permutation subtyping, can just have depth on left-most field)

Soundness of this rule depends *crucially* on fields being *immutable*!

- ▶ Depth subtyping is *unsound* in the presence of mutation
- ▶ Trade-off between power (mutation) and sound expressiveness (depth subtyping)
- ▶ Homework 4 explores mutation and subtyping

## Function subtyping

Given our rich subtyping on records (and/or other primitives), how do we extend it to other types, notably  $\tau_1 \rightarrow \tau_2$ ?

For example, we'd like  $\mathbf{int} \rightarrow \{l_1:\mathbf{int}, l_2:\mathbf{int}\} \leq \mathbf{int} \rightarrow \{l_1:\mathbf{int}\}$  so we can pass a function of the subtype somewhere expecting a function of the supertype

$$\frac{???}{\tau_1 \rightarrow \tau_2 \leq \tau_3 \rightarrow \tau_4}$$

## Function subtyping

Given our rich subtyping on records (and/or other primitives), how do we extend it to other types, notably  $\tau_1 \rightarrow \tau_2$ ?

For example, we'd like  $\mathbf{int} \rightarrow \{l_1:\mathbf{int}, l_2:\mathbf{int}\} \leq \mathbf{int} \rightarrow \{l_1:\mathbf{int}\}$  so we can pass a function of the subtype somewhere expecting a function of the supertype

$$\frac{???}{\tau_1 \rightarrow \tau_2 \leq \tau_3 \rightarrow \tau_4}$$

For a function to have type  $\tau_3 \rightarrow \tau_4$  it must return something of type  $\tau_4$  (including subtypes) whenever given something of type  $\tau_3$  (including subtypes). A function assuming less than  $\tau_3$  will do, but not one assuming more. A function returning more than  $\tau_4$  but not one returning less.

## Function subtyping, cont'd

$$\frac{\tau_3 \leq \tau_1 \quad \tau_2 \leq \tau_4}{\tau_1 \rightarrow \tau_2 \leq \tau_3 \rightarrow \tau_4}$$

Also want:  $\frac{}{\tau \leq \tau}$

Example:  $\lambda x : \{l_1:\mathbf{int}, l_2:\mathbf{int}\}. \{l_1 = x.l_2, l_2 = x.l_1\}$  can have type  $\{l_1:\mathbf{int}, l_2:\mathbf{int}, l_3:\mathbf{int}\} \rightarrow \{l_1:\mathbf{int}\}$  but *not*  $\{l_1:\mathbf{int}\} \rightarrow \{l_1:\mathbf{int}\}$

## Function subtyping, cont'd

$$\frac{\tau_3 \leq \tau_1 \quad \tau_2 \leq \tau_4}{\tau_1 \rightarrow \tau_2 \leq \tau_3 \rightarrow \tau_4}$$

Also want:  $\frac{}{\tau \leq \tau}$

Example:  $\lambda x : \{l_1:\mathbf{int}, l_2:\mathbf{int}\}. \{l_1 = x.l_2, l_2 = x.l_1\}$  can have type  $\{l_1:\mathbf{int}, l_2:\mathbf{int}, l_3:\mathbf{int}\} \rightarrow \{l_1:\mathbf{int}\}$  but *not*  $\{l_1:\mathbf{int}\} \rightarrow \{l_1:\mathbf{int}\}$

Jargon: Function types are *contravariant* in their argument and *covariant* in their result

- ▶ Depth subtyping means immutable records are covariant in their fields

$$\frac{\tau_3 \leq \tau_1 \quad \tau_2 \leq \tau_4}{\tau_1 \rightarrow \tau_2 \leq \tau_3 \rightarrow \tau_4} \quad \text{Also want: } \frac{}{\tau \leq \tau}$$

Example:  $\lambda x : \{l_1:\text{int}, l_2:\text{int}\}. \{l_1 = x.l_2, l_2 = x.l_1\}$   
 can have type  $\{l_1:\text{int}, l_2:\text{int}, l_3:\text{int}\} \rightarrow \{l_1:\text{int}\}$   
 but *not*  $\{l_1:\text{int}\} \rightarrow \{l_1:\text{int}\}$

Jargon: Function types are *contravariant* in their argument and *covariant* in their result

- ▶ Depth subtyping means immutable records are covariant in their fields

This is unintuitive enough that you, a friend, or a manager, will some day be convinced that functions can be covariant in their arguments. THIS IS ALWAYS WRONG (UNSOUND). Remember (?) that a PL professor JUMPED UP AND DOWN about this.

$$\frac{\tau_1 \leq \tau_2 \quad \tau_2 \leq \tau_3}{\tau_1 \leq \tau_3} \quad \frac{}{\tau \leq \tau}$$

$$\frac{}{\{l_1:\tau_1, \dots, l_n:\tau_n, l:\tau\} \leq \{l_1:\tau_1, \dots, l_n:\tau_n\}}$$

$$\frac{}{\{l_1:\tau_1, \dots, l_{i-1}:\tau_{i-1}, l_i:\tau_i, \dots, l_n:\tau_n\} \leq \{l_1:\tau_1, \dots, l_i:\tau_i, l_{i-1}:\tau_{i-1}, \dots, l_n:\tau_n\}}$$

$$\frac{\tau_i \leq \tau'_i}{\{l_1:\tau_1, \dots, l_i:\tau_i, \dots, l_n:\tau_n\} \leq \{l_1:\tau_1, \dots, l_i:\tau'_i, \dots, l_n:\tau_n\}}$$

$$\frac{\tau_3 \leq \tau_1 \quad \tau_2 \leq \tau_4}{\tau_1 \rightarrow \tau_2 \leq \tau_3 \rightarrow \tau_4}$$

Notes:

- ▶ As always, elegantly handles arbitrarily large syntax (types)
- ▶ For other types, e.g., sums or pairs, would have more rules, deciding carefully about co/contravariance of each position

## Maintaining soundness

Our Preservation and Progress Lemmas still “work” in the presence of subsumption

- ▶ So in theory, any subtyping mistakes would be caught when trying to prove soundness!

In fact, it seems too easy: induction on typing derivations makes the subsumption case easy:

- ▶ Progress: One new case if typing derivation  $\cdot \vdash e : \tau$  ends with subsumption. Then  $\cdot \vdash e : \tau'$  via a shorter derivation, so by induction a value or takes a step.
- ▶ Preservation: One new case if typing derivation  $\cdot \vdash e : \tau$  ends with subsumption. Then  $\cdot \vdash e : \tau'$  via a shorter derivation, so by induction if  $e \rightarrow e'$  then  $\cdot \vdash e' : \tau'$ . So use subsumption to derive  $\cdot \vdash e' : \tau$ .

Hmm...

## Ah, Canonical Forms

That’s because Canonical Forms is where the action is:

- ▶ If  $\cdot \vdash v : \{l_1:\tau_1, \dots, l_n:\tau_n\}$ , then  $v$  is a record with fields  $l_1, \dots, l_n$
- ▶ If  $\cdot \vdash v : \tau_1 \rightarrow \tau_2$ , then  $v$  is a function

We need these for the “interesting” cases of Progress

Now have to use induction on the typing derivation (may end with many subsumptions) *and* induction on the subtyping derivation (e.g., “going up the derivation” only adds fields)

- ▶ Canonical Forms is typically trivial without subtyping; now it requires some work

Note: Without subtyping, Preservation is a little “cleaner” via induction on  $e \rightarrow e'$ , but with subtyping it’s *much* cleaner via induction on the typing derivation

- ▶ That’s why we did it that way

## A matter of opinion?

If subsumption makes well-typed terms get stuck, it is *wrong*

We might allow less subsumption (e.g., for efficiency), but we shall not allow more than is sound

But we have been discussing “subset semantics” in which  $e : \tau$  and  $\tau \leq \tau'$  means  $e$  is a  $\tau'$

- ▶ There are “fewer” values of type  $\tau$  than of type  $\tau'$ , but not really

Very tempting to go beyond this, but you must be very careful...

But first we need to emphasize a really nice property of our current setup: *Types never affect run-time behavior*

## Erasure

A program type-checks or does not. If it does, it evaluates just like in the untyped  $\lambda$ -calculus. More formally, we have:

1. Our language with types (e.g.,  $\lambda x : \tau. e$ ,  $\mathbf{A}_{\tau_1 + \tau_2}(e)$ , etc.) and a semantics
2. Our language without types (e.g.,  $\lambda x. e$ ,  $\mathbf{A}(e)$ , etc.) and a different (but very similar) semantics
3. An *erasure* metafunction from first language to second
4. An equivalence theorem: Erasure commutes with evaluation

This useful (for reasoning and efficiency) fact will be less obvious (but true) with parametric polymorphism

## Coercion Semantics

Wouldn't it be great if...

- ▶  $\mathbf{int} \leq \mathbf{float}$
- ▶  $\mathbf{int} \leq \{l_1 : \mathbf{int}\}$
- ▶  $\tau \leq \mathbf{string}$
- ▶ we could “overload the cast operator”

For these proposed  $\tau \leq \tau'$  relationships, we need a run-time action to turn a  $\tau$  into a  $\tau'$

- ▶ Called a coercion

Could use `float_of_int` and similar but programmers whine about it

## Implementing Coercions

If coercion  $C$  (e.g., `float_of_int`) “witnesses”  $\tau \leq \tau'$  (e.g.,  $\mathbf{int} \leq \mathbf{float}$ ), then we insert  $C$  where  $\tau$  is subsumed to  $\tau'$

So translation to the untyped language depends on where subsumption is used. So it's from *typing derivations* to programs.



## Implementing Coercions

If coercion  $C$  (e.g., `float_of_int`) “witnesses”  $\tau \leq \tau'$  (e.g.,  $\mathbf{int} \leq \mathbf{float}$ ), then we insert  $C$  where  $\tau$  is subsumed to  $\tau'$

So translation to the untyped language depends on where subsumption is used. So it’s from *typing derivations* to programs.

But typing derivations aren’t unique: uh-oh

## Implementing Coercions

If coercion  $C$  (e.g., `float_of_int`) “witnesses”  $\tau \leq \tau'$  (e.g.,  $\mathbf{int} \leq \mathbf{float}$ ), then we insert  $C$  where  $\tau$  is subsumed to  $\tau'$

So translation to the untyped language depends on where subsumption is used. So it’s from *typing derivations* to programs.

But typing derivations aren’t unique: uh-oh

Example 1:

- ▶ Suppose  $\mathbf{int} \leq \mathbf{float}$  and  $\tau \leq \mathbf{string}$
- ▶ Consider  $\cdot \vdash \text{print\_string}(\mathbf{34}) : \mathbf{unit}$

Example 2:

- ▶ Suppose  $\mathbf{int} \leq \{l_1:\mathbf{int}\}$
- ▶ Consider  $\mathbf{34} == \mathbf{34}$ , where  $==$  is equality on ints or pointers

## Coherence

Coercions need to be *coherent*, meaning they don’t have these problems

More formally, programs are deterministic even though type checking is not—any typing derivation for  $e$  translates to an equivalent program

Alternately, can make (complicated) rules about where subsumption occurs and which subtyping rules take precedence

- ▶ Hard to understand, remember, implement correctly

It’s a mess. . .

## C++

Semi-Example: Multiple inheritance a la C++

```
class C2 {};  
class C3 {};  
class C1 : public C2, public C3 {};  
class D {  
    public: int f(class C2) { return 0; }  
           int f(class C3) { return 1; }  
};  
int main() { return D().f(C1()); }
```

Note: A compile-time error “ambiguous call”

Note: Same in Java with interfaces (“reference is ambiguous”)

- ▶ “Subset” subtyping allows “upcasts”
- ▶ “Coercive subtyping” allows casts with run-time effect
- ▶ What about “downcasts”?

- ▶ “Subset” subtyping allows “upcasts”
- ▶ “Coercive subtyping” allows casts with run-time effect
- ▶ What about “downcasts”?

That is, should we have something like:

```
if_hastype( $\tau, e_1$ ) then  $x. e_2$  else  $e_3$ 
```

Roughly, if at run-time  $e_1$  has type  $\tau$  (or a subtype), then bind it to  $x$  and evaluate  $e_2$ . Else evaluate  $e_3$ . Avoids having exceptions.

- ▶ Not hard to formalize

## Downcasts

Can't deny downcasts exist, but here are some bad things about them:

- ▶ Types don't erase – you need to represent  $\tau$  and  $e_1$ 's type at run-time. (Hidden data fields)
- ▶ Breaks abstractions: Before, passing  $\{l_1 = 3, l_2 = 4\}$  to a function taking  $\{l_1 : \mathbf{int}\}$  hid the  $l_2$  field, so you know it doesn't change or affect the callee

Some better alternatives:

- ▶ Use ML-style datatypes — the programmer decides which data should have tags
- ▶ Use parametric polymorphism — the right way to do container types (not downcasting results)