

CSE P 501 – Compilers

LR Parser Construction

Hal Perkins

Spring 2018

Agenda

- LR(0) state construction
- FIRST, FOLLOW, and nullable
- Variations: SLR, LR(1), LALR

LR State Machine



- Idea: Build a DFA that recognizes handles
 - Language generated by a CFG is generally not regular, but
 - Language of viable prefixes for a CFG is regular
 - So a DFA can be used to recognize handles
 - LR Parser reduces when DFA accepts a handle

Prefixes, Handles, &c (review)

- If S is the start symbol of a grammar G ,
 - If $\underline{S} \Rightarrow^* \underline{\alpha}$ then α is a *sentential form* of G
 - γ is a *viable prefix* of G if there is some derivation $\underline{S} \Rightarrow_{rm}^* \underline{\alpha A} w \Rightarrow_{rm}^* \underline{\alpha \beta} w$ and $\underline{\gamma}$ is a prefix of $\alpha\beta$.
 - The occurrence of β in $\alpha\underline{\beta}w$ is a *handle* of $\alpha\beta w$
- An *item* is a marked production (a \cdot at some position in the right hand side)

– $[A ::= \underline{\cdot} X Y]$ $[A ::= X \underline{\cdot} Y]$ $[A ::= X Y \underline{\cdot}]$

$A ::= X Y$

Building the LR(0) States

- Example grammar

$$\begin{array}{l} \left[\begin{array}{l} S' ::= S \$ \\ S ::= (L) \\ S ::= x \\ L ::= S \\ L ::= L , S \end{array} \right. \end{array}$$

- We add a production S' with the original start symbol followed by end of file ($\$$)
 - We accept if we reach the end of this production
- Question: What language does this grammar generate?

Start of LR Parse

0. $S' ::= S \$$
1. $S ::= (L)$
2. $S ::= x$
3. $L ::= S$
4. $L ::= L, S$


$\$ _$

$S \$$

- Initially
 - Stack is empty
 - Input is the right hand side of S' , i.e., $S \$$
 - Initial configuration is $[S' ::= \underline{\cdot} S \$]$
 - But, since position is just before S , we are also just before anything that can be derived from S

Initial state


0. $S' ::= S \$$
- 1. $S ::= (L)$
- 2. $S ::= X$
3. $L ::= S$
4. $L ::= L, S$



- A state is just a set of items
 - Start: an initial set of items
 - Completion (or closure): additional productions whose left hand side appears to the right of the dot in some item already in the state

Shift Actions (1)


0. $S' ::= S \$$
1. $S ::= (L)$
2. $S ::= x$
3. $L ::= S$
4. $L ::= L, S$



- To shift past the x , add a new state with appropriate item(s), including their closure
 - In this case, a single item; the closure adds nothing
 - This state will lead to a reduction since no further shift is possible

Shift Actions (2)


0. $S' ::= S \$$
1. $S ::= (L)$
2. $S ::= x$
3. $L ::= S$
4. $L ::= L , S$



- If we shift past the $($, we are at the beginning of L
- The closure adds all productions that start with L , which also requires adding all productions starting with S

Goto Actions

0. $S' ::= S \$$
1. $S ::= (L)$
2. $S ::= x$
3. $L ::= S$
4. $L ::= L, S$



- Once we reduce S , we'll pop the rhs from the stack exposing the first state. Add a *goto* transition on S for this.

Basic Operations

- *Closure* (S)
 - Adds all items implied by items already in S
- *Goto* (I, X)
 - I is a set of items
 - X is a grammar symbol (terminal or non-terminal)
 - *Goto* moves the dot past the symbol X in all appropriate items in set I

Closure Algorithm

- *Closure* (S) =
 - repeat
 - for any item $[A ::= \alpha \cdot \underline{B} \beta]$ in S
 - for all productions $B ::= \gamma$
 - add $[B ::= \cdot \underline{\gamma}]$ to S
 - until S does not change
 - return S
- Classic example of a fixed-point algorithm

Goto Algorithm

- $Goto(I, X) =$
 - set new to the empty set
 - for each item $[A ::= \alpha \cdot \underline{X} \beta]$ in I
 - add $[A ::= \alpha \underline{X} \cdot \beta]$ to new
 - return $Closure(new)$
- This may create a new state, or may return an existing one

LR(0) Construction


- First, augment the grammar with an extra start production $S' ::= \underline{S} \$$
- Let \underline{T} be the set of states
- Let \underline{E} be the set of edges
- Initialize T to *Closure* ($[S' ::= . S \$]$)
- Initialize E to empty

LR(0) Construction Algorithm

repeat
 for each state I in T
 for each item $[A ::= \alpha \cdot X \beta]$ in I
 Let new be $Goto(I, X)$
 Add new to T if not present
 Add $I \xrightarrow{X} new$ to E if not present
until E and T do not change in this iteration

- Footnote: For symbol $\$$, we don't compute $goto(I, \$)$; instead, we make this an *accept* action.

Example: States for



Building the Parse Tables (1)

- For each edge $I \xrightarrow{x} J$
 - if X is a terminal, put sj in column X , row I of the action table (shift to state j)
 - If X is a non-terminal, put gj in column X , row I of the goto table (go to state j)

Building the Parse Tables (2)

- For each state I containing an item $[S' ::= S . \$]$, put *accept* in column $\$$ of row I
- Finally, for any state containing $[A ::= \gamma .]$ put action *rn* (reduce) in every column of row I in the table, where n is the *production* number (*not* a state number)

Example: Tables for

- 0. $S' ::= S \$$
- 1. $S ::= (L)$
- 2. $S ::= x$
- 3. $L ::= S$
- 4. $L ::= L, S$

	Action					Goto	
	x	()	,	\$	S	L
1	s3	s4				g2	
2					acc		
3	r2	r2	r2	r2	r2		
4	s3	s4				g5	g6
5	r3	r3	r3	r3	r3		
6			s7	s8			
7	r1	r1	r1	r1	r1		
8	s3	s4				g9	
9	r4	r4	r4	r4	r4		

Where Do We Stand?

- We have built the LR(0) state machine and parser tables
 - No lookahead yet
 - Different variations of LR parsers add lookahead information, but basic idea of states, closures, and edges remains the same
- A grammar is LR(0) if its LR(0) state machine (equiv. parser tables) has no shift-reduce or reduce-reduce conflicts.


A Grammar that is not LR(0)

- Build the state machine and parse tables for a simple expression grammar

$$S ::= E \$$$
$$E ::= T + E$$
$$E ::= T$$
$$T ::= x$$

LR(0) Parser for

0. $S ::= E \$$
1. $E ::= T + E$
2. $E ::= T$
3. $T ::= x$



	x	+	\$	E	T
1	s5			g2	G3
2			acc		
3	r2	<u>s4,r2</u>	r2		
4	s5			g6	G3
5	r3	r3	r3		
6	r1	r1	r1		

- State 3 is has two possible actions on +
 - shift 4, or reduce 2
- \therefore Grammar is not LR(0)

How can we solve conflicts like this?

- Idea: look at the next symbol after the handle before deciding whether to reduce
- Easiest: SLR – Simple LR. Reduce only if next input terminal symbol could follow the nonterminal on the left of the production in some possible derivation(s)
- More complex: LR and LALR. Store lookahead symbols in items to keep track of what can follow a particular instance of a reduction
 - LALR used by YACC/Bison/CUP; we won't examine in detail
 - see your favorite compiler book for explanations

SLR Parsers

- Idea: Use information about what can follow a non-terminal to decide if we should perform a reduction; don't reduce if the next input symbol can't follow the resulting non-terminal
- We need to be able to compute FOLLOW(A) – the set of symbols that can follow A in any possible derivation
 - i.e., t is in FOLLOW(A) if any derivation contains A t
 - To compute this, we need to compute FIRST(γ) for strings γ that can follow A

Calculating FIRST(γ)

- Sounds easy... If $\gamma = X Y Z$, then FIRST(γ) is FIRST(X), right?
 - But what if we have the rule $X ::= \epsilon$?
 - In that case, FIRST(γ) includes anything that can follow X , i.e. FOLLOW(X), which includes FIRST(Y) and, if Y can derive ϵ , FIRST(Z), and if Z can derive ϵ , ...
 - So computing FIRST and FOLLOW involves knowing FIRST and FOLLOW for other symbols, as well as which ones can derive ϵ .

FIRST, FOLLOW, and nullable

- **nullable(X)** is true if X can derive the empty string
- Given a string γ of terminals and non-terminals, **FIRST(γ)** is the set of terminals that can begin any strings derived from γ
 - For SLR we only need this for single terminal or non-terminal symbols, not arbitrary strings γ
- **FOLLOW(X)** is the set of terminals that can immediately follow X in some derivation
- All three of these are computed together

Computing FIRST, FOLLOW, and nullable (1)

- Initialization
 - set FIRST and FOLLOW to be empty sets
 - set nullable to false for all non-terminals
 - set FIRST[a] to a for all terminal symbols a
- Repeatedly apply four simple observations to update these sets
 - Stop when there are no further changes
 - Another fixed-point algorithm

Computing FIRST, FOLLOW, and nullable (2)

repeat

for each production $X := Y_1 Y_2 \dots Y_k$

① if $Y_1 \dots Y_k$ are all nullable (or if $k = 0$)
set nullable[X] = true

② for each i from 1 to k and each j from $i+1$ to k
if $Y_1 \dots Y_{i-1}$ are all nullable (or if $i = 1$)
add FIRST[Y_j] to FIRST[X]

③ if $Y_{i+1} \dots Y_k$ are all nullable (or if $i = k$)
add FOLLOW[X] to FOLLOW[Y_i]

④ if $Y_{i+1} \dots Y_{j-1}$ are all nullable (or if $i+1=j$)
add FIRST[Y_j] to FOLLOW[Y_i]

Until FIRST, FOLLOW, and nullable do not change

② $X ::= Y_1 \dots Y_{i-1} Y_i \dots Y_k$

 LW CSE P501 Spring 2018

③ $X ::= Y_1 \dots Y_i Y_{i+1} \dots Y_k$


④ $X ::= Y_1 \dots Y_i Y_{i+1} \dots Y_{j-1} Y_j \dots Y_k$


E-28

Example

- Grammar

- 1 $Z ::= d$
- 2 $Z ::= XYZ$
- 3 $Y ::= \epsilon$
- 4 $Y ::= c$
- 5 $X ::= Y$
- 6 $X ::= a$

	nullable	FIRST	FOLLOW
X	no yes (5)	c (5) a (6)	c, a, d (2)
Y	no yes (3)	c (4)	c, a, d (2)
Z	no	d, c, a (1) (2)	

LR(0) Reduce Actions (review)


- In a LR(0) parser, if a state contains a reduction, it is unconditional regardless of the next input symbol
- Algorithm:
 - Initialize R to empty
 - for each state I in T
 - for each item $[A ::= \alpha .]$ in I
 - [add $(I, A ::= \alpha)$ to R

SLR Construction

- This is identical to LR(0) – states, etc., except for the calculation of reduce actions
- Algorithm:
 - Initialize R to empty
 - for each state I in T
 - for each item $[A ::= \alpha .]$ in I
 - for each terminal a in $\text{FOLLOW}(A)$
 - add $(I, a, A ::= \alpha)$ to R
 - i.e., reduce $\underline{\alpha}$ to \underline{A} in state I only on lookahead a

SLR Parser for

0. $S ::= E \$$
1. $E ::= T + E$
2. $E ::= T$
3. $T ::= X$



	x	+	\$	E	T
1	s5			g2	g3
2			acc		
3	r2	s4,r2	r2		
4	s5			g6	g3
5	r3	r3	r3		
6	r1	r1	r1		

On To LR(1)

- Many practical grammars are SLR
- LR(1) is more powerful yet
- Similar construction, but notion of an item is more complex, incorporating lookahead information

LR(1) Items

- An LR(1) item $[A ::= \alpha . \beta, a]$ is
 - A grammar production ($A ::= \alpha\beta$)
 - A right hand side position (the dot)
 - A lookahead symbol (a)
- Idea: This item indicates that α is the top of the stack and the next input is derivable from βa .
- Full construction: see the book

LR(1) Tradeoffs

- LR(1)
 - Pro: extremely precise; largest set of grammars
 - Con: potentially **very** large parse tables with many states

LALR(1)

- Variation of LR(1), but merge any two states that differ only in lookahead
 - Example: these two would be merged


[A ::= x . , a]

[A ::= x . , b]

LALR(1) vs LR(1)

- LALR(1) tables can have many fewer states than LR(1)
 - Somewhat surprising result: will actually have same number of states as SLR parsers, even though LALR(1) is more powerful
 - After the merge step, acts like SLR parser with “smarter” FOLLOW sets (can be specific to particular handles)
- LALR(1) may have reduce conflicts where LR(1) would not (but in practice this doesn't happen often)
- Most practical bottom-up parser tools are LALR(1) (e.g., yacc, bison, CUP, ...)

Language Heirarchies



Coming Attractions

Rest of Parsing...

- LL(k) Parsing – Top-Down
- Recursive Descent Parsers
 - What you can do if you want a parser in a hurry

Then...

- AST construction – what do do while you parse!
- Visitor Pattern – how to traverse ASTs for further processing (type checking, code generation, ...)