

Synchronization

Coherency protocols guarantee that a reading processor (thread) sees the most current update to shared data.

Coherency protocols **do not**:

- make sure that only one thread accesses shared data or a shared hardware or software resource at a time
Critical sections order thread access to shared data
- force threads to start executing particular sections of code together
Barriers force threads to start executing particular sections of code together

Critical Sections

A **critical section**

- a sequence of code that only one thread can execute at a time
- provides **mutual exclusion**
 - a thread has exclusive access to the code & the data that it accesses
 - guarantees that only one thread can update the data at a time
- to execute a critical section, a thread
 - acquires a lock that guards it
 - executes its code
 - releases the lock

The effect is to synchronize or order & sequentialize the access of threads wrt their accessing shared data

Barriers

Barrier synchronization

- a **barrier**: point in a program which all threads must reach before any thread can cross
 - threads reach the barrier & then wait until all other threads arrive
 - all threads are released at once & begin executing code beyond the barrier
- example implementation of a barrier:
 - set a lock-protected counter to the number of processors
 - each thread (assuming 1/processor) decrements it
 - when the counter value becomes 0, all threads have crossed the barrier
- code that implements a barrier is a critical section
- useful for:
 - programs that execute in phases
 - synchronizing after a parallel loop

Locking

Locking facilitates access to a critical section.

Locking protocol:

- **synchronization variable or lock**
 - 0: lock is available
 - 1: lock is unavailable because another thread holds it
- a thread obtains the lock before it can enter a critical section
 - sets the lock to 1
- thread releases the lock before it leaves the critical section
 - clears the lock

Acquiring a Lock

Atomic exchange instruction: swap a value in a register & a value in memory in one operation

- set the register to 1
- swap the register value & the lock value in memory
- new register value determines whether got the lock

AcquireLock:

```
li    R3, #1          /* create lock value
swap  R3, 0(R4)       /* exchange register & lock
bnez  R3, AcquireLock /* have to try again */
```

- also known as atomic read-modify-write a location in memory

Other examples

- test & set: tests the value in a memory location & sets it to 1
- fetch & increment/decrement: returns the value of a memory location + 1

Releasing a Lock

Store a 0 in the lock

Load-linked & Store Conditional

Performance problem with atomic read-modify-write:

- 2 memory operations in one
- must hold the bus until both operations complete

Pair of instructions *appears* atomic

- avoids need for uninterruptible memory read & write
- **load-locked & store-conditional**
 - load-locked returns the original (lock) value in memory
 - if the contents of lock memory has not changed when the store-conditional is executed, the processor still has the lock
 - store-conditional returns a 1 if successful

```
GetLk:    li      R3, #1          /* create lock value
          ll      R2, 0(R1)     /* read lock variable
          ...
          sc      R3, 0(R1)     /* try to lock it
          beqz   R3, GetLk      /* cleared if sc failed
          ... (critical section)
```

Load-linked & Store Conditional

Implemented with special processor registers: **lock-flag register & lock-address register**

- load-locked sets lock-address register to lock's memory address & lock-flag register to 1
- store-conditional returns lock-flag register value in the store register
- lock-flag register is cleared if the lock is written by another processor
- lock-flag register cleared if context switch or interrupt

Synchronization APIs

User-level software synchronization library routines constructed with atomic hardware primitives

- **spin locks**
 - **busywaiting** until obtain the lock
 - contention with atomic exchange causes invalidations (for the write) & coherency misses (for the rereads)
 - avoid if separate reading the lock & testing it from setting it
 - spinning done in the cache rather than over the bus

```
getLk:      li      R2, #1
spinLoop:   ll      R1, lockVariable
            bnez   R1, spinLoop
            sc     R2, lockVariable
            beqz  R2, getLk
            .... (critical section)
            st    R0, lockVariable
```

- **blocking locks**
 - block the thread after a certain number of spins

Synchronization Performance

An example overall synchronization/coherence strategy:

- design cache coherency protocol for little interprocessor contention for locks (the common case)
- add techniques to avoid performance loss if there is contention for a lock & still provide low latency if no contention

Have a race condition for acquiring a lock when it is unlocked

- $O(p^2)$ bus transactions for p contending processors (write-invalidate)
- **exponential back-off** - software solution
 - each processor retries at a different time
 - successive retries done an exponentially increasing time later
- **queuing locks** - hardware solution
 - lock is passed from unlocking processor to waiting processor
 - also addresses fairness

Atomic Exchange in Practice

Alpha

- load-locked, store-conditional

UltraSPARCs (V9 architecture)

- several primitives
compare & swap, test & set, etc.

Pentium Pro

- compare & swap